

Airborne concentrations of benzene for dock workers at the ExxonMobil refinery and chemical plant, Baton Rouge, Louisiana, USA (1977–2005) ¹

by Thomas E Widner, MS, Shannon H Gaffney, PhD,² Julie M Panko, BS, Kenneth M Unice, MS, Amanda M Burns, MSPH, Marisa Kreider, PhD, J Ralph Marshall, MS, Lindsay E Booher, MS, Richard H Gelatt, MS, Dennis J Paustenbach, PhD

1 Supplementary tables A–D

2 Corresponding author [e-mail: sgaffney@chemrisk.com].

Appendix: Supplemental tables A-D

Table A. Summary statistics for the non-task dataset, by job category, including arithmetic mean and percentiles where appropriate. [NC=not calculated because the proportion of results below the detection limit exceeds the stated percentile or N<10.]

| Job title | N | Detection frequency (%) | Benzene concentration (parts per million) | | | | | | |
|---|-----|-------------------------|---|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------|
| | | | Arithmetic mean | 5 th percentile | 25 th percentile | 50 th percentile | 75 th percentile | 95 th percentile | Max detected |
| Dock-specific employees | | | | | | | | | |
| Dock connecting crew | 179 | 57 | 0.30 | NC | NC | 0.021 | 0.13 | 0.92 | 15 |
| Dock assistant operator | 123 | 27 | 0.037 | NC | NC | NC | 0.018 | 0.14 | 1.3 |
| Dock controller | 3 | 0 | <0.01 | NC | NC | NC | NC | NC | NC |
| Other employees working at docks | | | | | | | | | |
| Pipefitter/welder | 40 | 23 | 0.037 | NC | NC | NC | NC | 0.13 | 0.67 |
| Electrician | 6 | 0 | <0.06 | NC | NC | NC | NC | NC | NC |
| Instrument technician | 3 | 33 | 0.0084 | NC | NC | NC | NC | NC | 0.018 |
| Machinist | 2 | 0 | <0.02 | NC | NC | NC | NC | NC | NC |
| Maintenance | 1 | 0 | <0.05 | NC | NC | NC | NC | NC | NC |
| Contract workers | | | | | | | | | |
| Contractor – tankerman | 38 | 95 | 1.4 | 0.010 | 0.030 | 0.31 | 1.0 | 6.4 | 9.8 |
| Contractor – pipefitter | 7 | 0 | <0.02 | NC | NC | NC | NC | NC | NC |
| Contractor – gauging/inspection | 4 | 75 | 0.025 | NC | NC | NC | NC | NC | 0.070 |
| Summary | | | | | | | | | |
| Dock employees | 305 | 44 | 0.19 | NC | NC | NC | 0.088 | 0.59 | 15 |
| Other employees | 52 | 19 | 0.030 | NC | NC | NC | NC | 0.12 | 0.67 |
| Contract workers | 49 | 80 | 1.1 | NC | 0.016 | 0.13 | 0.65 | 5.9 | 9.8 |
| All non-task samples | 406 | 45 | 0.28 | NC | NC | NC | 0.10 | 0.94 | 15 |

Table B. Summary statistics for the non-task dataset, for samples for which loading berth was reported, including arithmetic mean and percentiles where appropriate. [NC=not calculated because the proportion of results below the detection limit exceeds the stated percentile or N<10].

| Job title | N | Detection frequency (%) | Benzene concentration (parts per million) | | | | | | |
|---|----|-------------------------|---|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------|
| | | | Arithmetic mean | 5 th percentile | 25 th percentile | 50 th percentile | 75 th percentile | 95 th percentile | Max detected |
| Berth 4 – gasoline/benzene barge loading | | | | | | | | | |
| Dock connecting crew | 28 | 71 | 0.71 | NC | NC | 0.030 | 0.33 | 5.0 | 6.3 |
| Dock assistant operator | 15 | 27 | 0.026 | NC | NC | NC | 0.010 | 0.13 | 0.14 |
| Contractor – tankerman | 1 | 100 | 9.8 | NC | NC | NC | NC | NC | 9.8 |
| Berths 1, 2, 3, and 5 | | | | | | | | | |
| Dock connecting crew | 19 | 32 | 0.019 | NC | NC | NC | 0.022 | 0.082 | 0.10 |
| Dock assistant operator | 76 | 26 | 0.047 | NC | NC | NC | 0.023 | 0.16 | 1.3 |
| Dock controller | 1 | 0 | <0.01 | NC | NC | NC | NC | NC | NC |
| Contractor – tankerman | 8 | 75 | 0.12 | NC | NC | NC | NC | NC | 0.36 |

Table C. Summary statistics for the task-related dataset, including arithmetic mean and percentiles where appropriate. [NC=not calculated because the proportion of results below the detection limit exceeds the stated percentile or N<10].

| Task | Jobs | N | Detection frequency (%) | Benzene concentration (ppm) | | | | | | |
|-------------------------------|--|-----|-------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------|
| | | | | Arithmetic mean | 5 th percentile | 25 th percentile | 50 th percentile | 75 th percentile | 95 th percentile | Max detected |
| Disconnect cargo hoses | Dock connecting crew | 134 | 64 | 11 | NC | NC | 0.46 | 4.9 | 64 | 179 |
| Connect cargo hoses | Dock connecting crew | 87 | 38 | 0.56 | NC | NC | NC | 0.36 | 1.8 | 14 |
| Gauge cargo vessel tanks | Contractor – gauging; Contractor – tankerman; Dock connecting crew | 65 | 29 | 3.2 | NC | NC | NC | 0.56 | 6.4 | 99 |
| Sample cargo vessel product | Dock connecting crew | 34 | 91 | 8.3 | NC | 0.13 | 0.49 | 3.9 | 40 | 119 |
| Repair undrained equipment | Pipefitter/welder; Instrument technician | 15 | 67 | 2.9 | NC | NC | 0.18 | 2.5 | 12 | 23 |
| Load benzene/gasoline barge | Contractor – tankerman | 3 | 100 | 71 | NC | NC | NC | NC | NC | 130 |
| Load sulfidic caustic barge | Contractor – tankerman; Dock assistant operator | 4 | 25 | 0.13 | NC | NC | NC | NC | NC | 0.36 |
| Inspect hose disconnection | Dock assistant operator | 1 | 100 | 8.7 | NC | NC | NC | NC | NC | 8.7 |
| All task samples ^a | All job titles | 343 | 54 | 6.6 | 0.0073 | 0.065 | 0.26 | 1.7 | 26 | 179 |

^a Does not include 54 samples where task could not be assigned

Table D.1. Non-task sampling. Airborne benzene concentrations from published studies of marine handling of petroleum products and petrochemicals [O=open system; C=closed system; NS=Not specified; NV=no vapor recovery; TD=tanker deck; ND=not detected.]

| Row | Location | Period | Worker type | Activity | Open or closed | Averaging time (minutes) | N | Benzene concentration (ppm) | | | | |
|-----------------------------|-----------|---------|------------------|--|----------------|--------------------------|-----------------|-----------------------------|------|-----------------|---------------|------------------|
| | | | | | | | | Arith-metic mean | SD | Geo-metric mean | Geo-metric SD | Range of results |
| Runion & Scott, 1985 (1) | | | | | | | | | | | | |
| 1 | US | 1978–83 | Chemical | Barge loading | NS | ≥240 | 36 | 2.31 | 1.3 | 2.00 | 1.7 | 0.10–10.0 |
| 2 | US | 1978–83 | Petroleum | Ship/barge benzene | NS | ≥240 | 90 | 13.2 | 67.4 | 1.30 | 9.2 | <0.10–>10 |
| 3 | US | 1978–83 | Petroleum | Ship/barge benzene, mixed | NS | ≥240 | 63 | 5.10 | 49.6 | 0.09 | 20.0 | <0.10–>10 |
| 4 | US | 1978–83 | Petroleum | Ship/barge other | NS | ≥240 | 457 | 1.22 | 6.2 | 0.12 | 9.2 | <0.10–>10 |
| Christian & Eyres, 1986 (2) | | | | | | | | | | | | |
| 5 | Europe | 1977–85 | Deck crew | Barge loading | C | 480 | 12 | 2.4 | . | . | . | 0.1–11.7 |
| 6 | Europe | 1977–85 | Deck crew | Barge loading | O | 480 | 19 | 8.8 | . | . | . | 0.6–61.0 |
| 7 | Europe | 1977–85 | Deck crew | Load coastal vessels | C | 480 | | . | . | . | . | 0.1–0.2 |
| 8 | Europe | 1977–85 | Deck crew | Load coastal vessels | O | 480 | | . | . | . | . | 0.2–14 |
| 9 | Europe | 1977–85 | Deck crew | Load estuarial vessels | C | 480 | | . | . | . | . | 0.2–2.3 |
| 10 | Europe | 1977–85 | Deck crew | Load estuarial vessels | O | 480 | | . | . | . | . | 3–54 |
| 11 | Europe | 1977–85 | Jetty staff | Marine loading | NS | 480 | 12 | . | . | . | . | 0.2–2.5 |
| 12 | Europe | 1977–85 | Jetty staff | Marine loading | NS | 480 | 51 | 0.45 | . | . | . | 0.02–3.10 |
| 13 | Europe | 1977–85 | Jetty staff | Marine loading | O | 480 | 4 | 0.8 | . | . | . | 0.4–1.6 |
| 14 | Europe | 1977–85 | Deck crew | Ship loading | C | 480 | 9 | 1.5 | . | . | . | 0.1–7.3 |
| 15 | Europe | 1977–85 | Deck crew | Ship loading | O | 480 | 18 | 4.5 | . | . | . | 0.1–21.0 |
| 16 | Europe | 1977–85 | Deck crew | Marine loading | C | 480 | 34 | 1.053 ^a | . | . | . | 0.04–6.5 |
| 17 | Europe | 1977–85 | Jetty staff | Marine loading | C | 480 | 31 | 0.537 ^b | . | . | . | 0.06–9.5 |
| 18 | Europe | 1977–85 | Deck crew | Marine loading | O | 480 | 138 | 5.39 ^c | . | . | . | 0–62 |
| Halder et al, 1986 (3) | | | | | | | | | | | | |
| 19 | US | - | Marine loading | Ship/barge loading | O | 480 | 11 | 0.7 | 1.8 | 0.2 | 5.5 | 0.0–6.1 |
| Coker et al, 1987 (4) | | | | | | | | | | | | |
| 20 | Europe | 1984–85 | Deck crew | Barge loading | C | 480 | 11 | 1.47 | 3.07 | 0.044 | 54.5 | .. |
| 21 | Europe | 1984–85 | Deck crew | Ship loading | C | 480 | 9 | 1.44 | 2.16 | 0.69 | 4.2 | .. |
| 22 | Europe | 1984–85 | Deck crew | Loading of ships | O | 480 | 8 | 0.47 | 0.50 | 0.41 | 4.1 | .. |
| 23 | Europe | 1984–85 | Jetty staff | Loading supervision | NS | 480 | 21 | 0.47 | 0.56 | 0.13 | 4.6 | .. |
| Kawai et al, 1990 (5) | | | | | | | | | | | | |
| 24 | Japan | ~1988 | Auxiliary worker | Load benzene/unload petroleum | NS | ~480 | 3 | 1.91 | 0.79 | 1.80 | 1.6 | 1.1–2.67 |
| 25 | Japan | ~1988 | Delivery worker | Connect/disconnect benzene hose | NS | 250 | 1 | 0.1 | . | . | . | .. |
| 26 | Japan | ~1988 | Delivery worker | Unload petroleum/load product | NS | 489 ± 61 | 8 | 0.19 | 0.09 | 0.15 | 2.4 | 0.3–0.29 |
| Bates et al, 1994 (6) | | | | | | | | | | | | |
| 27 | Europe | 1986–92 | Deck crews | Marine loading | NS | 480 | 19 | 0.72 | . | 0.28 | . | <0.05–3.56 |
| 28 | Europe | 1986–92 | Jetty staff | Marine loading | NS | 480 | 92 | 1.98 | . | 0.09 | . | <0.05–83.1 |
| Moen et al, 1995 (7) | | | | | | | | | | | | |
| 29 | Norway/US | - | TD crew | Load/unload crude oil | NS | 480 | 14 | . | . | . | . | ND–0.47 |
| Moen et al, 1995 (8) | | | | | | | | | | | | |
| 30 | Norway | - | TD crew | Load/unload oil products | NS | ≥180 | 5 | 0.07 | . | . | . | <0.01–0.21 |
| Armstrong et al, 1996 (9) | | | | | | | | | | | | |
| 31 | US | - | Deck attendant | NS | NS | Estimate ^d | 26 | 0.25 | . | . | . | .. |
| Lewis et al, 1997 (10) | | | | | | | | | | | | |
| 32 | UK | - | Jetty operator | NS | NS | 480 | 14 | 0.37 | 0.25 | . | . | 0.09–0.92 |
| Clayden et al, 2000 (11) | | | | | | | | | | | | |
| 33 | UK | 1993–98 | Deck crew | Ship loading | C | ≥480 | 2 | 0.176 | . | . | . | 0.160–0.188 |
| 34 | UK | 1993–98 | Deck crew | Ship loading | O | ≥480 | 41 | 0.176 | . | . | . | 0.025–1.69 |
| 35 | UK | 1993–98 | Deck crew | Ship unloading | NS | ≥480 | 32 | 0.160 | . | . | . | 0.007–1.16 |
| 36 | UK | 1993–98 | Jetty staff | Supervise, sample, handle hoses | NS | ≥480 | 46 | 0.116 | . | . | . | 0.0072–0.533 |
| Glass et al, 2000 (12) | | | | | | | | | | | | |
| 37 | Australia | - | Jetty crew | NS | NS | Estimate ^d | 23 ^e | 0.41 | 0.71 | . | . | .. |
| Carter et al, 2002 (13) | | | | | | | | | | | | |
| 38 | Europe | 2001 | Jetty crew | Connect/disconnect loading arms, sampling, supervise | NV | ≥480 | 2 | 0.0313 | . | . | . | 0.0313–0.0313 |
| 39 | Europe | 2000 | Jetty crew | NS | NS | ≥480 | 2 | 0.0313 | . | . | . | 0.0313–0.0313 |

^a Weighted average of three different studies reported in Verma & Tombe (14): Europe (N=6, mean 0.5). Finland (N=11, mean 0.2). UK (N=17, mean 1.8).

^b Weighted average of three different studies reported in Verma & Tombe (14): Europe (N=2, mean 0.3). Finland (N=18, mean 0.8). UK (N=11, mean 0.15).

^c Weighted average of three different studies reported in Verma & Tombe (14): UK (N=65, mean 2.2). Norway (N=51, mean 9.8). Germany (N=22, mean 4.6).

^d Base estimate includes short-term and full shift data of unspecified duration.

^e Activity estimates were determined for 23 activities defined by the time-weighted average of tasks included in the activity that was performed. These estimates were not normalized to an 8-hour time-weighted average.

Table D.2. Task sampling. Airborne benzene concentrations from published studies of marine handling of petroleum products and petrochemicals [O=open system; C=closed system; NS=Not specified; NA=not available.]

| Location | Period | Worker type | Activity | Open or closed | Averaging time (minutes) | N | Benzene concentration (parts per million) | |
|--------------------------------|---------|-------------------------------|--|----------------|------------------------------|------|---|------------------|
| | | | | | | | Arithmetic mean | Range of results |
| Cheremisinoff et al, 1979 (15) | | | | | | | | |
| US | - | Barge crew | At vent line | NS | NS | 1 | 1400 | .. |
| US | - | Barge crew | Connecting load line | NS | NS | 1 | 3 | .. |
| US | - | Barge crew | Disconnecting load line | NS | NS | 1 | 10 | .. |
| US | - | Barge crew | Downwind | NS | NS | 1 | 30 | .. |
| US | - | Barge crew | Gauging, breathing zone | NS | NS | 1 | 130 | .. |
| US | - | Barge crew | Loading tank | NS | NS | 1 | 12 | .. |
| US | - | Barge crew | Making connections | NS | NS | 1 | 10 | .. |
| US | - | Barge crew | Not specified | NS | NS | 1 | 1 | .. |
| US | - | Barge crew | Ullage port | NS | NS | 1 | 600 | .. |
| Berlin, 1985 (16) | | | | | | | | |
| Sweden | - | Coast tanker crew | Gasoline handling | NS | 45 | . | 6.56 | 0.33–22.8 |
| Nordlinder & Ramnas, 1987 (17) | | | | | | | | |
| Sweden | - | Deck crew | Duties other than loading | O | 5–15 | 3 | 3.01 | 0.846–6.27 |
| Sweden | - | Ship-loading staff | Manual sounding during gasoline loading | O | 5–15 | 8 | 33.5 | 5.96–114 |
| Spear et al, 1987(18) | | | | | | | | |
| US | 1978–84 | NS | Barge transfer operations | NS | 5–30 | 18 | NA ^a | .. |
| Moen et al, 1988 (19) | | | | | | | | |
| Norway | - | Tanker crew | Loading benzene products | NS | 3–8 | 4 | 155 ^b | 15–374 |
| Moen et al, 1993/1994 (20) | | | | | | | | |
| Norway | - | Tanker deck crew | Loading gas oil | O | 50 | 3 | . | .. |
| Bates et al, 1994 (6) | | | | | | | | |
| Europe | 1989 | Deck crew | Marine loading | NS | 15–70 | 6 | 0.87 | <0.05–3.44 |
| Europe | 1986–92 | Jetty staff | Marine loading | NS | 10–83 | 28 | 0.32 | <0.05–3.08 |
| Moen et al, 1995 (7) | | | | | | | | |
| Norway | - | Tanker deck crew | Load/unload oil products | NS | <180 | 20 | 0.3085 | <0.01–1.15 |
| Armstrong et al, 1996 (9) | | | | | | | | |
| US | - | Marine pumpman | NS | NS | Estimate ^c | 3 | 1.1 | .. |
| Clayden et al, 2000 (11) | | | | | | | | |
| UK | 1993–98 | Deck crew | Ship loading | O | <60 | 4 | 0.072 | 0.072–0.094 |
| UK | 1993–98 | Deck crew | Ship unloading | NS | <60 | 2 | 0.219 | 0.072–0.376 |
| UK | 1993–98 | Jetty staff | Supervise, transfers, sample, handle hoses | NS | <60 | 24 | 0.248 | 0.0721–1.818 |
| Davenport et al, 2000 (21) | | | | | | | | |
| US | 1996 | Inspectors on gasoline barges | Various | NS | 15–30 | 43 | . | <0.1–0.5 |
| Glass et al, 2000 (12) | | | | | | | | |
| Australia | | Barge-loading crew | Loading gasoline | NS | Estimate ^d | 20 | 2.21 | .. |
| Australia | | Deck crew | Ship dip/gauge | NS | Estimate ^d | 23 | 5.41 | .. |
| Australia | | Jetty crew | Ship loading/unloading | NS | Estimate ^d | 77 | 0.11 | .. |
| Glass et al, 2001 (22) | | | | | | | | |
| Various | | Barge-loading crew | Loading gasoline | NS | Validation data ^e | 700 | 2.30 | .. |
| Various | | Transfer crew | Ship loading/unloading | NS | Validation data ^e | >304 | 0.51 | .. |
| Carter et al, 2002 (13) | | | | | | | | |
| Europe | 1999 | Deck crew | Connecting product-free line | NS | 29 | 2 | 0.188 | 0.188–0.188 |
| Europe | 1999 | Jetty crew | Connecting product-free line | NS | 20–29 | 2 | 0.1565 | 0.125–0.188 |
| Europe | 1999 | Deck crew | Disconnecting | NS | 36–142 | 2 | 0.0627 | 0.0627–0.0627 |
| Europe | 1999 | Jetty crew | Disconnecting | NS | 36–136 | 2 | 0.047 | 0.0313–0.0627 |
| Europe | 1999 | Deck crew | Loading | NS | 121–157 | 2 | 0.0470 | 0.0313–0.0627 |
| Europe | 1999 | Jetty crew | Loading | NS | 121–155 | 2 | 0.0313 | 0.0313–0.0313 |

^a 95% of values were above 0.5; 72% above 5.0; 56% above 10.0.

^b Geometric mean of 87 parts per million was also reported.

^c Base estimate determined by extrapolation of short term hydrocarbon data of unspecified duration.

^d The base estimate for these tasks includes personal samples of short- (<180 minutes) and long-term (≥180 minutes) sampling times. The inclusion criteria was that samples not be normalized to an 8-hour time-weighted average.

^e Data sets include data already presented in this table, including references 1, 2, 6, 11, 13–15, and 23. These data sets were used to validate the base estimate.

References (Appendix)

1. Runion HE, Scott LM. Benzene exposure in the United States 1978-1983: An overview. *Am J Ind Med.* 1985;7:385-93.
2. Christian F, Eyres AR. Review of European oil industry benzene exposure data. The Hague, Netherlands: Conservation of Clean Air and Water in Europe (CONCAWE); 1986. CONCAWE Report No 3/86.
3. Halder CA, Van Gorp GS, Hatoum NS, Warne TM. Gasoline vapor exposures. Part I. Characterization of workplace exposures. *Am Ind Hyg Assoc J.* 1986;47:164-72.
4. Coker DT, Christian F, Claydon MF, Irvine D, Portail C, Tindle P, et al. A survey of exposures to gasoline vapour. The Hague, Netherlands: Conservation of Clean Air and Water in Europe (CONCAWE). 1987. CONCAWE Report No 4/87.
5. Kawai T, Yamaoka K, Uchida Y, Ikeda M. Benzene exposure in a Japanese petroleum refinery. *Toxicol Lett.* 1990;52:135-9.
6. Bates K, Christian F, Civai M, Claydon M, Dreetz C, Molyneux M, et al. Review of European oil industry benzene exposure data (1986-1992). Brussels, Belgium: Conservation of Clean Air and Water in Europe (CONCAWE); 1994. CONCAWE Report No 7/94.
7. Moen BE, Hollund BE, Berntsen M, Flo R, Kyvik KR, Riise T. Occupational exposure of deck crews to carcinogenic agents on crude oil tankers. *Am J Ind Med.* 1995;27:555-64.
8. Moen BE, Hollund BE, Berntsen M, Flo R, Kyvik KR, Riise T. Exposure of the deck crew to carcinogenic agents on oil product tankers. *Ann Occup Hyg.* 1995;39:347-61.
9. Armstrong TW, Pearlman ED, Schnatter AR, Bowes SM, 3rd, Murray N, Nicolich MJ. Retrospective benzene and total hydrocarbon exposure assessment for a petroleum marketing and distribution worker epidemiology study. *Am Ind Hyg Assoc J.* 1996;57:333-43.
10. Lewis SJ, Bell GM, Cordingley N, Pearlman ED, Rushton L. Retrospective estimation of exposure to benzene in a leukaemia case-control study of petroleum marketing and distribution workers in the United Kingdom. *Occup Environ Med.* 1997;54:167-75.
11. Clayden MF, Ahlberg RW, Carter M, Dmytrasz BA, Fries HH, Gennart JP, et al. A review of European gasoline exposure data for the period 1993-1998. Brussels, Belgium: Conservation of Clean Air and Water in Europe (CONCAWE); 2000. CONCAWE Report No 2/00.
12. Glass DC, Adams GG, Manuell RW, Bisby JA. Retrospective exposure assessment for benzene in the Australian petroleum industry. *Ann Occup Hyg.* 2000;44:301-20.
13. Carter M, Clayden M, Giacometti D, Money C, Pizzella G, Margary A, et al. A survey of European gasoline exposures for the period 1999-2001. Brussels, Belgium: Conservation of Clean Air and Water in Europe (CONCAWE); 2002. CONCAWE Report No 9/02.
14. Verma DK, des Tombe K. Measurement of benzene in the workplace and its evolution process, Part I: Overview, history, and past methods. *Am Ind Hyg Assoc J.* 1999;60:38-47.
15. Cheremisinoff PN, Morresi AC. Benzene in the environment. In: Cheremisinoff PN, editor. *Benzene, basic and hazardous properties.* New York, NY: Marcel Dekker Inc; 1979:117-60.
16. Berlin M. Low level benzene exposure in Sweden: Effect on blood elements and body burden of benzene. *Am J Ind Med.* 1985;7:365-73.
17. Nordlinder R, Ramnas O. Exposure to benzene at different work places in Sweden. *Ann Occup Hyg.* 1987;31:345-55.
18. Spear RC, Selvin S, Schulman J, Francis M. Benzene exposure in the petroleum refining industry. *Appl Ind Hyg.* 1987;2.
19. Moen BE, Riise T, Todnem K, Fossan GO. Seamen exposed to organic solvents. A cross-sectional study with special reference to the nervous system. *Acta Neurol Scand.* 1988;78:123-35.
20. Moen BE, Hollund BE, Berntsen M, Flo R, Kyvik KR, Riise T. Chemical exposure of deck crew on product tankers loading the cargo with the hatches open. *Bull Inst Marit Trop Med Gdynia.* 1993/1994;44-45(1-4):65-73.
21. Davenport AC, Glynn TJ, Rhambarose H. Coast Guard exposure to gasoline, MTBE, and benzene vapors during inspection of tank barges. *Am Ind Hyg Assoc J.* 2000;61:865-72.
22. Glass DC, Gray CN, Adams GG, Manuell RW, Bisby JA. Validation of exposure estimation for benzene in the Australian petroleum industry. *Toxicol Ind Health.* 2001;17:113-27.
23. American Petroleum Institute. An exposure assessment for marketing and marine distribution workers in the petroleum industry with potential exposure to gasoline. Washington, DC: American Petroleum Institute; 1994. Report No: 45552.