

Original article. Scand J Work Environ Health. 2018;44(2):163–170.

doi:10.5271/sjweh.3693


Is self-reported time spent sedentary and in physical activity differentially biased by age, gender, body mass index, and low-back pain? ¹

by Nidhi Gupta, PhD,² Marina Heiden, PhD, Svend Erik Mathiassen, PhD, Andreas Holtermann, PhD

1. *Appendices A and B*

2. *Correspondence to: Nidhi Gupta, National Research Centre for the Working Environment, 2100, Copenhagen, Denmark.[E-mail: ngu@nrcwe.dk]*

Appendix A. Flow diagram of the study participants.



Appendix B. Multiple regression analysis of bias among blue-collar workers (n=149) in self-reported time in moderate to vigorous physical activity (MVPA) due to age, gender, BMI and low back pain (LBP) intensity after removal of interaction terms between Accelerometer-based MVPA time and each of the candidate bias factors.

Variables	B	95%CI limits
Intercept	15.99	0.45–31.53
Sex	-1.41	-5.56–2.73
BMI	-0.35	-0.76–0.07
Age	-0.07	-0.28–0.15
LBP	0.09	-0.72–0.91
Accelerometer-based MVPA time (MVPA _{acc})	0.27	-0.36–0.90