

Table 8. Cancer risk by site ^a and occupation ^b. (ASCR = The Association of Swiss Cancer Registries, ICD-O = International Classification of Diseases for Oncology, OR = odds ratio, 95% CI = 95% confidence interval)

ASCR code	Occupation	Lip (ICD-O 140) (N=199)					Oral cavity & oropharynx (ICD-O 141, 143-6) (N=1500)				
		N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	AGRICULTURE & ANIMAL PRODUCERS	20	2.7 ^h	1.6-4.5	2.2 ^g	1.2-3.8	43	0.8	0.6-1.2	0.7 ^f	0.5-1.0
011	Farmers & animal producers	11	2.2 ^f	1.1-4.3	1.7	0.8-3.4	16	0.6	0.4-1.0	0.5 ^f	0.3-0.9
012	Viniculturists	-	-	-	-	-	2	1.0	0.2-4.2	0.9	0.2-3.6
013	Horticulturists & related occupations	5	2.4	1.0-5.9	1.8	0.7-4.5	21	1.3	0.9-2.1	1.2	0.7-1.8
02	FOOD, BEVERAGE & TOBACCO INDUSTRIES	2	0.5	0.1-2.1	0.5	0.1-2.0	37	1.3	0.9-1.8	1.1	0.8-1.6
021	Bakers & related occupations	-	-	-	-	-	14	1.3	0.7-2.2	1.1	0.6-1.9
022	Cheesemakers & related occupations	-	-	-	-	-	2	0.9	0.2-3.6	0.8	0.2-3.1
023	Butchers & related occupations	1	0.7	0.1-5.0	0.7	0.1-5.2	13	1.2	0.7-2.1	1.0	0.6-1.8
03	TEXTILE, LEATHER & FUR INDUSTRIES	3	1.2	0.4-3.8	0.9	0.3-2.8	15	1.0	0.6-1.7	0.9	0.5-1.5
031	Textile-related trades workers	1	1.3	0.2-9.8	1.0	0.1-7.7	4	1.4	0.5-3.8	1.2	0.5-3.4
032	Tailors & related occupations	1	1.1	0.2-8.2	0.8	0.1-6.1	5	0.8	0.3-1.9	0.7	0.3-1.7
033	Occupations in pelt, leather & fur industries	1	1.1	0.2-8.0	0.8	0.1-6.0	6	1.1	0.5-2.4	0.9	0.4-2.1
04	CONSTRUCTION & RELATED OCCUPATIONS	17	1.3	0.8-2.2	1.0	0.6-1.7	121	1.3 ^g	1.1-1.6	1.2	1.0-1.5
041	Bricklayers, stonemasons, tilers & related occupations	10	1.8	0.9-3.5	1.4	0.7-2.7	47	1.2	0.9-1.6	1.1	0.8-1.5
043	Pasterers & painters	1	0.3	0.0-1.7	0.2	0.0-1.2	40	1.3	1.0-1.8	1.2	0.8-1.6
05	STONE, EARTH & GLASS INDUSTRIES	1	0.8	0.1-6.4	0.6	0.1-4.4	8	1.0	0.5-2.0	0.9	0.4-1.9
051	Stone & earth trades workers	-	-	-	-	-	3	0.7	0.2-2.1	0.6	0.2-1.9
052	Glassmakers & related trades workers	1	6.8	0.9-50.4	5.1	0.7-37.6	1	0.7	0.1-4.9	0.6	0.1-4.3
059	Miners, quarriers & related occupations	-	-	-	-	-	4	1.9	0.7-5.3	1.8	0.6-5.0
06	METALLURGY & ELECTROTECHNOLOGY	32	1.4	1.0-2.1	0.9	0.6-1.4	198	1.1	0.9-1.3	0.9	0.8-1.1
061	Foundry workers	2	1.2	0.3-4.8	0.8	0.2-3.4	7	0.9	0.4-2.0	0.9	0.4-1.9
062	Turners & related occupations	5	1.4	0.6-3.5	1.1	0.4-2.7	23	1.3	0.9-2.1	1.2	0.8-1.8
063	Mechanics	5	0.7	0.3-1.8	0.5	0.2-1.3	57	1.0	0.8-1.3	0.8	0.6-1.1
064	Electricians	7	1.9	0.9-4.1	1.4	0.6-3.2	40	1.4	1.0-1.9	1.2	0.8-1.7
065	Watchmakers	-	-	-	-	-	5	1.0	0.4-2.6	0.9	0.4-2.2
07	WOOD, CORK & PAPER INDUSTRIES	3	0.6	0.2-1.9	0.4	0.1-1.4	37	1.2	0.9-1.7	1.1	0.7-1.5
071	Carpenters	-	-	-	-	-	10	2.1 ^f	1.1-4.1	1.9	1.0-3.6
072	Joiners, cabinetmakers & related occupations	3	0.9	0.3-2.7	0.6	0.2-2.0	23	1.0	0.7-1.6	0.9	0.6-1.4
08	GRAPHIC ARTS	-	-	-	-	-	16	0.7	0.4-1.2	0.6	0.4-1.0
081	Typographers	-	-	-	-	-	4	0.7	0.3-1.9	0.6	0.2-1.6
089	Other occupations related to printing & graphic arts	-	-	-	-	-	12	0.7	0.4-1.3	0.6	0.3-1.1
09	CHEMISTRY & PLASTICS INDUSTRIES	-	-	-	-	-	15	1.4	0.8-2.4	1.3	0.8-2.3
091	Chemical workers	-	-	-	-	-	14	1.5	0.9-2.6	1.4	0.8-2.5
10	TECHNICAL PROFESSIONS & TRADES	13	0.8	0.4-1.4	1.1	0.6-1.9	118	0.8 ^f	0.7-1.0	0.9	0.8-1.1
101	Architects	2	1.5	0.4-6.1	13.6 ^f	1.3-136.6	12	0.9	0.5-1.6	1.3	0.7-2.5
102	Chemical engineers	-	-	-	-	-	4	1.2	0.4-3.4	1.9	0.7-5.2
103.1	Agronomists & related occupations	1	2.7	0.3-20.6	5.3	0.6-44.3	-	-	-	-	-
103.9	Other engineers	1	0.1 ^f	0.0-1.0	0.2	0.0-1.6	36	0.7	0.5-1.0	1.2	0.8-1.7
104	Technicians & foremen	2	0.7	0.2-2.9	1.0	0.2-4.1	24	0.9	0.6-1.4	0.9	0.6-1.4
106	Laboratory assistants	1	1.7	0.2-12.3	1.7	0.2-13	7	0.8	0.4-1.7	0.7	0.3-1.4
107	Machinists & related occupations	1	0.8	0.1-5.4	0.6	0.1-4.0	10	0.8	0.4-1.5	0.7	0.4-1.3
11	TRADE, ADMINISTRATION & COMPUTERS	24	0.6 ^f	0.4-0.9	0.8	0.4-1.6	319	0.8 ^f	0.7-1.0	1.0	0.8-1.2
111	Entrepreneurs & managers	7	0.6	0.3-1.2	1.0	0.3-3.1	60	0.6 ^h	0.4-0.7	0.8	0.5-1.1
112	Clerks	12	0.7	0.4-1.2	0.9	0.4-1.8	175	1.0	0.8-1.2	1.0	0.8-1.3
115	Salespersons & representatives	2	0.3	0.1-1.2	0.4	0.1-1.5	71	1.1	0.8-1.3	1.1	0.8-1.4
12	TRANSPORT & TELECOMMUNICATIONS	16	1.4	0.8-2.3	2.1	1.0-4.4	138	1.2	1.0-1.4	1.0	0.8-1.3
121.1	Locomotive engineers	-	-	-	-	-	6	1.6	0.7-3.6	1.6	0.7-3.7
121.2	Other occupations related to railways	3	1.1	0.4-3.5	1.2	0.4-4.3	18	0.7	0.5-1.2	0.6 ^f	0.4-1.0
123	Drivers	8	1.6	0.8-3.2	2.0	0.8-4.9	78	1.6 ^h	1.2-2.0	1.5 ^f	1.1-2.0
125	Other occupations related to transport	4	1.9	0.7-5.1	2.2	0.7-6.8	17	0.8	0.5-1.3	0.6	0.4-1.1
126	Post & telecommunications	1	0.6	0.1-3.9	0.7	0.1-5.3	19	0.9	0.6-1.4	0.9	0.6-1.5
13	LAW & SECURITY OCCUPATIONS	2	0.7	0.2-2.6	1.2	0.3-5.1	24	0.8	0.5-1.2	0.9	0.6-1.4
131	Legal experts & related occupations	-	-	-	-	-	8	0.6	0.3-1.3	0.9	0.4-1.9
132	Police officers & related occupations	2	1.2	0.3-4.9	1.6	0.4-6.9	16	0.9	0.5-1.5	0.9	0.5-1.5
14	MEDIA & RELATED OCCUPATIONS	3	2.4	0.7-7.5	4.8 ^f	1.3-17.4	7	0.6	0.3-1.4	0.9	0.4-2.0
15	ARTISTIC OCCUPATIONS	-	-	-	-	-	25	1.0	0.7-1.6	1.5	0.9-2.3
151	Jewelers & related occupations	-	-	-	-	-	1	0.2	0.0-1.7	0.2	0.0-1.4
152	Artists & related occupations	-	-	-	-	-	24	1.2	0.8-1.8	2.2 ^g	1.3-3.6
16	HOTEL & CATERING OCCUPATIONS	2	0.4	0.1-1.5	0.3	0.1-1.2	73	1.7 ^h	1.3-2.2	1.5 ^g	1.2-1.9
161	Hotel & restaurant managers	-	-	-	-	-	23	1.4	0.9-2.1	1.2	0.8-1.8
162	Cooks	-	-	-	-	-	21	2.3 ^h	1.5-3.7	2.1 ^g	1.3-3.3
17	CLEANING & PERSONAL SERVICES	9	2.6 ^g	1.3-5.1	2.0	1.0-4.3	44	1.3	0.9-1.7	1.2	0.8-1.6
171	Chimney sweeps	1	7.3	0.9-56.3	5.3	0.7-41.6	4	3.5 ^f	1.2-10.1	3.0 ^f	1.0-8.7
173	Other occupations related to cleaning	7	3.2 ^g	1.5-7.0	2.4	1.0-6.0	28	1.2	0.8-1.7	1.1	0.7-1.6
175	Hairdressers	-	-	-	-	-	8	1.3	0.6-2.6	1.1	0.5-2.2

(continued horizontally on page 40 and vertically on page 59)

Table 8. Continued.

ASCR code	Salivary gland (ICD-O 142) (N=96)					Nasopharynx (ICD-O 147) (N=75)					Other pharynx (ICD-O 148-9) (N=484)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	4	1.0	0.3-2.7	1.0	0.6-1.6	1	0.4	0.1-2.5	0.6	0.2-1.6	22	1.2	0.7-1.8	0.8	0.5-1.3
011	4	1.9	0.7-5.4	1.4	0.8-2.3	-	-	-	-	-	9	0.8	0.4-1.6	0.6	0.3-1.2
012	-	-	-	-	-	-	-	-	-	-	3	3.1	0.9-10.5	2.3	0.7-7.7
013	-	-	-	-	-	-	-	-	-	-	7	1.4	0.6-2.9	1.0	0.5-2.1
02	2	1.0	0.2-3.8	1.0	0.5-2.0	1	0.7	0.1-4.8	0.8	0.3-2.2	11	1.2	0.7-2.2	1.5	0.8-3.0
021	1	1.2	0.2-8.5	1.1	0.4-2.9	-	-	-	-	-	3	0.9	0.3-2.8	1.0	0.3-3.3
022	1	5.6	0.8-40.5	6.5	0.8-51.3	-	-	-	-	-	-	-	-	-	-
023	-	-	-	-	-	1	1.8	0.2-12.9	1.3	0.5-3.6	5	1.5	0.6-3.6	1.8	0.7-4.6
03	3	2.6	0.8-8.2	1.6	0.9-2.9	-	-	-	-	-	3	0.6	0.2-2.0	0.5	0.1-1.5
031	-	-	-	-	-	-	-	-	-	-	1	1.1	0.2-7.8	0.8	0.1-6.1
032	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	3	6.4 ^g	2.0-20.6	5.4 ^g	1.6-17.8	-	-	-	-	-	2	1.1	0.3-4.5	0.8	0.2-3.4
04	10	1.7	0.9-3.4	1.3	0.9-1.8	5	0.8	0.3-2.1	0.9	0.6-1.5	50	1.9 ^h	1.4-2.6	1.5 ^f	1.1-2.1
041	6	2.5 ^f	1.1-5.8	1.6 ^f	1.0-2.4	4	1.5	0.5-4.3	1.2	0.7-2.1	23	2.1 ^h	1.4-3.3	1.6 ^f	1.0-2.6
043	2	1.0	0.2-3.9	1.0	0.5-2.0	1	0.6	0.1-4.2	0.8	0.3-2.1	14	1.5	0.9-2.6	1.1	0.6-1.9
05	-	-	-	-	-	1	2.3	0.3-16.6	1.5	0.6-4.1	2	0.7	0.2-3.0	0.5	0.1-2.1
051	-	-	-	-	-	-	-	-	-	-	1	0.6	0.1-4.7	0.5	0.1-3.3
052	-	-	-	-	-	1	16.8 ^g	2.3-124.7	16.0 ^g	2.1-122.9	-	-	-	-	-
059	-	-	-	-	-	-	-	-	-	-	1	1.5	0.2-10.5	1.0	0.1-7.5
06	11	0.9	0.5-1.6	0.9	0.7-1.3	9	0.9	0.4-1.7	0.9	0.6-1.3	76	1.5 ^g	1.1-1.9	1.0	0.7-1.3
061	-	-	-	-	-	1	1.7	0.2-12.2	1.3	0.5-3.5	3	1.4	0.4-4.4	1.0	0.3-3.2
062	1	0.7	0.1-5.1	0.9	0.3-2.3	1	0.7	0.1-5.3	0.9	0.3-2.3	7	1.3	0.6-2.9	1.0	0.5-2.1
063	4	1.1	0.4-2.9	1.0	0.6-1.7	3	1.0	0.3-3.2	1.0	0.6-1.8	19	1.1	0.7-1.7	0.8	0.5-1.2
064	2	1.1	0.3-4.3	1.0	0.5-2.1	1	0.6	0.1-4.2	0.8	0.3-2.0	16	1.9 ^f	1.1-3.1	1.4	0.8-2.3
065	-	-	-	-	-	1	6.3	0.9-46.6	6.0	0.8-45.9	-	-	-	-	-
07	3	1.2	0.4-3.9	1.1	0.6-2.0	2	1.2	0.3-4.8	1.1	0.5-2.2	11	1.1	0.6-2.0	0.8	0.4-1.5
071	2	5.7 ^f	1.4-23.5	4.7 ^f	1.1-19.8	1	3.4	0.5-24.9	3.2	0.4-24.1	2	1.3	0.3-5.4	1.0	0.2-4.0
072	1	0.6	0.1-3.7	0.7	0.3-2.0	1	0.8	0.1-6.0	0.9	0.3-2.5	8	1.1	0.5-2.3	0.8	0.4-1.7
08	-	-	-	-	-	2	2.0	0.5-8.2	1.5	0.7-3.0	5	0.8	0.3-1.9	0.7	0.3-1.6
081	-	-	-	-	-	-	-	-	-	-	3	1.9	0.6-6.0	1.4	0.4-4.3
089	-	-	-	-	-	2	2.7	0.6-11.0	2.5	0.6-10.6	2	0.4	0.1-1.7	0.4	0.1-1.5
09	-	-	-	-	-	-	-	-	-	-	5	1.7	0.7-4.2	1.1	0.4-2.9
091	-	-	-	-	-	-	-	-	-	-	5	2.0	0.8-5.0	1.4	0.5-3.5
10	10	1.1	0.6-2.2	1.1	0.8-1.5	6	0.8	0.4-1.9	0.9	0.6-1.4	31	0.7	0.5-1.0	0.9	0.6-1.3
101	3	4.0 ^f	1.3-12.7	4.1	1.0-17.1	-	-	-	-	-	5	1.2	0.5-3.0	2.2	0.8-6.2
102	-	-	-	-	-	-	-	-	-	-	1	1.1	0.2-8.2	2.3	0.3-17.2
103.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103.9	5	1.7	0.7-4.1	2.1	0.7-6.7	2	0.7	0.2-3.0	0.9	0.2-4.3	6	0.4 ^f	0.2-0.9	0.8	0.3-2.1
104	1	0.6	0.1-3.8	0.7	0.3-2.0	2	1.7	0.4-6.8	1.3	0.6-2.6	5	0.6	0.3-1.5	0.7	0.3-1.7
106	-	-	-	-	-	-	-	-	-	-	3	1.4	0.4-4.3	1.6	0.5-5.2
107	-	-	-	-	-	-	-	-	-	-	6	1.5	0.7-3.4	1.1	0.5-2.6
11	18	0.7	0.4-1.2	0.9	0.7-1.1	15	1.0	0.5-1.7	1.0	0.7-1.3	90	0.8 ^f	0.6-1.0	1.3	0.8-1.9
111	5	0.7	0.3-1.8	0.9	0.5-1.3	4	0.8	0.3-2.3	0.9	0.6-1.5	12	0.4 ^h	0.2-0.7	0.6	0.3-1.3
112	7	0.6	0.3-1.3	0.8	0.5-1.2	10	1.5	0.7-2.9	1.2	0.9-1.7	56	1.1	0.8-1.4	1.5 ^f	1.0-2.3
115	3	0.7	0.2-2.1	0.8	0.5-1.5	1	0.3	0.0-2.4	0.6	0.2-1.6	19	0.9	0.6-1.4	1.0	0.6-1.7
12	6	0.8	0.4-1.8	0.9	0.6-1.4	7	1.3	0.6-2.8	1.1	0.8-1.7	29	0.7	0.5-1.1	0.7	0.5-1.2
121.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121.2	2	1.3	0.3-5.4	2.5	0.6-9.6	2	1.9	0.5-7.8	1.9	0.4-9.4	9	1.1	0.6-2.2	1.4	0.7-2.9
123	2	0.7	0.2-2.7	0.8	0.4-1.7	2	0.8	0.2-3.3	0.9	0.4-1.8	13	0.8	0.4-1.3	0.8	0.4-1.6
125	1	0.8	0.1-5.6	0.8	0.1-6.2	1	1.0	0.1-7.2	0.9	0.1-7.3	3	0.4	0.1-1.4	0.5	0.2-1.6
126	-	-	-	-	-	2	2.4	0.6-9.7	1.5	0.8-3.1	4	0.6	0.2-1.6	0.7	0.2-1.8
13	3	1.6	0.5-5.1	1.3	0.7-2.3	-	-	-	-	-	3	0.3 ^f	0.1-1.0	0.4	0.1-1.3
131	1	1.2	0.2-8.6	1.1	0.4-3.0	-	-	-	-	-	2	0.5	0.1-2.2	0.8	0.2-3.6
132	2	1.9	0.5-7.7	1.4	0.7-2.8	-	-	-	-	-	1	0.2	0.0-1.2	0.2	0.0-1.4
14	-	-	-	-	-	1	1.6	0.2-11.5	1.3	0.5-3.4	6	1.8	0.8-4.0	4.0 ^g	1.6-9.8
15	5	3.5 ^g	1.4-8.7	1.9 ^g	1.2-2.9	1	0.9	0.1-6.2	0.9	0.3-2.5	7	0.9	0.7-1.6	1.2	0.5-2.8
151	2	9.3 ^g	2.3-39	7.5 ^g	1.7-32.5	-	-	-	-	-	2	1.5	0.4-6.3	1.1	0.3-4.5
152	3	2.4	0.8-7.6	1.6	0.9-2.8	1	1.0	0.1-7.1	1.0	0.4-2.7	5	0.8	0.3-2.0	1.4	0.5-3.8
16	5	2.1	0.9-5.3	1.5	0.9-2.3	6	2.3	1.0-5.5	1.5	1.0-2.3	21	1.6 ^f	1.0-2.5	1.4	0.9-2.2
161	2	2.0	0.5-8.3	1.4	0.7-2.9	1	1.2	0.2-8.8	1.1	0.4-3.0	4	0.8	0.3-2.1	0.9	0.3-2.5
162	1	1.9	0.3-13.7	1.5	0.2-11.1	3	4.9 ^g	1.5-15.9	4.8 ^f	1.4-16.7	3	1.1	0.3-3.5	0.8	0.3-2.6
17	1	0.5	0.1-3.0	0.7	0.3-1.9	3	1.9	0.6-6.1	1.4	0.8-2.5	15	1.4	0.8-2.3	1.0	0.6-1.8
171	-	-	-	-	-	-	-	-	-	-	1	3.0	0.4-22.4	2.1	0.3-15.9
173	1	0.8	0.1-5.3	0.9	0.3-2.3	1	0.9	0.1-6.5	0.9	0.4-2.6	11	1.5	0.8-2.7	1.0	0.5-1.9
175	-	-	-	-	-	2	6.3 ^f	1.5-26.2	6.7 ^f	1.4-32.9	1	0.5	0.1-3.6	0.6	0.1-4.2

(continued horizontally on page 41 and vertically on page 59)

Table 8. Continued.

ASCR code	Esophagus (ICD-O 150) (N=817)					Stomach (ICD-O 151) (N=2400)					Cardia (ICD-O 151.0) (N=616)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	45	1.3	1.0–1.8	1.0	0.7–1.4	119	1.2	1.0–1.4	1.0	0.8–1.3	26	0.9	0.6–1.3	0.8	0.5–1.3
011	24	1.3	0.8–1.9	1.0	0.6–1.5	75	1.3 ^f	1.0–1.7	1.2	0.9–1.5	17	1.0	0.6–1.6	1.0	0.6–1.6
012	—	—	—	—	—	2	1.2	0.3–4.8	1.0	0.2–4.1	—	—	—	—	—
013	14	1.5	0.9–2.5	1.1	0.6–1.9	29	0.9	0.6–1.4	0.8	0.6–1.2	7	0.9	0.4–1.8	0.8	0.4–1.8
02	19	1.1	0.7–1.8	1.0	0.6–1.6	66	1.2	0.9–1.5	0.9	0.7–1.2	21	1.5	0.9–2.3	1.1	0.7–1.8
021	2	0.3	0.1–1.2	0.3	0.1–1.0	28	1.2	0.8–1.8	1.0	0.6–1.4	11	1.9 ^f	1.0–3.4	1.4	0.7–2.7
022	—	—	—	—	—	6	1.2	0.5–2.6	0.9	0.4–2.1	1	0.7	0.1–5.2	0.5	0.1–3.8
023	9	1.4	0.7–2.7	1.3	0.6–2.6	24	1.2	0.8–1.8	0.9	0.6–1.4	6	1.1	0.5–2.5	0.8	0.4–1.9
03	12	1.2	0.7–2.2	1.0	0.5–1.7	44	1.3	0.9–1.7	1.1	0.8–1.5	12	1.4	0.8–2.5	1.4	0.8–2.5
031	2	1.0	0.2–4.0	0.8	0.2–3.2	9	1.2	0.6–2.4	1.1	0.5–2.1	2	1.0	0.2–4.1	1.0	0.2–4.0
032	6	1.5	0.7–3.4	1.2	0.5–2.6	14	1.0	0.6–1.7	0.8	0.5–1.5	3	0.9	0.3–2.8	0.9	0.3–2.7
033	4	1.1	0.4–2.9	0.8	0.3–2.3	21	1.6 ^f	1.0–2.5	1.4	0.9–2.2	7	2.1	1.0–4.5	2.1	1.0–4.5
04	74	1.5 ^g	1.1–1.9	1.1	0.9–1.5	201	1.2 ^g	1.1–1.4	1.1	0.9–1.3	39	1.0	0.7–1.3	0.9	0.6–1.3
041	36	1.7 ^g	1.2–2.4	1.3	0.9–1.9	94	1.4 ^g	1.1–1.7	1.3	1.0–1.6	17	1.1	0.7–1.8	1.1	0.6–1.8
043	21	1.2	0.8–1.9	0.9	0.6–1.4	61	1.1	0.9–1.4	1.0	0.7–1.3	11	0.8	0.4–1.4	0.7	0.4–1.4
05	7	1.5	0.7–3.1	1.1	0.5–2.4	14	0.8	0.5–1.4	0.7	0.4–1.3	3	0.7	0.2–2.1	0.7	0.2–2.2
051	5	1.9	0.8–4.6	1.4	0.6–3.6	10	1.1	0.6–2.1	1.0	0.5–1.9	2	0.8	0.2–3.4	0.8	0.2–3.5
052	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
059	2	1.5	0.4–6.2	1.1	0.3–4.7	4	0.8	0.3–2.2	0.7	0.3–2.0	1	0.8	0.1–5.7	0.8	0.1–5.8
06	120	1.3 ^f	1.0–1.5	0.8	0.7–1.1	333	1.1	1.0–1.2	0.9	0.8–1.0	85	1.0	0.8–1.3	1.0	0.8–1.3
061	6	1.4	0.6–3.1	1.0	0.4–2.4	22	1.1	0.7–1.7	1.0	0.6–1.6	3	0.5	0.2–1.7	0.5	0.2–1.7
062	14	1.4	0.8–2.5	1.1	0.6–1.9	47	1.2	0.9–1.6	1.0	0.8–1.4	12	1.1	0.6–1.9	1.0	0.6–1.9
063	31	1.0	0.7–1.5	0.7	0.5–1.1	105	1.2	1.0–1.5	1.0	0.8–1.3	30	1.3	0.9–1.8	1.2	0.8–1.9
064	11	0.7	0.4–1.3	0.5 ^f	0.3–1.0	45	1.0	0.7–1.3	0.8	0.6–1.1	14	1.1	0.6–1.8	1.0	0.6–1.8
065	2	0.6	0.2–2.5	0.5	0.1–1.9	6	0.8	0.3–1.7	0.7	0.3–1.5	2	1.0	0.3–4.2	1.0	0.2–4.1
07	31	1.6 ^g	1.1–2.4	1.3	0.9–1.8	75	1.2	0.9–1.5	1.0	0.8–1.3	11	0.7	0.4–1.2	0.6	0.3–1.2
071	6	2.1	0.9–4.7	1.6	0.7–3.7	13	1.3	0.8–2.3	1.2	0.7–2.1	3	1.2	0.4–3.7	1.1	0.4–3.6
072	23	1.7 ^f	1.1–2.5	1.3	0.8–2.0	52	1.1	0.8–1.5	1.0	0.7–1.3	7	0.6	0.3–1.2	0.6	0.3–1.2
08	12	1.1	0.6–1.9	0.9	0.5–1.6	37	1.1	0.8–1.6	0.9	0.7–1.3	11	1.3	0.7–2.3	1.1	0.6–2.1
081	4	1.4	0.5–3.8	1.0	0.4–2.8	7	0.8	0.4–1.8	0.7	0.3–1.5	3	1.5	0.5–4.8	1.5	0.5–4.6
089	8	1.0	0.5–2.0	0.8	0.4–1.7	30	1.2	0.9–1.8	1.0	0.7–1.5	8	1.2	0.6–2.5	1.0	0.5–2.1
09	7	1.1	0.5–2.4	0.8	0.4–1.7	34	1.7 ^g	1.2–2.4	1.5 ^f	1.0–2.2	5	1.0	0.4–2.5	1.0	0.4–2.7
091	7	1.3	0.6–2.8	0.9	0.4–2.0	32	1.8 ^g	1.3–2.7	1.7 ^f	1.1–2.5	5	1.3	0.5–3.1	1.3	0.5–3.3
10	46	0.6 ^g	0.5–0.8	0.8	0.6–1.0	175	0.8 ^f	0.7–1.0	1.0	0.8–1.1	50	0.9	0.6–1.1	1.0	0.7–1.3
101	3	0.5	0.1–1.4	0.8	0.3–2.8	16	0.9	0.5–1.4	1.3	0.8–2.3	4	0.8	0.3–2.0	0.8	0.3–2.4
102	—	—	—	—	—	2	0.4	0.1–1.5	0.5	0.1–2.2	1	0.8	0.1–5.7	1.1	0.1–8.0
103.1	1	1.3	0.2–9.7	2.8	0.4–21	1	0.4	0.1–2.9	0.6	0.1–4.5	—	—	—	—	—
103.9	8	0.3 ^g	0.2–0.7	0.6	0.3–1.3	37	0.5 ^h	0.4–0.7	0.7	0.5–1.0	8	0.4 ^g	0.2–0.8	0.5	0.2–1.0
104	7	0.5	0.2–1.0	0.6	0.3–1.2	48	1.1	0.9–1.5	1.3	1.0–1.8	13	1.2	0.7–2.0	1.2	0.7–2.2
106	2	0.5	0.1–1.9	0.4	0.1–1.6	11	0.9	0.5–1.7	0.7	0.4–1.3	5	1.8	0.7–4.3	1.3	0.5–3.3
107	12	1.8 ^f	1.0–3.3	1.4	0.8–2.5	19	1.0	0.6–1.6	0.9	0.5–1.4	8	1.6	0.8–3.3	1.6	0.8–3.3
11	151	0.7 ^h	0.6–0.9	1.2	0.9–1.7	427	0.7 ^h	0.7–0.8	0.9	0.8–1.1	125	0.8	0.7–1.0	1.0	0.7–1.4
111	32	0.6 ^g	0.4–0.8	1.4	0.8–2.6	133	0.8 ^g	0.6–0.9	1.4 ^f	1.1–1.9	39	0.8	0.6–1.1	1.5	0.9–2.7
112	75	0.8	0.6–1.0	0.9	0.7–1.3	205	0.8 ^g	0.7–0.9	0.9	0.7–1.1	58	0.9	0.7–1.2	0.9	0.6–1.2
115	38	1.0	0.7–1.4	1.3	0.9–1.9	73	0.7 ^f	0.6–0.9	0.8	0.6–1.1	24	1.0	0.6–1.5	1.0	0.6–1.6
12	77	1.2	0.9–1.5	1.2	0.9–1.7	241	1.3 ^h	1.2–1.5	1.2	1.0–1.4	76	1.6 ^h	1.2–2.0	1.4	1.0–1.9
121.1	1	0.5	0.1–3.3	0.5	0.1–3.9	8	1.1	0.5–2.2	1.2	0.6–2.5	1	0.4	0.1–3.1	0.5	0.1–3.3
121.2	15	1.0	0.6–1.8	1.0	0.5–1.7	68	1.5 ^g	1.2–1.9	1.2	0.9–1.6	16	1.3	0.8–2.1	0.9	0.5–1.6
123	37	1.4	1.0–1.9	1.4	0.9–2.0	95	1.3 ^g	1.1–1.7	1.1	0.8–1.4	33	1.7 ^g	1.2–2.5	1.4	0.9–2.1
125	13	1.1	0.7–2.0	1.0	0.6–1.9	37	1.1	0.8–1.6	0.9	0.6–1.3	13	1.4	0.8–2.5	1.1	0.6–2.0
126	11	1.0	0.6–1.9	1.2	0.7–2.3	32	1.1	0.8–1.6	1.3	0.9–1.9	12	1.5	0.8–2.7	1.6	0.9–2.9
13	11	0.7	0.4–1.2	1.0	0.5–1.8	38	0.8	0.6–1.1	1.0	0.7–1.4	13	1.0	0.6–1.7	1.1	0.6–1.9
131	4	0.6	0.2–1.6	1.2	0.4–3.5	9	0.4 ^f	0.2–0.9	0.6	0.3–1.2	4	0.7	0.3–2.0	0.8	0.3–2.3
132	7	0.7	0.4–1.6	0.9	0.4–1.9	29	1.1	0.7–1.5	1.2	0.8–1.8	9	1.2	0.6–2.2	1.2	0.6–2.4
14	4	0.7	0.3–1.9	1.4	0.5–3.9	12	0.9	0.5–1.5	1.3	0.7–2.3	2	0.6	0.1–2.3	0.8	0.2–3.3
15	13	1.0	0.7–1.6	1.7	0.9–3.1	25	0.7	0.5–1.0	0.9	0.6–1.4	7	0.8	0.4–1.6	0.8	0.4–1.8
151	3	1.3	0.4–4.3	1.0	0.3–3.2	1	0.2	0.0–1.2	0.2	0.0–1.1	—	—	—	—	—
152	10	0.9	0.5–1.8	2.3 ^f	1.0–5.1	24	0.8	0.5–1.1	1.1	0.7–1.8	7	0.9	0.4–1.8	1.0	0.4–2.2
16	32	1.5 ^f	1.0–2.1	1.2	0.8–1.7	73	1.3 ^f	1.0–1.7	1.1	0.9–1.4	14	1.0	0.6–1.7	0.8	0.5–1.4
161	8	0.9	0.4–1.8	0.8	0.4–1.6	32	1.4	0.9–1.9	1.1	0.7–1.6	4	0.6	0.2–1.6	0.4	0.2–1.1
162	11	2.5 ^g	1.4–4.7	2.0 ^f	1.1–3.7	12	1.0	0.5–1.7	0.8	0.5–1.5	4	1.3	0.5–3.6	1.3	0.5–3.5
17	23	1.2	0.8–1.8	0.9	0.6–1.4	64	1.3	1.0–1.6	1.1	0.8–1.4	17	1.3	0.8–2.1	1.2	0.7–2.0
171	1	1.7	0.2–12.4	1.3	0.2–9.2	3	1.6	0.5–5.2	1.4	0.4–4.5	—	—	—	—	—
173	15	1.2	0.7–1.9	0.8	0.5–1.4	41	1.3	0.9–1.7	1.1	0.8–1.6	12	1.4	0.8–2.5	1.5	0.8–2.9
175	4	1.0	0.4–2.8	0.9	0.3–2.5	13	1.0	0.6–1.8	0.8	0.4–1.4	2	0.6	0.2–2.6	0.5	0.1–1.9

(continued horizontally on page 42 and vertically on page 59)

Table 8. Continued.

ASCR code	Small intestine (CD-O 152) (N=276)					Colon (ICD-O 153) (N=3766)					Rectum (ICD-O 154) (N=2541)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	9	0.9	0.5–1.8	1.0	0.5–2.0	122	0.7 ^h	0.6–0.8	0.8 ^f	0.7–1.0	108	0.9	0.7–1.1	0.9	0.8–1.2
011	4	0.8	0.3–2.1	0.8	0.3–2.3	76	0.8 ^f	0.6–1.0	0.9	0.7–1.1	64	0.9	0.7–1.2	0.9	0.7–1.2
012	—	—	—	—	—	2	0.5	0.1–2.2	0.6	0.2–2.6	2	0.9	0.2–3.8	1.0	0.2–4.0
013	2	0.6	0.2–2.6	0.7	0.2–2.8	30	0.6 ^g	0.4–0.8	0.7 ^f	0.5–1.0	30	0.9	0.6–1.3	0.9	0.7–1.4
02	8	1.3	0.7–2.7	1.6	0.7–3.7	95	1.1	0.9–1.3	1.2	0.9–1.5	64	1.1	0.8–1.4	1.1	0.8–1.5
021	4	1.7	0.6–4.6	2.0	0.7–5.7	41	1.1	0.8–1.6	1.2	0.9–1.7	23	1.0	0.6–1.5	0.9	0.6–1.5
022	—	—	—	—	—	7	0.8	0.4–1.8	0.9	0.4–1.9	4	0.7	0.3–1.9	0.7	0.3–1.9
023	3	1.2	0.4–3.8	1.4	0.4–4.5	31	0.9	0.6–1.3	1.0	0.7–1.4	28	1.3	0.9–1.9	1.3	0.9–1.9
03	1	0.3	0.0–1.9	0.3	0.0–2.1	52	1.0	0.7–1.3	1.1	0.8–1.5	30	0.8	0.6–1.2	0.9	0.6–1.3
031	—	—	—	—	—	9	0.8	0.4–1.6	1.0	0.5–1.9	8	1.0	0.5–2.1	1.1	0.5–2.2
032	—	—	—	—	—	23	1.1	0.7–1.7	1.3	0.8–2.0	13	0.9	0.5–1.6	1.0	0.6–1.7
033	1	0.7	0.1–5.1	0.8	0.1–5.5	20	0.9	0.6–1.4	1.1	0.7–1.7	9	0.6	0.3–1.2	0.7	0.3–1.3
04	15	0.8	0.5–1.4	0.9	0.5–1.5	180	0.7 ^h	0.6–0.8	0.8 ^g	0.6–0.9	155	0.9	0.8–1.1	0.9	0.8–1.1
041	7	1.0	0.5–2.1	1.1	0.5–2.3	57	0.6 ^h	0.4–0.7	0.6 ^h	0.5–0.8	56	0.8	0.6–1.1	0.9	0.6–1.1
043	6	0.9	0.4–2.1	1.0	0.4–2.3	75	0.9	0.7–1.1	1.0	0.8–1.3	51	0.9	0.7–1.2	0.9	0.7–1.2
05	3	2.2	0.7–7.1	3.0	0.9–10.2	19	0.8	0.5–1.3	0.9	0.6–1.5	10	0.6	0.3–1.1	0.6	0.3–1.2
051	1	1.3	0.2–9.6	1.8	0.2–13.7	10	0.8	0.4–1.4	0.9	0.4–1.6	5	0.5	0.2–1.3	0.6	0.2–1.4
052	—	—	—	—	—	3	0.8	0.2–2.5	0.9	0.3–2.9	4	1.7	0.6–4.6	1.7	0.6–4.8
059	2	5.3 ^f	1.3–21.9	7.6 ^g	1.7–34.4	6	0.9	0.4–2.0	1.0	0.4–2.3	1	0.2	0.0–1.4	0.2	0.0–1.4
06	25	0.7	0.5–1.1	0.8	0.5–1.4	452	0.9	0.8–1.0	1.1 ^f	1.0–1.3	307	0.9	0.8–1.1	1.0	0.8–1.1
061	2	1.3	0.3–5.4	1.8	0.4–8.1	18	0.6	0.4–1.0	0.7	0.4–1.2	19	1.0	0.6–1.6	1.1	0.7–1.7
062	4	1.2	0.4–3.1	1.2	0.4–3.5	49	0.8	0.6–1.1	1.0	0.7–1.3	44	1.1	0.8–1.5	1.2	0.8–1.6
063	5	0.5	0.2–1.2	0.5	0.2–1.3	151	1.1	0.9–1.3	1.3 ^g	1.1–1.5	89	0.9	0.7–1.2	1.0	0.8–1.2
064	5	1.0	0.4–2.4	1.1	0.4–2.7	74	1.0	0.8–1.3	1.2	1.0–1.6	40	0.8	0.6–1.1	0.8	0.6–1.1
065	—	—	—	—	—	10	0.7	0.3–1.2	0.8	0.4–1.5	12	1.4	0.8–2.5	1.5	0.8–2.7
07	7	1.0	0.5–2.2	1.1	0.5–2.4	96	0.9	0.8–1.1	1.1	0.9–1.3	75	1.1	0.9–1.4	1.2	0.9–1.5
071	1	0.9	0.1–6.6	1.0	0.1–7.2	17	1.1	0.7–1.9	1.4	0.8–2.2	13	1.3	0.7–2.3	1.4	0.8–2.4
072	6	1.2	0.5–2.6	1.3	0.5–3.0	57	0.7 ^f	0.6–1.0	0.8	0.6–1.1	53	1.1	0.8–1.4	1.1	0.8–1.5
08	8	2.3 ^f	1.1–4.6	2.6 ^f	1.3–5.4	50	1.0	0.7–1.3	1.1	0.8–1.5	43	1.3	0.9–1.7	1.3	0.9–1.8
081	2	2.2	0.5–8.8	2.4	0.6–9.9	19	1.4	0.9–2.2	1.7 ^f	1.1–2.7	12	1.4	0.8–2.4	1.4	0.8–2.6
089	6	2.3 ^f	1.0–5.2	2.6 ^f	1.1–6.0	31	0.8	0.6–1.1	0.9	0.6–1.3	31	1.2	0.8–1.8	1.3	0.9–1.8
09	2	0.6	0.1–2.3	0.7	0.2–3.2	27	0.8	0.5–1.1	0.9	0.6–1.3	23	0.9	0.6–1.4	1.0	0.6–1.6
091	2	0.6	0.1–2.5	0.8	0.2–3.5	26	0.8	0.6–1.3	1.0	0.7–1.5	19	0.9	0.6–1.4	1.0	0.6–1.6
10	20	0.8	0.5–1.3	0.7	0.5–1.2	360	1.1	1.0–1.2	1.0	0.9–1.1	232	1.0	0.9–1.2	1.0	0.9–1.2
101	1	0.5	0.1–3.3	0.4	0.1–3.0	30	1.0	0.7–1.5	0.8	0.5–1.2	32	1.6 ^f	1.1–2.3	1.7 ^f	1.1–2.5
102	—	—	—	—	—	10	1.1	0.6–2.1	0.9	0.5–1.8	3	0.4	0.1–1.3	0.4	0.1–1.4
103.1	1	5.3	0.7–38.7	4.9	0.6–36.6	4	1.1	0.4–2.9	0.9	0.3–2.4	5	2.1	0.8–5.2	2.2	0.9–5.5
103.9	6	0.8	0.4–1.9	0.7	0.3–1.7	135	1.2 ^f	1.0–1.5	1.0	0.8–1.2	70	0.9	0.7–1.2	1.0	0.7–1.3
104	3	0.6	0.2–1.8	0.5	0.2–1.5	76	1.1	0.9–1.4	1.0	0.8–1.3	54	1.2	0.9–1.5	1.1	0.8–1.4
106	2	1.0	0.2–4.0	1.1	0.3–4.7	17	0.9	0.5–1.4	0.9	0.6–1.5	7	0.5	0.2–1.0	0.5 ^f	0.2–1.0
107	1	0.4	0.1–2.7	0.4	0.1–2.9	27	0.9	0.6–1.3	1.0	0.7–1.6	20	0.9	0.6–1.5	1.0	0.6–1.5
11	78	1.4 ^f	1.1–1.9	1.5	0.9–2.4	1018	1.2 ^h	1.1–1.3	1.0	0.9–1.2	602	1.0	1.0–1.2	1.0	0.8–1.1
111	19	1.1	0.7–1.8	1.0	0.5–1.9	349	1.3 ^h	1.2–1.5	1.1	0.9–1.4	179	1.0	0.8–1.1	1.0	0.8–1.3
112	38	1.3	0.9–1.9	1.3	0.8–2.0	445	1.1	1.0–1.2	0.9	0.8–1.1	283	1.1	0.9–1.2	0.9	0.8–1.1
115	19	1.7 ^f	1.0–2.7	1.6	0.9–2.6	191	1.2 ^f	1.0–1.4	1.1	0.9–1.3	117	1.1	0.9–1.3	1.0	0.8–1.2
12	20	0.9	0.6–1.4	0.9	0.5–1.6	274	0.9	0.8–1.0	0.9	0.7–1.0	210	1.0	0.9–1.2	1.0	0.8–1.2
121.1	1	1.1	0.1–7.6	0.9	0.1–6.8	10	0.8	0.4–1.5	0.7	0.4–1.4	11	1.4	0.7–2.5	1.2	0.7–2.3
121.2	4	0.7	0.3–1.9	0.8	0.3–2.2	59	0.8	0.6–1.0	0.8	0.6–1.1	49	1.0	0.7–1.3	1.0	0.7–1.3
123	9	1.1	0.6–2.1	1.3	0.6–2.8	101	0.9	0.7–1.1	0.9	0.7–1.1	85	1.1	0.9–1.4	1.1	0.9–1.4
125	3	0.8	0.2–2.4	0.8	0.2–2.8	50	0.9	0.7–1.3	1.0	0.7–1.3	32	0.9	0.6–1.3	0.9	0.6–1.3
126	3	0.9	0.3–2.8	0.8	0.2–2.5	53	1.1	0.8–1.5	1.0	0.8–1.3	33	1.0	0.7–1.5	1.0	0.7–1.4
13	4	0.7	0.3–2.0	0.6	0.2–1.8	91	1.2	0.9–1.5	1.0	0.8–1.3	62	1.2	0.9–1.6	1.1	0.9–1.5
131	2	0.9	0.2–3.7	0.8	0.2–3.7	39	1.2	0.9–1.7	1.0	0.7–1.4	24	1.1	0.7–1.6	1.0	0.7–1.6
132	2	0.6	0.2–2.5	0.5	0.1–2.1	52	1.1	0.9–1.5	1.0	0.8–1.4	38	1.3	0.9–1.8	1.2	0.8–1.7
14	6	4.2 ^h	1.8–9.6	4.3 ^g	1.8–10.4	20	0.9	0.6–1.4	0.7	0.5–1.1	15	1.0	0.6–1.7	1.1	0.6–1.8
15	3	0.7	0.1–2.3	0.6	0.2–2.1	62	1.0	0.8–1.4	0.9	0.7–1.2	38	1.0	0.7–1.4	0.9	0.7–1.3
151	1	2.7	0.4–19.8	3.0	0.4–22	9	1.0	0.5–2.1	1.3	0.6–2.5	9	1.7	0.9–3.4	1.8	0.9–3.6
152	2	0.5	0.1–2.1	0.4	0.1–1.8	53	1.0	0.8–1.4	0.8	0.6–1.1	29	0.9	0.6–1.3	0.8	0.5–1.2
16	3	0.5	0.2–1.4	0.5	0.2–1.6	86	1.0	0.8–1.3	1.1	0.9–1.4	62	1.1	0.8–1.4	1.1	0.8–1.4
161	—	—	—	—	—	48	1.2	0.9–1.7	1.3	1.0–1.8	33	1.3	0.9–1.8	1.3	0.9–1.9
162	2	1.4	0.3–5.5	1.5	0.4–6.1	14	0.8	0.5–1.4	1.0	0.6–1.6	12	1.0	0.5–1.7	1.0	0.6–1.8
17	3	0.5	0.2–1.7	0.6	0.2–2.1	73	0.8	0.7–1.1	1.0	0.7–1.2	50	0.9	0.7–1.2	0.9	0.7–1.3
171	1	5.1	0.7–37.8	5.6	0.8–42	1	0.3	0.0–2.3	0.4	0.1–2.8	—	—	—	—	—
173	1	0.3	0.0–2.0	0.4	0.0–2.6	43	0.8	0.6–1.1	0.9	0.6–1.3	38	1.1	0.8–1.6	1.2	0.9–1.8
175	—	—	—	—	—	23	1.1	0.7–1.7	1.2	0.8–1.8	10	0.7	0.4–1.3	0.7	0.4–1.3

(continued horizontally on page 43 and vertically on page 60)

Table 8. Continued.

ASCR code	Liver (ICD-O 155) (N=1172)					Gallbladder & biliary tract (ICD-O 156) (N=369)					Gallbladder (ICD-O 156.0) (N=132)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
01	36	0.7	0.5-1.0	0.7 ^f	0.5-1.0	23	1.2	0.8-1.9	1.3	0.8-2.1	5	0.7	0.3-1.8	0.8	0.3-2.0
011	19	0.7	0.4-1.1	0.7	0.4-1.1	16	1.5	0.9-2.5	1.5	0.9-2.7	4	1.0	0.3-2.8	1.1	0.4-3.1
012	1	0.9	0.1-6.7	0.9	0.1-6.5	—	—	—	—	—	—	—	—	—	—
013	10	0.6	0.3-1.2	0.6	0.3-1.2	6	1.1	0.5-2.6	1.2	0.5-2.7	—	—	—	—	—
02	32	1.2	0.8-1.7	1.0	0.7-1.6	5	0.5	0.2-1.3	0.5	0.2-1.3	1	0.3	0.0-2.2	0.3	0.0-2.0
021	12	1.1	0.6-2.0	1.0	0.5-1.8	3	0.8	0.3-2.5	0.8	0.3-2.7	1	0.8	0.1-5.5	0.7	0.1-5.7
022	2	0.8	0.2-3.2	0.7	0.2-2.9	—	—	—	—	—	—	—	—	—	—
023	15	1.4	0.9-2.4	1.3	0.8-2.3	1	0.3	0.0-2.1	0.3	0.0-2.2	—	—	—	—	—
03	14	0.8	0.5-1.4	0.8	0.4-1.3	2	0.3	0.1-1.3	0.3	0.1-1.3	1	0.5	0.1-3.5	0.5	0.1-3.6
031	2	0.6	0.1-2.4	0.6	0.1-2.4	—	—	—	—	—	—	—	—	—	—
032	9	1.3	0.6-2.5	1.2	0.6-2.4	1	0.4	0.1-3.1	0.4	0.1-3.2	—	—	—	—	—
033	3	0.4	0.1-1.3	0.4	0.1-1.3	1	0.4	0.1-3.1	0.4	0.1-3.1	1	0.8	0.2-3.0	1.3	0.2-9.6
04	100	1.2	1.0-1.5	1.3	1.0-1.6	26	1.1	0.7-1.6	1.1	0.7-1.7	7	0.8	0.4-1.8	0.8	0.3-1.8
041	34	1.0	0.7-1.4	0.9	0.7-1.4	13	1.4	0.8-2.4	1.4	0.8-2.6	3	0.9	0.3-2.8	0.9	0.3-2.8
043	39	1.4 ^f	1.0-2.0	1.4	1.0-2.0	10	1.2	0.6-2.3	1.3	0.7-2.4	3	1.0	0.3-3.2	1.1	0.3-3.5
05	7	0.9	0.4-2.0	0.8	0.4-1.8	1	0.4	0.1-2.8	0.5	0.1-3.7	1	1.2	0.2-8.8	1.8	0.2-14.3
051	6	1.5	0.7-3.5	1.4	0.6-3.3	—	—	—	—	—	—	—	—	—	—
052	1	0.8	0.1-5.7	0.7	0.1-5.5	1	2.6	0.4-19.2	2.7	0.4-19.8	1	1.0	0.6-1.6	9.1 ^f	1.2-68.1
059	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06	151	1.0	0.8-1.2	0.9	0.7-1.1	44	0.9	0.6-1.2	1.1	0.7-1.5	14	0.8	0.5-1.4	1.1	0.5-2.1
061	6	0.7	0.3-1.7	0.7	0.3-1.5	—	—	—	—	—	—	—	—	—	—
062	16	1.0	0.6-1.6	0.9	0.6-1.6	6	0.9	0.4-2.1	0.9	0.4-2.2	2	1.0	0.3-4.3	1.0	0.2-4.4
063	43	0.9	0.7-1.3	0.9	0.6-1.2	13	0.9	0.5-1.6	0.9	0.5-1.6	8	1.7	0.8-3.5	2.0	0.9-4.4
064	14	0.7	0.4-1.1	0.6	0.4-1.1	13	1.9 ^f	1.1-3.3	2.0 ^f	1.1-3.7	3	1.3	0.4-4.2	1.4	0.4-4.7
065	6	1.3	0.5-2.9	1.2	0.5-2.8	1	0.7	0.1-4.7	0.7	0.1-4.9	—	—	—	—	—
07	36	1.1	0.8-1.6	1.1	0.8-1.6	5	0.5	0.2-1.1	0.5	0.2-1.1	3	0.8	0.3-2.5	0.9	0.3-2.8
071	5	1.1	0.4-2.7	1.1	0.4-2.7	—	—	—	—	—	—	—	—	—	—
072	27	1.1	0.8-1.7	1.1	0.7-1.7	5	0.6	0.3-1.5	0.6	0.3-1.6	3	1.1	0.3-3.5	1.1	0.3-3.8
08	11	0.7	0.4-1.3	0.7	0.4-1.2	9	1.9	0.9-3.6	1.9	1.0-3.8	5	3.1 ^f	1.2-7.5	3.3 ^f	1.3-8.4
081	—	—	—	—	—	2	1.5	0.4-6.1	1.6	0.4-6.4	1	1.4	0.6-3.4	2.5	0.3-18.2
089	11	1.0	0.5-1.8	0.9	0.5-1.7	7	1.9	0.9-4.1	2.1	1.0-4.4	4	3.3 ^f	1.2-9.0	3.7 ^f	1.3-10.4
09	11	1.1	0.6-2.1	1.0	0.5-2.0	2	0.7	0.2-2.7	1.0	0.2-4.2	—	—	—	—	—
091	11	1.3	0.7-2.4	1.2	0.6-2.3	2	0.8	0.2-3.2	1.2	0.3-5.1	—	—	—	—	—
10	79	0.8	0.6-1.0	0.9	0.7-1.1	27	0.8	0.5-1.2	0.8	0.5-1.2	13	1.2	0.7-2.2	1.1	0.6-2.1
101	6	0.7	0.3-1.6	0.9	0.4-2.1	3	1.0	0.3-3.3	0.9	0.3-3.2	1	1.2	0.8-1.9	1.1	0.1-9.5
102	—	—	—	—	—	1	1.4	0.2-10.5	1.6	0.2-11.6	—	—	—	—	—
103.1	1	1.1	0.1-7.7	1.5	0.2-10.9	—	—	—	—	—	—	—	—	—	—
103.9	25	0.8	0.5-1.2	1.1	0.7-1.7	9	0.8	0.4-1.5	0.8	0.4-1.7	4	—	—	—	—
104	17	0.9	0.5-1.5	0.8	0.5-1.4	5	0.7	0.3-1.8	0.6	0.2-1.5	3	1.3	0.4-4.0	0.9	0.3-3.0
106	3	0.6	0.2-1.8	0.5	0.2-1.7	1	0.7	0.1-4.7	0.7	0.1-5.2	—	—	—	—	—
107	10	1.1	0.6-2.2	1.1	0.6-2.1	1	0.4	0.0-2.5	0.4	0.0-2.5	—	—	—	—	—
11	277	1.0	0.9-1.1	1.1	0.9-1.4	106	1.3 ^f	1.0-1.7	1.4	0.9-2.0	39	1.5 ^f	1.0-2.2	1.3	0.7-2.5
111	57	0.7 ^g	0.5-0.9	0.9	0.6-1.3	29	1.0	0.7-1.5	1.3	0.7-2.5	10	1.1	0.6-2.0	1.3	0.4-3.8
112	137	1.0	0.9-1.2	0.9	0.7-1.2	51	1.3	1.0-1.8	1.1	0.8-1.7	19	1.5	0.9-2.4	1.1	0.6-2.1
115	71	1.4 ^f	1.1-1.7	1.3 ^f	1.0-1.8	23	1.5	1.0-2.2	1.3	0.8-2.0	9	1.6	0.8-3.2	1.2	0.6-2.6
12	91	0.9	0.8-1.2	0.8	0.6-1.0	29	1.0	0.7-1.4	1.0	0.6-1.6	9	0.9	0.4-1.7	0.7	0.3-1.6
121.1	3	0.8	0.3-2.7	0.8	0.3-2.5	1	0.9	0.1-6.2	0.7	0.1-5.2	—	—	—	—	—
121.2	17	0.8	0.5-1.2	0.6	0.4-1.1	3	0.4	0.1-1.3	0.4	0.1-1.3	2	—	—	—	—
123	38	1.0	0.7-1.4	0.9	0.6-1.3	16	1.5	0.9-2.4	1.9 ^f	1.0-3.6	5	1.3	0.5-3.3	1.5	0.5-4.3
125	17	1.0	0.6-1.6	0.9	0.5-1.5	3	0.6	0.2-1.8	0.6	0.2-1.9	1	—	—	—	—
126	15	1.0	0.6-1.7	0.9	0.5-1.6	5	1.0	0.4-2.5	0.9	0.3-2.1	1	0.6	0.1-4.4	0.4	0.1-3.2
13	27	1.2	0.8-1.8	1.3	0.9-2.0	3	0.4	0.1-1.2	0.3	0.1-1.0	—	—	—	—	—
131	11	1.2	0.7-2.3	1.7	0.9-3.3	—	—	—	—	—	—	—	—	—	—
132	16	1.2	0.7-2.0	1.2	0.7-1.9	3	0.7	0.2-2.1	0.6	0.2-1.8	—	—	—	—	—
14	7	0.9	0.4-1.9	1.2	0.6-2.7	—	—	—	—	—	—	—	—	—	—
15	17	0.9	0.5-1.4	1.0	0.6-1.8	5	0.8	0.3-2.0	0.8	0.3-2.0	3	1.5	0.5-4.9	1.8	0.5-7.2
151	3	1.0	0.3-3.3	1.0	0.3-3.2	—	—	—	—	—	—	—	—	—	—
152	14	0.8	0.5-1.4	1.1	0.6-2.0	5	1.0	0.4-2.4	0.9	0.3-2.4	3	1.8	0.6-5.8	2.4	0.5-11
16	55	2.0 ^h	1.5-2.6	1.9 ^h	1.4-2.5	7	0.9	0.4-1.8	0.9	0.4-2.0	3	1.2	0.4-3.7	1.2	0.4-4.0
161	25	2.0 ^h	1.3-3.0	2.0 ^g	1.2-3.0	4	1.0	0.4-2.7	1.1	0.4-3.1	2	1.6	0.4-6.3	1.6	0.4-7.1
162	15	2.6 ^h	1.5-4.4	2.6 ^h	1.5-4.4	—	—	—	—	—	—	—	—	—	—
17	33	1.1	0.8-1.6	1.0	0.7-1.5	12	1.5	0.8-2.6	2.1 ^f	1.1-3.9	5	1.8	0.7-4.5	2.7 ^f	1.0-7.3
171	2	2.8	0.7-11.7	2.7	0.6-11.4	—	—	—	—	—	0	—	—	—	—
173	19	1.0	0.6-1.6	0.9	0.5-1.5	9	1.8	0.9-3.5	3.7 ^g	1.6-8.7	5	3.1 ^f	1.2-7.6	14.2 ^g	2.7-73.8
175	9	1.3	0.7-2.6	1.2	0.6-2.4	2	1.0	0.2-3.9	1.0	0.2-4.3	—	—	—	—	—

(continued horizontally on page 44 and vertically on page 60)

Table 8. Continued.

ASCR code	Extrahepatic bile duct ICD-O 156.1-9 N=237					Pancreas ICD-O 157) (N=1347)					Peritoneum (ICD-O 158) (N=100)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
01	18	1.6	1.0-2.7	1.6	0.9-2.8	55	0.9	0.7-1.2	0.9	0.7-1.2	6	1.5	0.6-3.6	1.5	0.6-3.8
011	12	1.9 ^f	1.0-3.5	1.8	0.9-3.5	36	1.0	0.7-1.5	1.1	0.8-1.6	5	2.5	1.0-6.6	2.5	0.9-6.9
012	—	—	—	—	—	2	1.4	0.3-5.7	1.5	0.4-6.1	—	—	—	—	—
013	6	1.8	0.8-4.1	1.8	0.8-4.2	10	0.5	0.3-1.0	0.6	0.3-1.1	1	0.8	0.1-5.7	0.7	0.1-5.4
02	4	0.7	0.2-1.8	0.7	0.2-2.0	32	1.0	0.7-1.4	0.9	0.6-1.3	1	0.5	0.1-3.3	1.1	0.1-9.6
021	2	0.8	0.2-3.3	0.9	0.2-3.8	16	1.2	0.7-2.0	1.1	0.7-1.9	1	1.1	0.2-8.2	2.9	0.3-26.1
022	—	—	—	—	—	5	1.7	0.7-4.3	1.6	0.6-3.9	—	—	—	—	—
023	1	0.5	0.1-3.4	0.5	0.1-3.7	8	0.7	0.3-1.3	0.6	0.3-1.2	—	—	—	—	—
03	1	0.3	0.0-1.9	0.3	0.0-1.7	19	1.0	0.6-1.6	1.0	0.6-1.7	—	—	—	—	—
031	—	—	—	—	—	5	1.2	0.5-3.0	1.3	0.5-3.2	—	—	—	—	—
032	1	0.7	0.1-4.9	0.7	0.1-4.9	6	0.8	0.3-1.8	0.8	0.4-1.9	—	—	—	—	—
033	—	—	—	—	—	8	1.1	0.5-2.1	1.1	0.5-2.3	—	—	—	—	—
04	19	1.3	0.8-2.0	1.3	0.8-2.2	87	1.0	0.8-1.2	1.0	0.8-1.3	6	0.9	0.4-2.0	0.8	0.3-1.9
041	10	1.8	0.9-3.4	1.8	0.9-3.5	25	0.7	0.5-1.0	0.7	0.5-1.1	3	1.0	0.3-3.3	1.0	0.3-3.3
043	7	1.4	0.6-2.9	1.4	0.6-3.0	33	1.1	0.8-1.5	1.2	0.8-1.7	2	0.9	0.2-3.8	0.9	0.2-3.6
05	—	—	—	—	—	7	0.8	0.4-1.7	0.7	0.3-1.6	2	3.5	0.9-14.5	2.4	0.5-10.5
051	—	—	—	—	—	3	0.6	0.2-1.9	0.6	0.2-1.8	2	6.7 ^g	1.6-28	4.5	1.0-20.4
052	—	—	—	—	—	2	1.4	0.3-5.9	1.5	0.4-6.3	—	—	—	—	—
059	—	—	—	—	—	2	0.7	0.2-3.0	0.7	0.2-2.8	—	—	—	—	—
06	30	0.9	0.6-1.4	1.0	0.7-1.7	173	1.0	0.8-1.1	1.0	0.8-1.2	19	1.5	0.9-2.5	1.1	0.6-2.1
061	—	—	—	—	—	10	0.9	0.5-1.7	0.9	0.4-1.7	1	1.2	0.2-8.7	0.7	0.1-5.4
062	4	0.9	0.3-2.6	0.9	0.3-2.5	11	0.5 ^f	0.3-0.9	0.5 ^f	0.3-0.9	2	1.1	0.3-4.5	1.0	0.2-4.4
063	5	0.5	0.2-1.3	0.5	0.2-1.2	54	1.0	0.8-1.3	1.1	0.8-1.4	8	2.0	1.0-4.2	2.1	0.9-4.8
064	10	2.2 ^f	1.2-4.3	2.3 ^f	1.2-4.5	29	1.1	0.7-1.6	1.2	0.8-1.7	1	0.4	0.1-3.1	0.4	0.1-2.9
065	1	1.0	0.1-7.3	1.0	0.1-7.3	2	0.4	0.1-1.6	0.4	0.1-1.7	—	—	—	—	—
07	2	0.3	0.1-1.2	0.3	0.1-1.1	44	1.2	0.9-1.7	1.3	0.9-1.8	3	1.2	0.4-3.8	1.0	0.3-3.4
071	—	—	—	—	—	3	0.5	0.2-1.7	0.6	0.2-1.8	1	2.4	0.3-17.5	2.3	0.3-17.0
072	2	0.4	0.1-1.6	0.4	0.1-1.5	32	1.2	0.8-1.7	1.3	0.9-1.9	2	1.1	0.3-4.5	1.0	0.2-4.4
08	4	1.2	0.5-3.3	1.2	0.5-3.4	14	0.8	0.4-1.3	0.8	0.4-1.3	2	1.5	0.4-6.1	1.8	0.4-7.6
081	1	1.2	0.2-8.2	1.1	0.2-8.3	3	0.6	0.2-2.0	0.7	0.2-2.1	—	—	—	—	—
089	3	1.2	0.4-3.8	1.3	0.4-4.1	11	0.8	0.4-1.5	0.8	0.4-1.4	2	1.9	0.5-7.9	2.6	0.6-11.2
09	2	1.2	0.3-5.1	1.7	0.4-7.8	13	1.2	0.7-2.2	1.2	0.7-2.1	3	4.0 ^f	1.2-13.3	2.7	0.7-10.1
091	2	1.5	0.4-6.3	2.2	0.5-9.9	12	1.3	0.7-2.4	1.3	0.7-2.4	2	3.1	0.7-13.2	2.0	0.4-9.1
10	14	0.6	0.4-1.1	0.6	0.3-1.0	115	0.9	0.8-1.1	0.9	0.8-1.1	9	0.8	0.4-1.7	0.9	0.4-1.8
101	2	1.0	0.3-4.1	0.9	0.2-3.8	11	1.0	0.6-1.8	0.8	0.4-1.6	—	—	—	—	—
102	1	2.8	0.4-20.5	3.1	0.4-23.6	3	1.1	0.4-3.5	1.1	0.4-3.6	—	—	—	—	—
103.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
103.9	5	0.6	0.3-1.5	0.6	0.2-1.6	50	1.2	0.9-1.6	1.3	0.9-1.8	7	1.9	0.9-4.2	2.8	0.9-8.3
104	2	0.5	0.1-1.9	0.4	0.1-1.6	14	0.6 ^f	0.3-0.9	0.6 ^f	0.3-1.0	1	0.5	0.1-3.7	0.5	0.1-3.8
106	1	1.2	0.2-8.6	1.3	0.2-9.6	3	0.5	0.2-1.5	0.4	0.1-1.4	—	—	—	—	—
107	1	0.6	0.1-4.2	0.6	0.1-3.9	14	1.3	0.8-2.3	1.4	0.8-2.4	—	—	—	—	—
11	67	1.3	0.9-1.7	1.4	0.9-2.3	323	1.0	0.9-1.1	1.1	0.9-1.4	16	0.6	0.4-1.1	0.5 ^f	0.2-0.9
111	19	1.0	0.6-1.7	1.3	0.6-2.9	92	0.9	0.7-1.1	0.8	0.6-1.1	1	0.1 ^f	0.0-1.0	0.1 ^f	0.0-0.6
112	32	1.3	0.9-1.9	1.1	0.7-1.9	162	1.1	0.9-1.3	1.3 ^f	1.0-1.6	11	1.0	0.6-2.0	1.1	0.5-2.5
115	14	1.4	0.8-2.4	1.2	0.7-2.3	56	0.9	0.7-1.2	1.0	0.7-1.3	2	0.5	0.1-2.0	0.4	0.1-1.9
12	20	1.0	0.7-1.7	1.2	0.6-2.1	116	1.0	0.9-1.3	0.9	0.7-1.2	6	0.7	0.3-1.7	1.7	0.6-5.0
121.1	1	1.4	0.2-9.9	1.2	0.2-8.8	3	0.7	0.2-2.1	0.7	0.2-2.2	—	—	—	—	—
121.2	1	0.2	0.0-1.5	0.2	0.0-1.5	25	0.9	0.6-1.4	0.8	0.5-1.2	2	1.2	0.3-5.0	3.7	0.6-22.5
123	11	1.6	0.8-2.9	2.2 ^f	1.0-4.9	52	1.2	0.9-1.6	1.1	0.8-1.6	—	—	—	—	—
125	2	0.6	0.1-2.4	0.6	0.1-2.6	18	0.9	0.6-1.4	0.8	0.5-1.3	1	0.7	0.1-5.3	1.8	0.2-15.8
126	4	1.3	0.5-3.4	1.1	0.4-3.1	17	0.9	0.6-1.5	1.0	0.6-1.6	3	2.5	0.8-8.0	2.7	0.8-9.1
13	3	0.6	0.2-1.9	0.5	0.2-1.6	25	0.9	0.6-1.3	0.8	0.6-1.3	5	2.5 ^f	1.0-6.3	3.0 ^f	1.1-7.9
131	0	—	—	—	—	12	1.0	0.6-1.9	0.9	0.5-1.6	2	2.3	0.6-9.4	3.3	0.6-18.1
132	3	1.1	0.3-3.3	0.9	0.3-2.9	13	0.8	0.5-1.4	0.8	0.5-1.5	3	2.6	0.8-8.4	2.8	0.8-9.5
14	—	—	—	—	—	8	0.9	0.5-1.9	0.9	0.5-1.9	1	1.4	0.2-10.2	1.4	0.2-11.1
15	2	0.5	0.1-2.1	0.4	0.1-1.7	28	1.3	0.9-1.9	1.2	0.8-1.8	—	—	—	—	—
151	—	—	—	—	—	1	0.3	0.0-2.4	0.4	0.0-2.5	—	—	—	—	—
152	2	0.6	0.1-2.4	0.5	0.1-2.0	27	1.5	1.0-2.2	1.3	0.8-2.1	—	—	—	—	—
16	4	0.8	0.3-2.0	0.8	0.3-2.2	47	1.5 ^g	1.1-2.0	1.5 ^f	1.1-2.0	2	0.7	0.2-2.7	0.7	0.2-3.0
161	2	0.8	0.2-3.1	0.8	0.2-3.6	28	1.9 ^g	1.3-2.8	1.8 ^g	1.2-2.7	—	—	—	—	—
162	—	—	—	—	—	8	1.2	0.6-2.4	1.3	0.6-2.6	2	2.8	0.7-11.6	2.7	0.6-11.5
17	7	1.3	0.6-2.9	1.8	0.8-4.0	32	1.1	0.7-1.5	1.0	0.7-1.4	1	0.5	0.1-3.8	0.4	0.1-2.8
171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
173	4	1.2	0.4-3.3	1.8	0.6-5.8	18	0.9	0.6-1.5	0.9	0.5-1.4	1	0.8	0.1-5.9	0.5	0.1-3.5
175	2	1.5	0.4-6.2	1.8	0.4-7.5	10	1.4	0.7-2.6	1.3	0.7-2.4	—	—	—	—	—

(continued horizontally on page 45 and vertically on page 60)

Table 8. Continued

ASCR code	Nose, sinuses, etc (ICD-O 160) (N=125)					Larynx (ICD-O 161) (N=842)					Lung (ICD-O 162) (N=9106)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	4	0.7	0.3-1.9	0.4	0.2-1.2	21	0.7	0.4-1.0	0.6 ^f	0.4-0.9	397	1.0	0.9-1.1	0.8 ^g	0.7-0.9
011	3	0.9	0.3-3.0	0.6	0.2-2.1	8	0.5 ^f	0.2-0.9	0.4 ^f	0.2-0.8	196	0.8 ^f	0.7-1.0	0.7 ^h	0.6-0.8
012	—	—	—	—	—	2	2.1	0.5-8.9	1.9	0.4-7.8	6	0.7	0.3-1.6	0.5	0.2-1.3
013	1	0.6	0.1-4.5	0.4	0.1-3.0	9	1.0	0.5-1.9	0.9	0.4-1.7	138	1.3 ^f	1.1-1.5	1.0	0.9-1.3
02	1	0.4	0.1-2.5	0.4	0.1-3.3	15	0.9	0.5-1.4	0.7	0.4-1.2	194	0.9	0.8-1.1	0.8 ^g	0.7-0.9
021	—	—	—	—	—	4	0.6	0.2-1.6	0.5	0.2-1.4	72	0.8	0.7-1.1	0.7 ^f	0.6-0.9
022	—	—	—	—	—	—	—	—	—	—	21	1.1	0.7-1.8	1.0	0.6-1.6
023	1	1.0	0.1-7.0	1.3	0.2-10.2	9	1.4	0.7-2.7	1.2	0.6-2.4	69	0.9	0.7-1.1	0.8 ^f	0.6-1.0
03	5	3.3 ^g	1.3-8.2	2.3	0.9-5.9	7	0.7	0.3-1.5	0.6	0.3-1.4	137	1.1	0.9-1.4	0.9	0.7-1.1
031	—	—	—	—	—	4	2.0	0.7-5.4	1.8	0.7-5.0	29	1.1	0.8-1.7	1.0	0.6-1.5
032	—	—	—	—	—	2	0.5	0.1-2.0	0.4	0.1-1.8	53	1.1	0.8-1.4	0.9	0.7-1.2
033	5	8.7 ^h	3.5-21.7	6.2 ^h	2.4-15.7	1	0.3	0.0-1.9	0.2	0.0-1.7	55	1.2	0.9-1.6	1.0	0.7-1.3
04	7	0.8	0.4-1.8	0.5	0.2-1.1	76	1.4 ^g	1.1-1.9	1.4 ^f	1.1-1.8	877	1.6 ^h	1.5-1.8	1.4 ^h	1.3-1.6
041	3	0.9	0.3-2.8	0.6	0.2-1.9	36	1.6 ^g	1.1-2.3	1.5 ^f	1.1-2.2	379	1.8 ^h	1.6-2.0	1.5 ^h	1.3-1.7
043	3	1.1	0.3-3.5	0.7	0.2-2.3	24	1.4	0.9-2.1	1.2	0.8-1.9	273	1.4 ^h	1.2-1.6	1.1	1.0-1.3
05	—	—	—	—	—	4	0.8	0.3-2.2	0.6	0.2-1.6	107	2.1 ^h	1.7-2.7	1.5 ^h	1.2-1.9
051	—	—	—	—	—	3	1.1	0.3-3.4	0.8	0.2-2.4	61	2.2 ^h	1.6-3.1	1.6 ^g	1.1-2.1
052	—	—	—	—	—	—	—	—	—	—	15	1.8 ^f	1.0-3.4	1.5	0.8-2.8
059	—	—	—	—	—	1	0.8	0.1-5.5	0.5	0.1-3.8	31	2.1 ^h	1.3-3.2	1.4	0.9-2.2
06	13	0.7	0.4-1.3	0.6	0.3-1.1	132	1.3 ^g	1.1-1.6	1.0	0.8-1.3	1450	1.4 ^h	1.3-1.5	0.9	0.9-1.0
061	—	—	—	—	—	6	1.3	0.6-3.0	0.9	0.4-2.1	111	2.0 ^h	1.6-2.5	1.4 ^g	1.1-1.8
062	5	2.5	1.0-6.2	1.7	0.7-4.4	14	1.3	0.8-2.3	1.2	0.7-2.1	168	1.2 ^f	1.0-1.5	1.0	0.8-1.2
063	4	0.8	0.3-2.2	0.5	0.2-1.4	30	0.9	0.6-1.4	0.8	0.5-1.2	380	1.1	1.0-1.3	0.9 ^f	0.8-1.0
064	2	0.7	0.2-3.0	0.5	0.1-2.0	18	1.1	0.7-1.8	1.0	0.6-1.6	210	1.2 ^g	1.1-1.4	1.0	0.8-1.1
065	—	—	—	—	—	2	0.7	0.2-2.7	0.6	0.1-2.4	28	0.9	0.6-1.3	0.7	0.5-1.1
07	16	5.8 ^h	3.4-9.9	4.8 ^h	2.7-8.6	25	1.3	0.9-2.0	1.1	0.7-1.7	237	1.0	0.9-1.2	0.8 ^h	0.7-0.9
071	—	—	—	—	—	3	1.0	0.3-3.2	0.9	0.3-2.9	41	1.2	0.8-1.7	1.0	0.7-1.4
072	14	6.9 ^h	3.9-12.2	5.4 ^h	2.9-10.0	19	1.4	0.9-2.2	1.2	0.8-2.0	166	1.0	0.8-1.1	0.8 ^g	0.6-0.9
08	5	3.0 ^f	1.2-7.3	2.5	1-6.3	14	1.2	0.7-2.1	1.1	0.6-1.9	115	0.9	0.7-1.1	0.8 ^g	0.6-0.9
081	3	7.6 ^h	2.4-24.2	5.1 ^g	1.5-16.7	5	1.8	0.7-4.3	1.5	0.6-3.8	28	0.9	0.6-1.3	0.7	0.5-1.1
089	2	1.6	0.4-6.3	1.4	0.3-5.7	9	1.1	0.6-2.1	0.9	0.5-1.8	87	0.9	0.7-1.2	0.8 ^f	0.6-1.0
09	—	—	—	—	—	9	1.3	0.7-2.6	0.9	0.4-1.8	114	1.5 ^h	1.2-1.9	1.0	0.8-1.3
091	—	—	—	—	—	7	1.2	0.5-2.5	0.8	0.4-1.7	95	1.5 ^g	1.2-1.8	0.9	0.7-1.2
10	13	1.0	0.6-1.9	1.1	0.6-2.0	57	0.7 ^f	0.5-0.9	0.8	0.6-1.1	642	0.7 ^h	0.7-0.8	0.9 ^g	0.8-1.0
101	—	—	—	—	—	4	0.5	0.2-1.5	0.8	0.3-2.2	38	0.5 ^h	0.3-0.7	0.9	0.6-1.2
102	1	2.6	0.4-19.6	3.5	0.4-27.7	—	—	—	—	—	6	0.2 ^h	0.1-0.5	0.4 ^f	0.2-0.8
103.1	—	—	—	—	—	—	—	—	—	—	2	0.2 ^f	0.0-0.8	0.3	0.1-1.3
103.9	6	1.4	0.6-3.3	2.5	0.8-7.6	14	0.5 ^f	0.3-0.9	0.8	0.4-1.4	148	0.5 ^h	0.4-0.6	0.8 ^g	0.6-0.9
104	—	—	—	—	—	16	1.1	0.7-1.8	1.3	0.8-2.2	142	0.8	0.7-1.0	1.0	0.8-1.2
106	2	2.7	0.7-11.2	3.9	0.8-18.5	2	0.4	0.1-1.7	0.3	0.1-1.4	38	0.8	0.5-1.1	0.6 ^f	0.5-0.9
107	1	0.9	0.1-6.5	0.6	0.1-4.3	10	1.5	0.8-2.8	1.3	0.7-2.5	111	1.6 ^h	1.3-2.0	1.3 ^f	1.1-1.6
11	29	1.0	0.7-1.5	1.2	0.6-2.4	177	0.8	0.7-1.0	1.3	1.0-1.8	1775	0.8 ^h	0.7-0.8	1.1 ^g	1.0-1.2
111	5	0.5	0.2-1.3	0.5	0.2-1.6	50	0.8	0.6-1.1	2.0 ^f	1.2-3.3	496	0.7 ^h	0.6-0.8	1.4 ^h	1.2-1.6
112	18	1.4	0.9-2.4	1.9	0.9-4.1	94	1.0	0.8-1.2	1.3	0.9-1.7	856	0.8 ^h	0.8-0.9	1.0	0.9-1.1
115	6	1.1	0.5-2.6	1.1	0.5-2.8	28	0.7	0.5-1.1	0.8	0.5-1.2	361	0.9	0.8-1.0	1.1	1.0-1.2
12	7	0.7	0.3-1.5	0.8	0.3-2.0	78	1.1	0.9-1.5	1.0	0.8-1.4	879	1.2 ^h	1.1-1.3	1.2 ^h	1.1-1.4
121.1	—	—	—	—	—	—	—	—	—	—	21	0.7	0.4-1.0	0.8	0.5-1.2
121.2	1	0.4	0.1-3.2	0.5	0.1-4.2	18	1.2	0.8-2.0	1.1	0.7-1.8	189	1.0	0.9-1.2	0.9	0.8-1.1
123	3	0.8	0.2-2.4	1.0	0.3-3.7	39	1.4 ^f	1.0-1.9	1.3	0.9-1.9	400	1.5 ^h	1.3-1.7	1.5 ^h	1.3-1.7
125	2	1.2	0.3-4.8	1.6	0.4-7.6	14	1.2	0.7-2.0	1.0	0.6-1.8	154	1.2	1.0-1.4	1.1	0.9-1.3
126	1	0.7	0.1-4.7	0.6	0.1-4.7	7	0.6	0.3-1.3	0.7	0.3-1.5	113	0.9	0.8-1.2	1.1	0.9-1.4
13	—	—	—	—	—	13	0.8	0.4-1.3	1.0	0.5-1.7	152	0.8 ^g	0.7-0.9	1.1	0.9-1.3
131	—	—	—	—	—	5	0.7	0.3-1.8	1.1	0.4-2.8	51	0.6 ^g	0.5-0.8	1.2	0.9-1.6
132	—	—	—	—	—	8	0.8	0.4-1.6	0.9	0.4-1.8	101	0.9	0.7-1.1	1.1	0.9-1.3
14	—	—	—	—	—	3	0.5	0.2-1.7	0.8	0.2-2.5	45	0.8	0.6-1.1	1.2	0.9-1.7
15	3	1.5	0.1-3.5	4.0 ^f	1.0-15.5	17	1.3	0.8-2.2	2.0 ^f	1.2-3.5	109	0.7 ^g	0.6-0.9	1.2	1.0-1.5
151	1	4.1	0.6-30	2.7	0.4-20.2	4	1.9	0.7-5.2	1.7	0.6-4.6	12	0.6	0.3-1.0	0.4 ^g	0.2-0.8
152	2	1.1	0.3-4.7	7.4	0.7-81.9	13	1.2	0.7-2.1	2.2 ^f	1.1-4.4	97	0.8 ^f	0.6-1.0	1.7 ^h	1.3-2.1
16	3	0.9	0.3-2.8	0.8	0.3-2.6	35	1.6 ^g	1.1-2.2	1.3	0.9-1.9	248	1.1	1.0-1.3	0.9	0.8-1.1
161	2	1.5	0.4-6.2	2.2	0.5-10.2	16	1.8 ^f	1.1-2.9	1.6	0.9-2.7	111	1.2	0.9-1.4	1.0	0.8-1.3
162	—	—	—	—	—	6	1.3	0.6-3.0	1.2	0.5-2.7	50	1.1	0.8-1.5	0.9	0.6-1.2
17	2	0.8	0.2-3.2	1.1	0.3-4.8	23	1.1	0.7-1.7	0.8	0.5-1.2	252	1.3 ^g	1.1-1.5	0.9	0.8-1.0
171	—	—	—	—	—	—	—	—	—	—	11	1.7	0.8-3.3	1.3	0.7-2.7
173	2	1.3	0.3-5.1	2.8	0.5-15.5	19	1.3	0.8-2.1	0.9	0.5-1.4	171	1.3 ^g	1.1-1.6	0.9	0.7-1.0
175	—	—	—	—	—	4	1.0	0.4-2.7	0.8	0.3-2.3	48	1.0	0.7-1.4	0.9	0.6-1.2

(continued horizontally on page 46 and vertically on page 61)

Table 8. Continued

ASCR code	Lung, epidermoid (N=3974)					Lung, adenocarcinoma (N=2120)					Lung, small cell (N=1694)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	203	1.2	1.0–1.3	0.9	0.8–1.1	50	0.6 ^h	0.4–0.8	0.5 ^h	0.4–0.7	78	1.1	0.8–1.4	0.9	0.7–1.2
011	99	0.9	0.7–1.1	0.7 ^g	0.6–0.9	21	0.4 ^h	0.3–0.7	0.4 ^h	0.3–0.6	40	0.9	0.7–1.3	0.8	0.6–1.1
012	2	0.6	0.1–2.4	0.4	0.1–1.9	2	1.1	0.3–4.6	1.0	0.2–4.3	1	0.6	0.1–4.4	0.5	0.1–3.6
013	70	1.4 ^g	1.1–1.8	1.1	0.9–1.5	20	0.8	0.5–1.2	0.7	0.5–1.1	26	1.3	0.9–1.9	1.1	0.7–1.6
02	103	1.1	0.9–1.4	0.9	0.8–1.2	38	0.8	0.6–1.1	0.8	0.5–1.1	27	0.7	0.5–1.0	0.5 ^g	0.4–0.8
02	33	0.9	0.6–1.3	0.7	0.5–1.1	17	0.9	0.6–1.5	0.9	0.5–1.5	12	0.8	0.4–1.4	0.6	0.4–1.2
022	13	1.6	0.9–2.8	1.4	0.8–2.4	4	1.0	0.4–2.7	1.0	0.4–2.7	2	0.6	0.1–2.3	0.5	0.1–2.0
023	42	1.3	0.9–1.7	1.1	0.8–1.5	12	0.7	0.4–1.2	0.6	0.4–1.2	7	0.5 ^f	0.2–1.0	0.4 ^f	0.2–0.8
03	59	1.0	0.8–1.4	0.8	0.6–1.1	28	1.0	0.7–1.5	1.0	0.6–1.4	27	1.2	0.8–1.8	1.0	0.7–1.6
031	15	1.3	0.7–2.2	1.1	0.6–1.8	4	0.7	0.3–2.0	0.7	0.3–1.9	7	1.4	0.7–3.1	1.3	0.6–2.7
032	22	1.0	0.6–1.5	0.8	0.5–1.2	12	1.1	0.6–2.0	1.0	0.6–1.9	10	1.2	0.6–2.2	1.0	0.5–1.9
033	22	1.0	0.6–1.6	0.8	0.5–1.3	12	1.1	0.6–2.0	1.0	0.5–1.8	10	1.2	0.6–2.2	1.0	0.5–1.9
04	425	1.8 ^h	1.6–2.0	1.5 ^h	1.3–1.7	159	1.1	0.9–1.3	1.1	0.9–1.3	168	1.6 ^h	1.4–1.9	1.4 ^h	1.2–1.8
041	190	2.0 ^h	1.7–2.3	1.7 ^h	1.4–2.0	63	1.1	0.8–1.4	1.0	0.8–1.3	66	1.5 ^h	1.2–2.0	1.4 ^f	1.0–1.8
043	120	1.4 ^g	1.1–1.7	1.1	0.9–1.3	61	1.2	1.0–1.6	1.2	0.9–1.6	56	1.5 ^g	1.1–2.0	1.3	1.0–1.7
05	52	2.1 ^h	1.5–2.8	1.5 ^f	1.1–2.0	15	1.1	0.7–1.9	0.9	0.5–1.5	25	2.4 ^h	1.6–3.6	1.8 ^g	1.2–2.8
051	31	2.2 ^h	1.5–3.3	1.6 ^f	1.0–2.3	8	1.1	0.5–2.3	0.8	0.4–1.7	13	2.2 ^g	1.2–3.9	1.6	0.9–2.9
052	8	2.1	1.0–4.5	1.7	0.8–3.6	2	0.9	0.2–3.9	0.9	0.2–3.6	5	3.1 ^f	1.2–7.9	2.7 ^f	1.0–6.7
059	13	1.7	0.9–3.0	1.2	0.6–2.1	5	1.3	0.5–3.3	1.0	0.4–2.5	7	2.3 ^f	1.1–5.0	1.7	0.8–3.7
06	638	1.3 ^h	1.2–1.5	0.9	0.8–1.0	365	1.4 ^h	1.3–1.6	1.4 ^f	1.0–1.8	254	1.2 ^g	1.1–1.4	0.9	0.7–1.0
061	57	2.1 ^h	1.6–2.8	1.5 ^f	1.1–2.0	23	1.7 ^f	1.1–2.6	1.3	0.8–2.0	16	1.3	0.8–2.2	1.0	0.6–1.6
062	81	1.3 ^f	1.0–1.7	1.1	0.8–1.4	39	1.2	0.9–1.7	1.1	0.8–1.6	27	1.0	0.7–1.5	0.9	0.6–1.3
063	154	1.0	0.9–1.2	0.8 ^g	0.7–0.9	100	1.2 ^f	1.0–1.5	1.2	1.0–1.5	68	1.1	0.8–1.4	0.9	0.7–1.1
064	85	1.1	0.9–1.4	0.9	0.7–1.1	50	1.2	0.9–1.6	1.1	0.8–1.5	44	1.3	1.0–1.8	1.1	0.8–1.5
065	7	0.5	0.2–1.0	0.4 ^g	0.2–0.8	11	1.8	1.0–3.2	1.6	0.9–3.0	4	0.7	0.3–1.9	0.6	0.2–1.
07	113	1.1	0.9–1.3	0.8	0.7–1.0	44	0.8	0.6–1.1	0.7	0.5–1.0	39	0.9	0.6–1.2	0.7	0.5–1.0
071	23	1.5	1.0–2.4	1.3	0.8–1.9	7	0.9	0.4–1.8	0.8	0.4–1.7	6	0.9	0.4–2.0	0.8	0.3–1.7
072	76	1.0	0.8–1.3	0.8 ^f	0.6–1.0	30	0.8	0.5–1.1	0.7	0.5–1.0	30	0.9	0.7–1.4	0.8	0.5–1.2
08	40	0.7 ^f	0.5–1.0	0.6 ^g	0.4–0.8	30	1.0	0.7–1.5	1.0	0.7–1.4	23	1.0	0.7–1.5	0.9	0.6–1.3
081	7	0.5	0.2–1.0	0.4 ^f	0.2–0.8	12	1.7	0.9–3.0	1.6	0.9–2.8	3	0.5	0.2–1.6	0.4	0.1–1.3
089	33	0.8	0.6–1.2	0.7 ^f	0.5–1.0	18	0.8	0.5–1.3	0.8	0.5–1.3	20	1.2	0.8–1.9	1.0	0.6–1.6
09	46	1.4 ^f	1.0–1.9	0.9	0.6–1.2	25	1.2	0.8–1.8	0.8	0.5–1.3	28	1.8 ^g	1.2–2.7	1.3	0.8–1.9
091	40	1.4 ^f	1.0–2.0	0.9	0.6–1.3	18	0.9	0.6–1.5	0.7	0.4–1.1	26	1.9 ^g	1.3–2.9	1.4	0.9–2.1
10	265	0.7 ^h	0.6–0.8	0.9	0.8–1.0	179	0.9	0.8–1.0	1.0	0.8–1.1	115	0.7 ^h	0.6–0.9	0.9	0.7–1.0
101	13	0.4 ^g	0.2–0.7	0.7	0.4–1.3	10	0.6	0.3–1.0	0.8	0.4–1.6	9	0.6	0.3–1.2	1.3	0.6–2.7
102	–	–	–	–	–	2	0.3	0.1–1.3	0.4	0.1–1.5	4	0.9	0.3–2.4	1.6	0.6–4.3
103.1	1	0.5	0.1–3.6	0.4	0.1–3.0	1	0.5	0.1–3.6	0.6	0.1–4.3	–	–	–	–	–
103.9	57	0.7 ^g	0.5–0.9	0.8	0.6–1.1	44	0.7 ^g	0.5–0.9	0.8	0.5–1.1	27	0.5 ^g	0.4–0.8	1.0	0.6–1.5
104	66	0.9	0.7–1.2	1.3	1.0–1.6	32	0.8	0.6–1.2	0.8	0.6–1.2	21	0.7	0.4–1.0	0.7	0.5–1.1
106	10	0.5 ^f	0.3–0.9	0.4 ^g	0.2–0.8	17	1.3	0.8–2.2	1.3	0.8–2.2	9	0.9	0.5–1.8	0.8	0.4–1.5
107	54	1.8 ^h	1.4–2.5	1.5 ^h	1.1–2.0	22	1.2	0.8–1.9	1.1	0.7–1.8	21	1.4	0.9–2.2	1.2	0.8–1.9
11	665	0.6 ^h	0.6–0.7	1.0	0.9–1.1	500	1.0	0.9–1.1	1.3 ^g	1.1–1.5	325	0.8 ^h	0.7–0.9	1.2	1.0–1.5
111	193	0.6 ^h	0.5–0.7	1.3 ^f	1.0–1.7	144	0.9	0.8–1.1	1.4 ^f	1.0–1.8	79	0.6 ^h	0.5–0.8	1.4	1.0–2.1
112	303	0.7 ^h	0.6–0.8	0.8 ^g	0.7–0.9	247	1.0	0.9–1.2	1.1	0.9–1.4	169	0.9	0.8–1.1	1.1	0.9–1.3
115	142	0.8 ^f	0.7–1.0	1.1	0.9–1.3	89	0.9	0.8–1.2	1.0	0.8–1.2	71	1.0	0.8–1.3	1.1	0.9–1.5
12	404	1.3 ^h	1.2–1.4	1.3 ^h	1.1–1.5	179	1.0	0.8–1.2	1.0	0.8–1.2	179	1.3 ^g	1.1–1.5	1.3 ^f	1.0–1.6
121.1	9	0.7	0.3–1.3	0.9	0.4–1.7	8	1.1	0.5–2.3	1.2	0.6–2.4	2	0.3	0.1–1.3	0.4	0.1–1.5
121.2	86	1.1	0.9–1.3	0.9	0.7–1.2	37	0.9	0.6–1.2	0.9	0.6–1.2	42	1.2	0.9–1.7	1.1	0.7–1.5
123	193	1.6 ^h	1.4–1.9	1.5 ^h	1.3–1.9	76	1.1	0.8–1.4	1.1	0.8–1.4	83	1.6 ^h	1.3–2.0	1.5 ^g	1.1–1.9
125	51	1.1	0.9–1.3	0.9	0.7–1.1	30	0.9	0.7–1.2	0.9	0.6–1.2	25	1.3	1.0–1.7	1.1	0.8–1.5
126	53	1.0	0.8–1.4	1.4 ^f	1.0–1.8	23	0.8	0.5–1.2	0.8	0.5–1.3	20	0.9	0.6–1.4	1.0	0.6–1.6
13	57	0.7 ^g	0.5–0.9	1.0	0.8–1.4	45	1.0	0.8–1.4	1.3	0.9–1.7	33	1.0	0.7–1.4	1.3	0.9–1.9
131	19	0.6 ^f	0.4–0.9	1.1	0.6–1.7	19	1.1	0.7–1.7	1.8 ^f	1.1–3.0	7	0.5	0.2–1.0	1.0	0.4–2.1
132	38	0.8	0.6–1.1	1.0	0.7–1.4	26	1.0	0.7–1.5	1.1	0.7–1.6	26	1.3	0.9–1.9	1.5	1.0–2.2
14	18	0.8	0.5–1.3	1.3	0.8–2.1	17	1.3	0.8–2.1	1.5	0.9–2.5	3	0.3 ^f	0.1–1.0	0.5	0.2–1.6
15	47	0.8	0.6–1.0	1.3	0.9–1.8	34	1.0	0.7–1.5	1.6 ^f	1.1–2.4	10	0.4 ^g	0.2–0.7	0.6	0.3–1.2
151	4	0.4	0.2–1.1	0.3 ^f	0.1–0.9	6	1.3	0.6–3.0	1.2	0.5–2.8	–	–	–	–	–
152	43	0.8	0.6–1.1	1.9 ^g	1.3–2.7	28	1.0	0.7–1.4	1.7 ^f	1.1–2.7	10	0.5 ^f	0.2–0.9	0.9	0.4–1.8
16	106	1.1	0.9–1.4	0.9	0.7–1.1	65	1.2	0.9–1.5	1.1	0.8–1.4	47	1.2	0.9–1.6	1.0	0.7–1.3
161	48	1.2	0.9–1.6	1.0	0.7–1.3	32	1.4	1.0–2.0	1.4	1.0–2.1	21	1.2	0.7–1.8	1.0	0.6–1.5
162	25	1.3	0.9–2.0	1.1	0.7–1.6	10	0.8	0.4–1.5	0.8	0.4–1.4	10	1.2	0.6–2.2	1.0	0.5–1.9
17	121	1.4 ^g	1.1–1.6	1.0	0.8–1.2	56	1.2	0.9–1.5	0.9	0.7–1.2	50	1.3 ^f	1.0–1.8	1.0	0.7–1.3
171	7	2.4 ^f	1.1–5.5	1.9	0.8–4.3	2	1.1	0.3–4.7	1.0	0.3–4.3	2	1.4	0.3–5.9	1.2	0.3–5.0
173	80	1.4 ^g	1.1–1.8	0.9	0.7–1.1	38	1.2	0.9–1.7	0.9	0.6–1.2	36	1.5 ^f	1.1–2.1	1.0	0.7–1.5
175	21	1.0	0.6–1.5	0.8	0.5–1.3	14	1.3	0.8–2.3	1.3	0.8–2.3	6	0.7	0.3–1.5	0.6	0.3–1.3

(continued horizontally on page 47 and vertically on page 61)

Table 8. Continued

ASCR code	Lung, giant cell (N=986)					Pleura (ICD-O 163) (N=310)					Pleural mesothelioma (ICD-O M 905) (N=215)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
01	44	1.1	0.8–1.5	1.0	0.7–1.37	7	0.4 ^f	0.2–0.9	0.3 ^g	0.2–0.7	1	0.1 ^f	0.0–0.6	0.1 ^g	0.0–0.5
011	21	1.0	0.6–1.5	0.8	0.5–1.35	5	0.5	0.2–1.2	0.4	0.2–1.1	1	0.2	0.0–1.1	0.1 ^f	0.0–0.9
012	1	0.9	0.1–6.8	0.8	0.1–5.9	—	—	—	—	—	—	—	—	—	—
013	17	1.4	0.9–2.3	1.3	0.8–2.1	2	0.5	0.1–1.8	0.4	0.1–1.6	—	—	—	—	—
02	24	1.1	0.7–1.6	0.9	0.6–1.5	3	0.4	0.1–1.2	0.4	0.1–1.3	1	0.2	0.0–1.3	0.2	0.0–1.7
021	9	0.9	0.5–1.9	0.8	0.4–1.7	2	0.6	0.2–2.5	0.7	0.2–2.9	1	0.5	0.1–3.4	0.6	0.1–4.8
022	2	1.0	0.3–4.3	0.9	0.2–3.9	—	—	—	—	—	—	—	—	—	—
023	7	0.9	0.4–1.8	0.8	0.4–1.6	—	—	—	—	—	—	—	—	—	—
03	12	0.9	0.5–1.6	0.8	0.4–1.4	3	0.6	0.2–1.9	0.6	0.2–1.8	1	0.3	0.0–2.3	0.3	0.0–1.8
031	1	0.0	0.0–22.3	0.0	0.0–20.0	—	—	—	—	—	—	—	—	—	—
032	6	1.1	0.5–2.6	1.0	0.4–2.3	3	1.8	0.6–5.5	1.6	0.5–5.2	1	0.9	0.1–6.4	0.7	0.1–5.3
033	5	1.0	0.4–2.5	0.9	0.4–2.2	—	—	—	—	—	—	—	—	—	—
04	89	1.4 ^g	1.1–1.8	1.3 ^f	1.0–1.7	25	1.1	0.7–1.6	1.0	0.6–1.6	17	1.1	0.7–1.9	0.9	0.5–1.5
041	43	1.7 ^h	1.2–2.4	1.6 ^g	1.1–2.2	7	0.7	0.3–1.5	0.7	0.3–1.4	3	0.5	0.1–1.5	0.4	0.1–1.2
043	25	1.1	0.8–1.7	1.0	0.7–1.5	11	1.5	0.8–2.7	1.4	0.7–2.6	8	1.6	0.8–3.3	1.3	0.6–2.8
05	13	2.1 ^f	1.2–3.6	1.7	1.0–3.1	14	6.8 ^h	3.9–11.9	3.8 ^h	2.1–6.9	11	8.6 ^h	4.6–16	3.8 ^h	2.0–7.5
051	8	2.3 ^f	1.1–4.8	1.9	0.9–4.1	13	11.9 ^h	6.6–21.3	6.4 ^h	3.4–12.1	10	13.8 ^h	7.1–26.8	6.1 ^h	3.0–12.6
052	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
059	5	2.7 ^f	1.1–6.8	2.3	0.9–5.7	1	1.5	0.2–10.8	0.7	0.1–5.1	1	2.3	0.3–16.8	0.9	0.1–6.8
06	143	1.2	1.0–1.4	0.9	0.8–1.2	72	1.8 ^h	1.3–2.3	1.1	0.8–1.5	60	2.6 ^h	1.9–3.5	1.2	0.8–1.8
061	9	1.3	0.7–2.6	1.1	0.5–2.2	6	2.0	0.9–4.5	0.9	0.4–2.1	5	2.9 ^f	1.2–7.3	1.1	0.4–2.8
062	17	1.2	0.7–1.9	1.0	0.6–1.7	4	0.6	0.2–1.6	0.6	0.2–1.5	4	1.1	0.4–2.9	0.9	0.3–2.4
063	42	1.1	0.8–1.6	1.0	0.7–1.4	16	1.2	0.7–2.0	1.1	0.7–1.9	12	1.4	0.8–2.6	1.2	0.6–2.2
064	26	1.4	0.9–2.0	1.2	0.8–1.8	14	2.0 ^f	1.2–3.4	1.9 ^f	1.1–3.3	11	2.5 ^g	1.3–4.6	2.1 ^f	1.1–3.9
065	3	0.9	0.3–2.9	0.8	0.3–2.5	—	—	—	—	—	—	—	—	—	—
07	30	1.3	0.9–1.8	1.1	0.7–1.6	26	3.0 ^h	2.0–4.6	2.6 ^h	1.7–4.0	21	3.8 ^h	2.4–5.9	2.8 ^h	1.7–4.5
071	4	1.1	0.4–3.0	1.0	0.4–2.6	2	1.3	0.3–5.4	1.2	0.3–5.0	2	2.0	0.5–8.1	1.7	0.4–7.0
072	21	1.2	0.8–1.9	1.1	0.7–1.7	22	3.6 ^h	2.3–5.6	3.6 ^h	2.3–5.9	19	4.7 ^h	2.9–7.6	4.3 ^h	2.6–7.3
08	15	1.1	0.7–1.8	1.0	0.6–1.6	3	0.7	0.2–2.1	0.6	0.2–1.6	1	0.3	0.0–2.3	0.3	0.0–2.2
081	4	1.2	0.4–3.1	1.0	0.4–2.7	1	1.0	0.1–7.0	0.8	0.1–6.1	1	1.3	0.2–9.6	1.0	0.1–7.6
089	11	1.1	0.6–2.0	1.0	0.5–1.8	2	0.6	0.1–2.3	0.6	0.1–2.3	—	—	—	—	—
09	14	1.7 ^f	1.0–3.0	1.4	0.8–2.5	4	1.4	0.5–3.7	0.6	0.2–1.6	4	1.7	0.6–4.5	0.6	0.2–1.6
091	10	1.4	0.8–2.7	1.1	0.6–2.2	3	1.2	0.4–3.8	0.5	0.2–1.6	3	1.4	0.4–4.5	0.5	0.1–1.5
10	59	0.6 ^g	0.5–0.8	0.7 ^f	0.5–0.9	36	1.1	0.8–1.6	1.3	0.9–1.9	26	1.2	0.8–1.8	1.7 ^f	1.1–2.7
101	1	0.1 ^f	0.0–0.9	0.2	0.0–1.3	—	—	—	—	—	—	—	—	—	—
102	—	—	—	—	—	1	1.2	0.2–8.5	1.1	0.1–8.1	1	1.2	0.2–9.0	1.9	0.2–14.2
103.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
103.9	14	0.5 ^g	0.3–0.8	0.6	0.3–1.0	18	1.8 ^f	1.1–2.9	2.4 ^g	1.3–4.4	12	1.9 ^f	1.0–3.4	5.6 ^h	2.2–14.2
104	18	1.0	0.6–1.7	1.1	0.7–1.8	7	1.1	0.5–2.2	2.0	0.9–4.5	7	1.5	0.7–3.1	3.0 ^f	1.3–7.2
106	2	0.4	0.1–1.5	0.3	0.1–1.3	1	0.5	0.1–3.9	0.6	0.1–4.5	1	0.7	0.1–4.9	0.9	0.1–6.9
107	13	1.7	1.0–2.9	1.5	0.8–2.6	3	1.0	0.3–3.1	0.9	0.3–2.9	2	0.9	0.2–3.8	0.7	0.2–3.0
11	215	0.9	0.8–1.1	1.3	1.0–1.7	40	0.5 ^h	0.3–0.7	0.5 ^g	0.3–0.8	18	0.3 ^h	0.2–0.5	0.3 ^h	0.2–0.6
111	61	0.9	0.7–1.1	1.5	1.0–2.4	20	0.8	0.5–1.3	0.7	0.4–1.2	4	0.2 ^g	0.1–0.6	0.2 ^g	0.1–0.6
112	100	0.9	0.7–1.1	1.0	0.7–1.3	15	0.4 ^g	0.2–0.7	0.6	0.3–1.2	11	0.5 ^f	0.2–0.8	0.7	0.3–1.5
115	47	1.1	0.8–1.5	1.2	0.9–1.7	5	0.4 ^f	0.2–0.9	0.6	0.2–1.5	3	0.3 ^f	0.1–0.9	0.5	0.1–1.6
12	96	1.2	1.0–1.5	1.2	0.9–1.5	27	1.0	0.7–1.5	1.6	0.9–2.9	18	1.0	0.6–1.6	2.1 ^f	1.0–4.4
121.1	1	0.3	0.0–2.2	0.3	0.0–2.4	2	1.8	0.4–7.4	3.2	0.8–13.3	1	1.3	0.2–9.1	2.2	0.3–16.4
121.2	21	1.1	0.7–1.7	1.0	0.6–1.5	11	1.8	1.0–3.3	2.5 ^f	1.2–5.1	9	2.0 ^f	1.0–3.9	4.2 ^g	1.7–10.4
123	43	1.3	1.0–1.8	1.3	0.9–1.8	8	0.8	0.4–1.6	0.9	0.4–1.9	5	0.7	0.3–1.7	1.0	0.4–2.8
125	16	1.1	0.7–1.7	1.0	0.6–1.6	3	0.7	0.2–2.2	0.7	0.2–2.5	1	0.3	0.0–2.3	0.4	0.1–3.2
126	12	0.9	0.5–1.7	1.0	0.6–1.8	3	0.7	0.2–2.3	1.3	0.4–4.2	2	0.7	0.2–2.9	1.3	0.3–5.3
13	12	0.6	0.3–1.0	0.7	0.4–1.3	5	0.7	0.3–1.8	1.5	0.6–3.8	2	0.4	0.1–1.8	0.9	0.2–3.8
131	4	0.5	0.2–1.3	0.7	0.3–2.1	1	0.3	0.0–2.4	0.8	0.1–6.0	—	—	—	—	—
132	8	0.7	0.3–1.3	0.7	0.3–1.4	4	1.1	0.4–2.8	1.9	0.7–5.3	2	0.8	0.2–3.2	1.4	0.3–5.8
14	6	1.0	0.4–2.2	1.3	0.6–3.0	—	—	—	—	—	—	—	—	—	—
15	14	0.9	0.5–1.6	1.4	0.8–2.6	5	1.0	0.4–2.5	2.4	0.9–6.9	4	1.3	0.5–3.6	3.7 ^f	1.1–11.9
151	2	0.9	0.2–3.5	0.7	0.2–3.0	—	—	—	—	—	—	—	—	—	—
152	12	0.9	0.5–1.7	1.8	0.9–3.6	5	1.2	0.5–2.9	4.7 ^f	1.3–17.4	4	1.5	0.6–4.1	15.8 ^f	1.8–141.1
16	21	0.8	0.5–1.3	0.7	0.5–1.1	8	1.0	0.5–2.0	0.9	0.4–1.8	5	1.0	0.4–2.5	0.9	0.4–2.3
161	6	0.6	0.3–1.3	0.5	0.2–1.1	4	1.1	0.4–3.1	1.4	0.5–3.9	2	0.9	0.2–3.5	1.2	0.3–5.3
162	4	0.7	0.3–2.0	0.7	0.2–1.8	2	1.1	0.3–4.4	1.0	0.2–4.0	2	1.9	0.5–7.6	1.5	0.4–6.4
17	20	0.9	0.6–1.4	0.7	0.4–1.1	7	1.1	0.5–2.3	0.6	0.3–1.3	6	1.3	0.6–3.0	0.6	0.3–1.5
171	—	—	—	—	—	1	3.3	0.4–24	2.9	0.4–21.4	1	5.5	0.7–40.1	4.4	0.6–32.4
173	14	0.9	0.5–1.6	0.7	0.4–1.2	5	1.2	0.5–3.0	0.5	0.2–1.3	5	1.8	0.7–4.4	0.6	0.2–1.6
175	5	1.0	0.4–2.4	0.9	0.4–2.2	1	0.6	0.1–4.3	0.7	0.1–5.1	—	—	—	—	—

(continued horizontally on page 48 and vertically on page 61)

Table 8. Continued

ASCR code	Bone & cartilage (ICD-O 170) (N=104)					Soft tissue (ICD-O 171) (N=354)					Kaposi's sarcoma (ICD-O M 9140) (N=288)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
01	6	2.1	0.9-4.9	2.0	0.8-4.9	12	0.9	0.5-1.6	1.1	0.6-2.0	4	0.4	0.1-1.2	0.6	0.2-1.7
011	2	1.4	0.3-5.9	1.2	0.3-5.4	9	1.2	0.6-2.5	1.5	0.7-3.1	—	—	—	—	—
012	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
013	4	4.0 ^g	1.4-11.0	3.8 ^f	1.3-10.9	1	0.2	0.0-1.7	0.3	0.0-2.0	3	0.7	0.2-2.5	1.1	0.3-3.8
02	—	—	—	—	—	9	1.2	0.6-2.4	1.2	0.6-2.6	2	0.5	0.1-2.2	0.5	0.1-2.1
021	—	—	—	—	—	4	1.3	0.5-3.6	1.3	0.5-3.6	2	1.0	0.2-4.4	1.0	0.2-4.6
022	—	—	—	—	—	2	3.5	0.8-14.2	3.4	0.8-14.3	—	—	—	—	—
023	—	—	—	—	—	3	1.1	0.3-3.4	1.0	0.3-3.3	—	—	—	—	—
03	4	4.2 ^g	1.5-11.5	3.9 ^f	1.4-11.5	3	0.7	0.2-2.3	0.9	0.3-2.8	2	1.0	0.2-4.4	1.5	0.4-6.7
031	1	4.7	0.6-34.8	4.3	0.6-32.1	—	—	—	—	—	—	—	—	—	—
032	1	2.3	0.3-17.1	2.1	0.3-15.7	1	0.6	0.1-4.4	0.7	0.1-5.3	1	1.2	0.1-9.8	1.8	0.2-14.7
033	2	5.6 ^f	1.4-23.3	5.2 ^f	1.2-22.1	2	1.3	0.3-5.4	1.6	0.4-6.6	1	1.4	0.2-10.5	2.0	0.3-15.6
04	10	1.5	0.8-3.0	1.4	0.7-3.1	17	0.7	0.4-1.2	0.8	0.5-1.4	8	0.5 ^f	0.2-1.0	0.6	0.3-1.4
041	4	1.5	0.5-4.1	1.3	0.5-3.9	2	0.2 ^f	0.0-0.8	0.2 ^f	0.1-0.9	4	0.6	0.2-1.6	0.8	0.3-2.4
043	1	0.4	0.1-3.1	0.4	0.1-2.7	5	0.7	0.3-1.6	0.8	0.3-1.9	3	0.5	0.2-1.6	0.7	0.2-2.4
05	—	—	—	—	—	2	1.0	0.3-4.2	1.0	0.2-4.2	1	1.6	0.2-12.3	2.8	0.3-22
051	—	—	—	—	—	1	1.0	0.1-7.1	0.9	0.1-6.8	1	3.0	0.4-23.6	5.3	0.6-45.6
052	—	—	—	—	—	1	2.8	0.4-20.5	3.4	0.5-25.1	—	—	—	—	—
059	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06	11	0.8	0.4-1.5	0.6	0.3-1.2	35	0.7	0.5-1.0	0.7	0.5-1.1	10	0.2 ^h	0.1-0.4	0.3 ^h	0.1-0.5
061	2	3.1	0.7-12.9	3.4	0.7-16.7	4	1.6	0.6-4.3	1.5	0.5-4.4	1	1.0	0.1-7.4	1.6	0.2-13.5
062	—	—	—	—	—	2	0.3	0.1-1.3	0.4	0.1-1.6	2	0.7	0.2-2.8	0.9	0.2-4.1
063	4	1.0	0.4-2.7	0.8	0.3-2.4	9	0.6	0.3-1.2	0.7	0.4-1.4	—	—	—	—	—
064	2	0.8	0.2-3.1	0.7	0.2-2.8	8	1.0	0.5-2.0	1.2	0.6-2.6	1	0.2	0.0-1.2	0.2	0.0-1.7
065	—	—	—	—	—	1	1.0	0.1-7.4	1.2	0.2-9.1	1	1.2	0.1-10.4	1.9	0.2-16.6
07	2	0.9	0.2-3.6	0.8	0.2-3.3	11	1.3	0.7-2.5	1.6	0.8-3.0	—	—	—	—	—
071	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
072	2	1.3	0.3-5.2	1.1	0.3-4.8	8	1.4	0.7-2.8	1.7	0.8-3.5	—	—	—	—	—
08	2	1.3	0.3-5.3	1.2	0.3-4.9	5	1.0	0.4-2.4	1.1	0.4-2.6	2	0.4	0.1-1.7	0.5	0.1-2.2
081	—	—	—	—	—	2	1.7	0.4-6.8	2.0	0.5-8.4	1	1.5	0.2-11.7	2.4	0.3-18.5
089	2	1.7	0.4-7.0	1.6	0.4-6.7	3	0.8	0.2-2.4	0.8	0.3-2.6	1	0.2	0.0-1.6	0.3	0.0-2.1
09	3	3.7 ^f	1.1-12.1	4.4 ^f	1.1-18.3	3	1.3	0.4-4.2	1.3	0.4-4.3	1	1.4	0.2-10.6	2.7	0.3-22
091	3	4.6 ^f	1.4-15.5	5.7 ^f	1.4-23.8	3	1.6	0.5-5.3	1.6	0.5-5.5	—	—	—	—	—
10	11	1.0	0.5-1.8	1.0	0.5-2.0	36	1.0	0.7-1.5	1.0	0.7-1.4	15	0.5 ^g	0.3-0.8	0.4 ^h	0.2-0.7
101	2	1.9	0.5-7.7	2.0	0.4-10.1	2	0.6	0.1-2.4	0.4	0.1-1.9	2	0.9	0.2-3.6	0.5	0.1-2.3
102	—	—	—	—	—	—	—	—	—	—	1	3.3	0.4-30.8	3.0	0.3-28.5
103.1	—	—	—	—	—	—	—	—	—	—	1	1.2	0.1-11.2	1.1	0.1-10.1
103.9	2	0.5	0.1-2.0	0.5	0.1-2.1	15	1.2	0.7-2.0	1.0	0.5-1.8	4	0.3 ^f	0.1-0.9	0.2 ^g	0.1-0.6
104	3	1.6	0.5-5.2	2.1	0.6-7.1	3	0.5	0.2-1.6	0.5	0.2-1.6	3	0.6	0.2-2.1	0.5	0.1-1.6
106	1	1.6	0.2-11.4	1.5	0.2-12.2	3	1.6	0.5-5.1	1.6	0.5-5.2	—	—	—	—	—
107	—	—	—	—	—	3	1.1	0.3-3.5	1.3	0.4-4.2	—	—	—	—	—
11	16	0.6	0.4-1.0	0.6	0.3-1.1	84	1.1	0.8-1.4	1.0	0.7-1.5	95	1.7 ^h	1.3-2.2	1.8 ^f	1.1-2.8
111	5	0.7	0.3-1.8	0.7	0.2-2.1	27	1.2	0.8-1.8	1.0	0.6-1.7	22	2.1 ^g	1.3-3.4	2.8 ^g	1.4-5.7
112	7	0.6	0.3-1.3	0.6	0.2-1.5	40	1.0	0.7-1.4	1.1	0.7-1.7	52	1.4 ^f	1.0-2.0	1.2	0.8-1.9
115	4	0.9	0.3-2.4	1.1	0.4-3.3	15	1.0	0.6-1.7	1.1	0.6-1.9	15	1.3	0.7-2.3	1.1	0.6-2.0
12	10	1.2	0.6-2.4	1.5	0.6-3.7	26	0.9	0.6-1.4	0.9	0.5-1.4	17	0.8	0.5-1.4	0.7	0.4-1.3
121.1	—	—	—	—	—	1	1.1	0.1-7.7	1.1	0.2-8.0	—	—	—	—	—
121.2	5	2.9 ^f	1.2-7.3	4.0 ^f	1.3-12.7	6	1.1	0.5-2.5	1.1	0.4-2.5	2	0.8	0.2-3.3	0.8	0.2-3.4
123	—	—	—	—	—	9	0.8	0.4-1.5	0.7	0.3-1.4	6	0.6	0.3-1.4	0.5	0.2-1.3
125	4	2.8 ^f	1.0-7.8	3.5 ^f	1.1-11.9	6	1.3	0.6-2.8	1.2	0.5-2.9	7	2.1	0.9-4.9	2.4	1.0-6.1
126	1	0.8	0.1-5.5	0.9	0.1-6.8	4	0.9	0.3-2.5	0.9	0.3-2.6	2	0.5	0.1-2.3	0.4	0.1-1.8
13	4	1.6	0.6-4.5	1.8	0.6-5.4	7	0.9	0.4-2.0	0.8	0.4-1.8	4	0.7	0.3-2.0	0.5	0.2-1.5
131	2	1.9	0.5-8.0	2.1	0.4-10.5	4	1.2	0.5-3.4	1.0	0.3-2.8	2	0.8	0.2-3.3	0.5	0.1-2.1
132	2	1.4	0.3-5.6	1.7	0.4-7.3	3	0.7	0.2-2.2	0.7	0.2-2.3	2	0.7	0.2-3.0	0.6	0.1-2.5
14	1	1.1	0.2-8.0	1.2	0.2-9.3	5	1.9	0.8-4.7	1.7	0.7-4.2	3	0.8	0.2-2.6	0.7	0.2-2.5
15	2	1.2	0.3-4.9	1.2	0.2-5.5	10	1.7	0.9-3.3	1.6	0.8-3.2	23	5.5 ^h	3.3-9.2	6.8 ^h	3.5-13.2
151	—	—	—	—	—	—	—	—	—	—	3	4.6 ^f	1.2-17.3	7.6 ^g	2.0-29.1
152	2	1.4	0.3-5.5	1.4	0.3-6.9	10	2.0 ^f	1.1-3.8	1.8	0.9-3.9	20	5.6 ^h	3.2-9.5	6.6 ^h	3.1-14.1
16	1	0.3	0.0-1.9	0.2	0.0-1.7	12	1.0	0.6-1.9	1.1	0.6-2.0	37	2.7 ^h	1.8-4.1	4.9 ^h	3.1-7.8
161	1	0.8	0.1-6.1	0.8	0.1-6.3	4	1.0	0.4-2.7	0.9	0.3-2.6	7	1.8	0.8-4.4	2.1	0.8-5.5
162	—	—	—	—	—	—	—	—	—	—	7	1.5	0.6-3.5	2.4	1.0-5.7
17	2	1.0	0.2-4.1	0.9	0.2-4.0	9	1.3	0.7-2.6	1.3	0.6-2.7	6	1.6	0.7-3.9	2.4	0.9-6.3
171	—	—	—	—	—	—	—	—	—	—	1	11.1 ^f	1.4-86.6	16.7 ^g	2.1-133.1
173	1	0.7	0.1-5.4	0.7	0.1-5.3	6	1.4	0.6-3.1	1.3	0.5-3.3	—	—	—	—	—
175	1	2.4	0.3-17.4	2.4	0.3-19.1	3	2.0	0.6-6.3	2.0	0.6-6.5	5	5.4 ^g	1.7-17.2	6.4 ^g	1.9-21.5

(continued horizontally on page 49 and vertically on page 62)

Table 8. Continued

ASCR code	Melanoma of the skin (ICD-O M 872-9) (N=1541)					Melanoma, skin of head & neck (N=252)					Melanoma, skin of trunk (N=695)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	60	1.0	0.8-1.3	1.4 ^f	1.0-1.8	23	2.2 ^g	1.4-3.4	3.3 ^h	1.9-5.8	23	0.9	0.6-1.3	1.0	0.7-1.6
011	27	0.8	0.6-1.2	1.1	0.7-1.6	13	2.0 ^f	1.1-3.7	2.6 ^g	1.3-5.0	9	0.6	0.3-1.3	0.7	0.4-1.5
012	3	1.6	0.5-5.3	2.1	0.6-6.9	—	—	—	—	—	2	2.3	0.5-9.7	2.7	0.6-11.7
013	22	1.2	0.8-1.9	1.7 ^f	1.1-2.6	6	1.9	0.8-4.3	2.4 ^f	1.0-5.7	8	1.0	0.5-2.0	1.2	0.6-2.5
02	15	0.5 ^g	0.3-0.8	0.6 ^f	0.3-1.0	2	0.4	0.1-1.5	0.5	0.1-2.4	7	0.5	0.2-1.0	0.6	0.3-1.4
021	5	0.4 ^f	0.2-0.9	0.5	0.2-1.2	—	—	—	—	—	2	0.3	0.1-1.3	0.4	0.1-1.8
022	1	0.4	0.1-2.9	0.5	0.1-3.8	1	2.0	0.3-14.4	3.3	0.4-25.3	—	—	—	—	—
023	7	0.5	0.3-1.2	0.7	0.3-1.6	1	0.5	0.1-3.5	0.8	0.1-5.9	5	0.9	0.4-2.2	1.3	0.5-3.2
03	13	0.8	0.5-1.5	1.1	0.6-1.9	1	0.3	0.0-2.3	0.4	0.1-2.7	6	0.9	0.4-2.0	1.1	0.5-2.4
031	5	1.4	0.6-3.6	1.8	0.7-4.5	—	—	—	—	—	1	0.7	0.1-4.8	0.8	0.1-5.6
032	7	1.2	0.6-2.6	1.5	0.7-3.3	1	0.9	0.1-6.2	1.0	0.1-7.6	4	1.6	0.6-4.2	1.8	0.7-5.0
033	1	0.2	0.0-1.1	0.2	0.0-1.5	—	—	—	—	—	1	0.4	0.1-2.8	0.5	0.1-3.2
04	55	0.6 ^h	0.4-0.7	0.7 ^f	0.5-0.9	7	0.4 ^f	0.2-0.9	0.5	0.2-1.1	31	0.7	0.5-1.0	0.8	0.6-1.2
041	26	0.7	0.5-1.1	0.9	0.6-1.4	1	0.2	0.0-1.1	0.2	0.0-1.3	16	1.0	0.6-1.6	1.2	0.7-2.0
043	19	0.6 ^f	0.4-0.9	0.7	0.5-1.2	5	1.0	0.4-2.3	1.2	0.5-3.0	11	0.7	0.4-1.4	0.9	0.5-1.6
05	6	0.7	0.3-1.6	0.9	0.4-1.9	2	1.4	0.3-5.7	2.3	0.5-9.8	1	0.3	0.0-1.9	0.3	0.0-2.2
051	2	0.5	0.1-1.9	0.5	0.1-2.2	1	1.3	0.2-9.2	2.2	0.3-16.9	—	—	—	—	—
052	2	1.2	0.3-4.8	1.5	0.4-6.3	1	4.0	0.5-29.2	4.9	0.7-36.6	1	1.3	0.2-9.5	1.5	0.2-11.4
059	2	0.9	0.2-3.6	1.0	0.2-4.3	—	—	—	—	—	—	—	—	—	—
06	151	0.7 ^h	0.6-0.8	0.9	0.7-1.1	17	0.5 ^g	0.3-0.8	0.6	0.3-1.1	74	0.8 ^f	0.6-1.0	0.9	0.7-1.2
061	6	0.6	0.3-1.3	0.6	0.3-1.5	—	—	—	—	—	5	1.2	0.5-2.8	1.4	0.5-3.6
062	9	0.4 ^g	0.2-0.7	0.5 ^f	0.2-0.9	—	—	—	—	—	4	0.4	0.1-1.0	0.4	0.2-1.2
063	48	0.7 ^f	0.6-1.0	1.0	0.7-1.3	6	0.6	0.3-1.4	0.7	0.3-1.7	27	0.9	0.6-1.4	1.1	0.8-1.7
064	23	0.6 ^f	0.4-1.0	0.8	0.5-1.3	2	0.4	0.1-1.5	0.5	0.1-1.9	10	0.6	0.3-1.2	0.7	0.4-1.4
065	8	1.9	0.9-4.0	2.6 ^f	1.2-5.3	—	—	—	—	—	5	2.6 ^f	1.1-6.5	3.2 ^f	1.3-8.0
07	27	0.8	0.5-1.1	1.0	0.7-1.4	2	0.3	0.1-1.3	0.4	0.1-1.5	15	1.0	0.6-1.6	1.1	0.7-2.0
071	5	0.9	0.4-2.2	1.1	0.5-2.8	—	—	—	—	—	5	2.1	0.8-5.0	2.4	1.0-6.1
072	19	0.7	0.5-1.2	0.9	0.6-1.5	2	0.4	0.1-1.7	0.5	0.1-2.1	8	0.7	0.3-1.4	0.8	0.4-1.7
08	26	1.2	0.8-1.7	1.6 ^f	1.0-2.3	5	1.5	0.6-3.6	2.1	0.8-5.1	12	1.1	0.6-2.0	1.5	0.8-2.7
081	5	0.9	0.4-2.2	1.2	0.5-2.9	1	1.2	0.2-8.5	1.5	0.2-10.8	3	1.2	0.4-3.7	1.4	0.4-4.5
089	21	1.2	0.8-1.9	1.7 ^f	1.1-2.6	4	1.6	0.6-4.2	2.3	0.8-6.2	9	1.1	0.6-2.2	1.5	0.7-2.9
09	10	0.8	0.4-1.5	0.9	0.5-1.8	—	—	—	—	—	5	0.9	0.4-2.1	1.0	0.4-2.7
091	9	0.8	0.4-1.6	1.0	0.5-2.0	—	—	—	—	—	4	0.8	0.3-2.1	1.0	0.3-2.7
10	234	1.5 ^h	1.3-1.7	1.3 ^h	1.1-1.6	45	2.2 ^h	1.6-3.1	2.0 ^h	1.4-2.8	100	1.4 ^g	1.1-1.7	1.2	1.0-1.5
101	28	1.9 ^g	1.3-2.8	1.3	0.9-2.1	3	1.4	0.5-4.4	1.1	0.3-3.6	15	2.2 ^g	1.3-3.7	1.8 ^f	1.0-3.3
102	9	2.1 ^f	1.1-4.2	1.6	0.8-3.2	4	6.3 ^h	2.2-17.7	5.5 ^g	1.9-16.1	3	1.5	0.5-4.8	1.1	0.3-3.6
103.1	3	1.7	0.5-5.6	1.2	0.4-4.1	—	—	—	—	—	1	1.2	0.2-8.7	0.9	0.1-6.3
103.9	91	1.7 ^h	1.4-2.1	1.3 ^f	1.0-1.7	16	2.2 ^g	1.3-3.7	2.1 ^f	1.1-4.0	39	1.5 ^f	1.1-2.1	1.1	0.8-1.7
104	41	1.4	1.0-1.9	1.2	0.9-1.7	10	2.2 ^f	1.2-4.2	1.7	0.9-3.4	19	1.4	0.9-2.2	1.3	0.8-2.2
106	10	1.0	0.5-1.8	1.3	0.7-2.6	2	1.3	0.3-5.4	2.4	0.5-10.6	3	0.6	0.2-2.0	0.9	0.3-2.8
107	9	0.7	0.3-1.3	0.8	0.4-1.7	1	0.5	0.1-3.5	0.6	0.1-4.3	3	0.5	0.2-1.5	0.6	0.2-1.8
11	428	1.2 ^h	1.1-1.4	1.0	0.8-1.1	58	1.0	0.8-1.4	0.5 ^g	0.4-0.8	209	1.3 ^h	1.1-1.6	1.2	1.0-1.6
111	134	1.3 ^g	1.1-1.5	0.9	0.7-1.1	14	0.8	0.5-1.4	0.4 ^f	0.2-0.8	71	1.5 ^g	1.2-2.0	1.2	0.8-1.7
112	197	1.1	1.0-1.3	1.0	0.8-1.2	32	1.2	0.8-1.8	0.8	0.5-1.3	88	1.1	0.9-1.4	1.0	0.8-1.4
115	68	1.0	0.8-1.3	0.9	0.7-1.1	9	0.9	0.4-1.7	0.6	0.3-1.3	35	1.1	0.8-1.6	1.1	0.7-1.5
12	108	0.8	0.7-1.0	1.0	0.8-1.3	15	0.8	0.5-1.3	1.1	0.6-2.0	48	0.8	0.6-1.1	1.0	0.7-1.5
121.1	9	1.9	0.9-3.7	1.7	0.8-3.3	2	2.7	0.7-11.1	2.1	0.5-8.6	4	1.8	0.7-5.0	1.7	0.6-4.8
121.2	26	1.0	0.7-1.5	1.4	0.9-2.1	2	0.4	0.1-1.8	0.7	0.2-3.0	14	1.2	0.7-2.1	1.8	1.0-3.4
123	34	0.6 ^f	0.5-0.9	0.8	0.6-1.2	6	0.8	0.3-1.8	1.5	0.5-4.0	16	0.7	0.4-1.1	0.9	0.5-1.6
125	21	1.0	0.6-1.5	1.3	0.8-2.1	—	—	—	—	—	7	1.1	0.7-1.9	1.7	1.0-3.1
126	18	0.8	0.5-1.4	0.8	0.5-1.2	5	1.7	0.7-4.2	1.3	0.5-3.3	6	0.6	0.3-1.4	0.6	0.2-1.3
13	48	1.4 ^f	1.0-1.9	1.1	0.8-1.5	9	1.8	0.9-3.5	1.4	0.7-2.7	21	1.3	0.8-2.0	1.1	0.7-1.8
131	29	2.0 ^h	1.4-3.0	1.5	1.0-2.2	4	1.8	0.7-4.9	1.4	0.5-4.3	14	2.1 ^g	1.2-3.6	1.7	0.9-3.1
132	19	0.9	0.6-1.4	0.8	0.5-1.3	5	1.7	0.7-4.2	1.3	0.5-3.3	7	0.7	0.3-1.6	0.7	0.3-1.5
14	9	0.8	0.4-1.6	0.6	0.3-1.2	—	—	—	—	—	3	0.6	0.2-1.8	0.4	0.1-1.3
15	25	1.0	0.7-1.5	0.7	0.5-1.1	5	1.3	0.5-3.2	1.0	0.4-2.8	11	0.9	0.5-1.7	0.7	0.4-1.4
151	5	1.6	0.7-4.0	2.2	0.9-5.4	1	1.8	0.3-13.2	2.3	0.3-16.7	3	1.8	0.3-13.2	2.3	0.3-16.7
152	20	0.9	0.6-1.5	0.6 ^f	0.4-0.9	4	1.2	0.5-3.3	0.9	0.3-2.7	8	0.8	0.4-1.6	0.5	0.3-1.1
16	21	0.5 ^h	0.3-0.7	0.6 ^f	0.4-0.9	4	0.6	0.2-1.7	0.9	0.3-2.6	10	0.5 ^f	0.3-0.9	0.6	0.3-1.1
161	7	0.4 ^f	0.2-0.8	0.5	0.2-1.1	1	0.4	0.1-2.7	0.6	0.1-4.5	3	0.4	0.1-1.1	0.5	0.1-1.5
162	8	0.8	0.4-1.6	1.0	0.5-2.1	1	0.7	0.1-5.3	0.9	0.1-6.6	4	0.8	0.3-2.3	1.0	0.4-2.7
17	30	1.0	0.7-1.4	1.3	0.9-1.9	4	0.8	0.3-2.2	1.4	0.5-3.9	13	0.9	0.5-1.6	1.2	0.7-2.1
171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
173	21	1.1	0.7-1.6	1.3	0.8-2.2	1	0.3	0.0-2.3	0.5	0.1-3.9	10	1.1	0.6-2.0	1.4	0.7-2.8
175	6	1.0	0.4-2.2	1.3	0.6-3.0	1	0.9	0.1-6.1	1.4	0.2-10.7	3	1.1	0.3-3.4	1.5	0.5-4.8

(continued horizontally on page 50 and vertically on page 62)

Table 8. Continued

ASCR code	Melanoma, skin of arm (N=338)					Melanoma, skin of leg (N=246)					Squamous cell carcinoma (ICD-O M 8070-4) (N=2471)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	13	1.1	0.6-1.9	1.5	0.8-2.8	1	0.1 ^f	0.0-0.7	0.1 ^f	0.0-1.0	140	1.5 ^g	1.1-1.9	1.7 ^h	1.4-2.1
011	5	0.7	0.3-1.8	1.0	0.4-2.5	—	—	—	—	—	88	1.6 ^f	1.1-2.2	1.8 ^h	1.4-2.3
012	1	2.7	0.4-19.7	3.6	0.5-27.1	—	—	—	—	—	4	1.5	0.5-4.1	1.6	0.6-4.5
013	7	1.9	0.9-4.0	2.7 ^f	1.2-6.0	1	0.3	0.0-2.4	0.6	0.1-4.1	33	1.2	0.8-1.8	1.2	0.9-1.8
02	6	0.9	0.4-2.0	0.9	0.4-2.0	—	—	—	—	—	48	1.0	0.7-1.4	1.0	0.7-1.4
021	3	1.0	0.3-3.3	1.1	0.3-3.4	—	—	—	—	—	16	0.6	0.3-1.2	0.8	0.5-1.4
022	—	—	—	—	—	—	—	—	—	—	5	1.1	0.4-2.7	1.2	0.5-3.1
023	1	0.4	0.1-2.6	0.3	0.0-2.5	—	—	—	—	—	24	1.5	1.0-2.4	1.4	0.9-2.1
03	4	1.2	0.4-3.3	1.6	0.6-4.5	2	0.9	0.2-3.6	1.5	0.4-6.1	30	1.0	0.6-1.6	1.1	0.7-1.6
031	2	2.6	0.6-10.8	3.5	0.8-14.6	2	3.7	0.9-15.4	6.1 ^f	1.4-26.2	10	1.9	1.0-3.6	2.0 ^f	1.0-3.9
032	2	1.6	0.4-6.5	2.2	0.5-8.9	—	—	—	—	—	9	0.7	0.4-1.4	0.8	0.4-1.5
033	—	—	—	—	—	—	—	—	—	—	11	0.9	0.5-1.6	1.0	0.5-1.8
04	11	0.5 ^f	0.3-0.9	0.6	0.3-1.2	6	0.4 ^f	0.2-1.0	0.7	0.3-1.6	116	0.9	0.7-1.1	0.9	0.7-1.1
041	6	0.7	0.3-1.6	0.9	0.4-2.2	3	0.6	0.2-1.9	1.0	0.3-3.3	42	0.9	0.6-1.3	0.9	0.6-1.2
043	1	0.1 ^f	0.0-1.0	0.2	0.0-1.3	2	0.4	0.1-1.6	0.6	0.2-2.7	35	0.7	0.5-1.1	0.7	0.5-1.0
05	2	1.1	0.3-4.4	1.4	0.3-5.9	1	0.8	0.1-5.9	0.8	0.1-5.6	6	1.1	0.5-2.5	0.7	0.3-1.6
051	1	1.1	0.1-7.6	1.3	0.2-10.0	—	—	—	—	—	4	0.6	0.2-1.8	0.9	0.3-2.6
052	—	—	—	—	—	—	—	—	—	—	2	1.0	0.2-4.1	1.0	0.2-4.4
059	1	2.0	0.3-14.9	2.6	0.3-19.7	1	3.3	0.5-24.3	2.8	0.4-21	—	—	—	—	—
06	32	0.7 ^f	0.5-1.0	0.9	0.6-1.4	27	0.8	0.5-1.2	1.0	0.6-1.7	196	0.7 ^h	0.6-0.8	0.8 ^g	0.7-0.9
061	1	0.4	0.1-3.1	0.5	0.1-3.8	—	—	—	—	—	—	—	—	—	—
062	3	0.6	0.2-1.8	0.7	0.2-2.4	2	0.5	0.1-2.1	0.9	0.2-3.6	21	0.7	0.2-2.1	1.0	0.6-1.6
063	10	0.7	0.4-1.3	1.0	0.5-1.9	5	0.5	0.2-1.1	0.8	0.3-1.9	61	0.8	0.6-1.1	0.7 ^f	0.6-1.0
064	7	0.9	0.4-1.8	1.2	0.5-2.6	4	0.7	0.2-1.8	1.1	0.4-3.2	36	1.0	0.6-1.5	1.0	0.7-1.5
065	1	1.3	0.2-9.6	1.8	0.2-13.3	2	3.1	0.8-12.9	5.4 ^f	1.3-23.0	6	0.4	0.2-0.9	0.4	0.2-1.0
07	4	0.5	0.2-1.4	0.7	0.2-1.9	5	0.9	0.4-2.3	1.4	0.6-3.6	48	0.7	0.5-1.0	0.8	0.6-1.1
071	—	—	—	—	—	—	—	—	—	—	5	0.6	0.3-1.5	0.7	0.3-1.7
072	4	0.7	0.3-1.9	1.0	0.4-2.7	4	1.0	0.4-2.8	1.8	0.6-5.0	38	0.8	0.5-1.2	0.8	0.6-1.2
08	3	0.6	0.2-1.9	0.7	0.2-2.3	6	1.7	0.7-3.8	2.8 ^f	1.2-6.6	33	1.0	0.7-1.4	1.1	0.8-1.6
081	—	—	—	—	—	1	1.1	0.2-8.3	2.0	0.3-14.6	12	1.1	0.6-2.1	1.2	0.7-2.3
089	3	0.8	0.2-2.4	0.9	0.3-2.9	5	1.8	0.7-4.4	3.0 ^f	1.2-7.7	21	0.9	0.6-1.5	1.0	0.7-1.6
09	3	1.0	0.3-3.2	1.4	0.4-4.7	2	1.1	0.3-4.7	1.0	0.2-4.2	19	0.7	0.4-1.2	1.2	0.7-2.0
091	3	1.2	0.4-3.8	1.6	0.5-5.6	2	1.3	0.3-5.4	1.1	0.3-5.0	16	0.7	0.5-1.2	1.1	0.6-1.9
10	53	1.5 ^f	1.1-2.0	1.3	1.0-1.8	35	1.3	0.9-1.8	1.1	0.8-1.6	212	1.1	1.0-1.4	1.0	0.8-1.2
101	6	1.7	0.8-3.9	1.0	0.4-2.5	4	1.5	0.5-4.0	1.0	0.3-3.0	17	1.0	0.6-1.6	0.7	0.4-1.1
102	1	0.8	0.1-6.0	0.6	0.1-4.7	1	1.6	0.2-12.1	1.2	0.2-9.1	7	1.1	0.5-2.3	0.9	0.4-2.0
103.1	2	6.3 ^f	1.5-26.5	4.8 ^f	1.1-20.5	—	—	—	—	—	2	0.5	0.1-2.4	5.3	0.6-44.3
103.9	21	1.7 ^f	1.1-2.7	1.4	0.8-2.4	15	1.5	0.9-2.5	1.0	0.6-1.9	82	1.3 ^f	1.0-1.7	0.2	0.0-1.6
104	4	0.5	0.2-1.5	0.5	0.2-1.4	8	1.6	0.8-3.3	1.4	0.7-3.0	35	0.9	0.6-1.3	0.7	0.5-1.0
106	3	1.2	0.4-3.9	1.3	0.4-4.3	2	1.3	0.3-5.3	2.1	0.5-9.2	19	1.4	0.9-2.3	1.7 ^f	1.0-2.8
107	5	1.6	0.7-3.9	2.2	0.9-5.6	—	—	—	—	—	22	1.7 ^f	1.1-2.7	1.4	0.9-2.1
11	82	1.0	0.8-1.3	0.8	0.6-1.2	73	1.3 ^f	1.0-1.8	1.0	0.7-1.5	602	1.1	0.9-1.2	0.8 ^f	0.7-1.0
111	25	1.0	0.7-1.6	0.7	0.4-1.1	22	1.4	0.9-2.1	0.9	0.5-1.6	187	1.1	0.9-1.4	0.8	0.7-1.1
112	41	1.1	0.8-1.5	1.2	0.7-1.8	32	1.1	0.8-1.7	0.9	0.6-1.5	291	1.1	1.0-1.3	1.0	0.9-1.2
115	13	0.8	0.5-1.5	0.8	0.5-1.5	11	1.0	0.5-1.9	0.9	0.4-1.6	101	0.8 ^f	0.6-1.0	0.8 ^f	0.6-1.0
12	29	1.0	0.7-1.5	1.0	0.6-1.7	16	0.8	0.5-1.3	1.0	0.5-1.9	173	0.9	0.8-1.1	1.1	0.9-1.4
121.1	3	2.5	0.8-7.9	2.5	0.8-8.2	—	—	—	—	—	13	2.3 ^g	1.3-4.2	2.2 ^g	1.2-4.0
121.2	8	1.3	0.7-2.7	1.4	0.6-3.1	2	0.5	0.1-1.9	0.7	0.2-2.9	42	1.0	0.7-1.4	1.2	0.4-4.3
123	8	0.7	0.3-1.4	0.6	0.3-1.4	4	0.5	0.2-1.3	0.6	0.2-1.9	40	0.6 ^g	0.4-0.8	0.6 ^g	0.4-0.8
125	5	1.3	0.7-2.6	1.4	0.7-3.0	6	0.6	0.2-2.0	0.9	0.3-3.2	38	1.2	0.9-1.7	2.2	0.7-6.8
126	4	0.9	0.3-2.3	0.9	0.3-2.3	3	0.9	0.3-2.7	0.7	0.2-2.3	39	1.4	1.0-2.1	1.3	1.0-1.9
13	10	1.3	0.7-2.4	1.0	0.5-1.9	8	1.3	0.6-2.6	1.0	0.5-2.1	61	1.1	0.8-1.6	1.0	0.8-1.3
131	6	1.8	0.8-4.1	1.1	0.5-2.6	5	2.0	0.8-4.8	1.4	0.5-3.8	33	1.4	0.9-2.2	1.1	0.7-1.6
132	4	0.9	0.3-2.3	0.9	0.3-2.4	3	0.8	0.3-2.6	0.7	0.2-2.2	28	0.9	0.6-1.5	0.9	0.6-1.4
14	2	0.8	0.2-3.4	0.7	0.2-2.8	4	2.3	0.8-6.2	1.7	0.6-4.9	17	0.8	0.4-1.6	1.1	0.6-1.8
15	4	0.8	0.3-2.1	0.4	0.2-1.2	4	1.0	0.4-2.7	0.7	0.2-2.0	38	0.9	0.6-1.4	0.7	0.5-1.0
151	—	—	—	—	—	1	1.8	0.3-13.2	2.3	0.3-16.7	9	1.3	0.7-2.6	1.4	0.7-2.8
152	4	0.9	0.3-2.4	0.5	0.2-1.3	3	0.8	0.3-2.7	0.5	0.2-1.8	29	0.9	0.5-1.4	0.6 ^f	0.4-0.9
16	3	0.3 ^f	0.1-1.0	0.4	0.1-1.1	4	0.6	0.2-1.6	0.9	0.3-2.5	33	0.7	0.5-1.1	0.8	0.5-1.1
161	2	0.5	0.1-2.1	0.5	0.1-2.1	1	0.4	0.1-2.6	0.5	0.1-3.9	17	0.7	0.4-1.3	0.8	0.5-1.3
162	—	—	—	—	—	3	1.8	0.6-5.8	3.2	1.0-10.5	6	0.7	0.3-1.6	0.8	0.3-1.7
17	8	1.2	0.6-2.5	1.6	0.7-3.3	5	1.1	0.5-2.7	1.1	0.4-2.9	48	0.8	0.6-1.2	1.2	0.9-1.6
171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
173	6	1.4	0.6-3.1	2.0	0.8-5.2	4	1.4	0.5-3.7	1.2	0.4-3.5	27	0.8	0.5-1.2	1.2	0.8-1.9
175	1	0.8	0.1-5.5	0.8	0.1-5.6	1	1.2	0.2-8.3	1.7	0.2-13.1	12	0.9	0.5-1.6	1.0	0.6-1.9

(continued horizontally on page 51 and vertically on page 62)

Table 8. Continued

ASCR code	Basal cell carcinoma (ICD-O M 8090-4) (N=6516)					Breast (ICD-O 174) (N=96)					Prostate (ICD-O 185) (N=9126)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	180	0.8 ^f	0.7-1.0	1.2	1.0-1.4	2	0.5	0.1-2.1	0.5	0.1-1.9	485	1.1	0.9-1.2	1.1	1.0-1.2
011	83	0.8	0.6-1.0	1.1	0.8-1.4	2	1.0	0.2-4.3	1.0	0.2-4.2	310	1.1	1.0-1.3	1.2 ^f	1.0-1.4
012	8	1.1	0.5-2.3	1.4	0.6-3.0	-	.	.	.	.	9	1.3	0.6-2.7	1.3	0.6-2.8
013	66	0.9	0.7-1.2	1.3	1.0-1.7	-	.	.	.	.	128	1.0	0.8-1.2	1.0	0.8-1.2
02	108	0.9	0.7-1.1	1.0	0.8-1.2	2	0.9	0.2-3.6	1.0	0.2-4.9	267	1.2 ^f	1.0-1.4	1.3 ^g	1.1-1.5
021	48	1.1	0.8-1.5	1.2	0.9-1.7	1	1.1	0.1-7.7	1.3	0.2-10	111	1.2	1.0-1.5	1.3 ^f	1.0-1.6
022	3	0.3 ^f	0.1-0.8	0.3 ^f	0.1-1.0	-	.	.	.	.	30	1.5	0.9-2.2	1.5	1.0-2.3
023	43	0.8	0.6-1.1	0.9	0.7-1.3	-	.	.	.	.	97	1.1	0.9-1.5	1.2	0.9-1.5
03	67	1.1	0.8-1.5	1.5 ^g	1.1-2.0	4	3.1 ^f	1.1-8.4	3.1 ^f	1.1-9.1	140	0.9	0.8-1.1	1.0	0.8-1.2
031	11	1.2	0.6-2.3	1.5	0.8-3.0	-	.	.	.	.	22	0.7	0.4-1.0	0.7	0.4-1.1
032	29	1.2	0.8-1.8	1.5 ^f	1.0-2.3	2	3.7	0.9-15.2	3.6	0.9-15.5	63	1.1	0.8-1.5	1.2	0.9-1.6
033	27	1.1	0.7-1.6	1.4	0.9-2.1	2	3.8	0.9-15.7	3.8	0.9-16.1	55	0.9	0.7-1.2	0.9	0.7-1.3
04	257	0.7 ^h	0.6-0.8	0.9	0.7-1.0	5	0.7	0.3-1.8	0.6	0.2-1.7	487	0.8 ^h	0.7-0.8	0.7 ^h	0.7-0.8
041	92	0.6 ^h	0.5-0.7	0.7 ^g	0.6-0.9	3	1.1	0.3-3.5	1.0	0.3-3.5	176	0.7 ^h	0.6-0.9	0.7 ^h	0.6-0.9
043	100	0.7 ^g	0.6-0.9	1.0	0.8-1.2	1	0.4	0.1-3.1	0.4	0.1-2.9	186	0.8 ^f	0.7-1.0	0.9	0.7-1.0
05	18	0.8	0.5-1.4	1.1	0.7-1.8	-	.	.	.	.	35	0.5 ^h	0.4-0.8	0.6 ^g	0.4-0.9
051	11	0.9	0.5-1.8	1.2	0.6-2.4	-	.	.	.	.	14	0.4 ^h	0.2-0.6	0.4 ^g	0.2-0.7
052	5	1.0	0.4-2.6	1.3	0.5-3.4	-	.	.	.	.	9	1.0	0.5-2.1	1.0	0.5-2.2
059	2	0.4	0.1-1.7	0.5	0.1-2.3	-	.	.	.	.	12	0.7	0.4-1.2	0.8	0.4-1.5
06	559	0.7 ^h	0.7-0.8	1.0	0.9-1.2	14	1.1	0.6-2.0	1.3	0.6-2.5	1150	1.0	0.9-1.1	1.1 ^g	1.1-1.3
061	3	0.6	0.1-2.6	0.6	0.2-2.1	-	.	.	.	.	62	0.8	0.6-1.1	0.9	0.7-1.3
062	13	0.5	0.3-1.0	0.7	0.4-1.2	2	1.3	0.3-5.3	1.2	0.3-5.3	162	1.2	1.0-1.4	1.2	1.0-1.4
063	193	0.8 ^g	0.7-0.9	1.1	0.9-1.3	6	1.6	0.7-3.7	1.6	0.7-4.1	351	1.0	0.9-1.2	1.1	0.9-1.2
064	58	0.6 ^h	0.4-0.8	0.7 ^f	0.5-1.0	1	0.5	0.1-3.5	0.5	0.1-3.4	176	1.1	0.9-1.3	1.1	1.0-1.4
065	34	1.0	0.7-1.5	1.4	0.9-2.0	-	.	.	.	.	56	1.7 ^h	1.3-2.4	1.8 ^h	1.3-2.5
07	104	0.7 ^g	0.6-0.9	0.9	0.7-1.1	1	0.4	0.1-2.7	0.4	0.0-2.6	279	1.0	0.9-1.2	1.1	0.9-1.3
071	16	0.8	0.5-1.4	1.1	0.6-1.8	-	.	.	.	.	36	0.9	0.6-1.3	0.9	0.6-1.4
072	78	0.7 ^g	0.5-0.9	0.8	0.7-1.1	1	0.5	0.1-3.7	0.5	0.1-3.6	219	1.1	1.0-1.3	1.2	1.0-1.4
08	86	1.0	0.8-1.2	1.2	0.9-1.5	3	2.3	0.7-7.3	2.3	0.7-7.4	117	0.9	0.7-1.1	0.9	0.8-1.2
081	25	0.7	0.5-1.1	1.0	0.6-1.5	2	6.0 ^f	1.5-24.6	5.9 ^f	1.4-25.3	26	0.7	0.5-1.1	0.8	0.5-1.2
089	61	1.1	0.8-1.4	1.3	1.0-1.8	1	0.9	0.1-6.7	1.0	0.1-7.2	91	1.0	0.8-1.3	1.0	0.8-1.3
09	66	0.7 ^f	0.6-1.0	1.0	0.8-1.4	1	1.1	0.1-8.0	1.4	0.2-11.6	75	0.9	0.7-1.1	1.0	0.8-1.4
091	64	0.8	0.6-1.0	1.1	0.8-1.4	-	.	.	.	.	66	0.9	0.7-1.2	1.1	0.8-1.4
10	714	1.4 ^h	1.2-1.5	1.2 ^h	1.1-1.3	9	1.0	0.5-1.9	0.8	0.4-1.7	742	1.0	0.9-1.1	0.9	0.9-1.0
101	64	1.3	1.0-1.7	1.0	0.7-1.4	2	2.4	0.6-9.8	2.2	0.4-10.7	72	1.1	0.9-1.5	1.0	0.8-1.4
102	57	2.4 ^h	1.7-3.3	1.7 ^g	1.2-2.4	-	.	.	.	.	11	0.6	0.3-1.0	0.5 ^f	0.3-0.9
103.1	6	1.8	0.7-4.7	5.3	0.6-44.3	-	.	.	.	.	7	0.6	0.3-1.5	0.6	0.3-1.4
103.9	229	1.6 ^h	1.3-1.8	0.2	0.0-1.6	4	1.4	0.5-3.8	0.9	0.3-2.9	264	1.1	0.9-1.3	1.0	0.8-1.2
104	129	1.0	0.8-1.2	1.0	0.8-1.2	-	.	.	.	.	166	1.0	0.8-1.2	1.0	0.8-1.2
106	82	1.6 ^h	1.2-2.1	2.0 ^h	1.5-2.6	-	.	.	.	.	35	0.8	0.6-1.2	0.9	0.6-1.2
107	43	0.8	0.5-1.1	1.0	0.7-1.4	1	1.2	0.2-8.4	1.1	0.1-8.2	61	0.9	0.7-1.1	0.9	0.7-1.2
11	1964	1.3 ^h	1.2-1.4	1.0	0.9-1.1	28	1.3	0.8-2.0	2.2	1.0-5.2	2185	1.1 ^f	1.0-1.1	1.0	0.9-1.1
111	569	1.4 ^h	1.3-1.6	0.9 ^f	0.7-1.0	11	1.6	0.9-3.1	1.4	0.5-3.9	740	1.1 ^g	1.0-1.2	1.0	0.9-1.2
112	936	1.1 ^g	1.0-1.2	1.1	1.0-1.2	11	1.0	0.5-1.9	1.6	0.6-4.2	1001	1.1	1.0-1.1	1.0	0.9-1.2
115	387	1.1	1.0-1.3	1.0	0.9-1.1	6	1.4	0.6-3.2	2.1	0.8-5.5	391	1.0	0.9-1.1	1.0	0.9-1.1
12	408	0.8 ^h	0.7-0.9	0.8 ^g	0.7-0.9	7	0.8	0.4-1.8	1.0	0.4-2.8	726	1.0	0.9-1.1	1.0	0.9-1.1
121.1	11	0.7	0.3-1.2	0.6	0.3-1.1	-	.	.	.	.	37	1.2	0.8-1.8	1.2	0.8-1.7
121.2	94	0.9	0.7-1.2	1.2	0.4-4.3	2	1.1	0.3-4.4	1.2	0.3-5.9	208	1.1	0.9-1.3	1.1	1.0-1.4
123	133	0.6 ^h	0.5-0.7	0.6 ^h	0.5-0.8	3	0.9	0.3-3.0	1.1	0.3-4.4	239	0.9	0.8-1.0	0.9	0.8-1.0
125	84	1.0	0.8-1.3	2.2	0.7-6.8	2	1.5	0.4-6.2	1.8	0.4-8.5	126	1.0	0.8-1.2	1.0	0.8-1.2
126	83	0.9	0.7-1.2	0.9	0.7-1.1	-	.	.	.	.	114	1.0	0.8-1.2	1.0	0.8-1.2
13	132	1.0	0.8-1.2	0.8 ^f	0.7-1.0	2	1.0	0.2-3.9	0.9	0.2-4.1	213	1.2 ^f	1.0-1.4	1.1	0.9-1.3
131	62	1.1	0.9-1.5	0.8	0.6-1.1	1	1.1	0.2-8.1	0.9	0.1-7.0	84	1.1	0.8-1.4	0.9	0.7-1.2
132	70	0.9	0.7-1.2	0.8	0.6-1.0	1	0.8	0.1-6.0	1.0	0.1-7.9	129	1.3 ^f	1.0-1.5	1.2 ^f	1.0-1.5
14	56	1.3	0.9-1.8	0.9	0.7-1.3	1	1.5	0.2-11.1	1.2	0.2-8.8	51	1.1	0.8-1.5	1.0	0.7-1.4
15	105	1.0	0.8-1.2	0.8	0.6-1.0	1	0.6	0.1-4.4	0.4	0.1-3.5	158	1.1	1.0-1.4	1.1	0.9-1.3
151	22	1.1	0.7-1.8	1.5	0.9-2.4	-	.	.	.	.	23	1.3	0.8-2.0	1.3	0.8-2.1
152	83	0.9	0.7-1.2	0.7 ^g	0.5-0.9	1	0.7	0.1-5.1	0.5	0.1-4.0	135	1.1	0.9-1.4	1.0	0.8-1.3
16	85	0.5 ^h	0.4-0.6	0.6 ^h	0.5-0.8	2	0.8	0.2-3.3	0.8	0.2-3.5	160	0.9	0.8-1.1	0.9	0.8-1.1
161	42	0.6 ^g	0.4-0.8	0.7 ^f	0.5-0.9	1	1.0	0.1-7.2	1.2	0.1-9.4	78	0.8	0.6-1.0	0.8	0.6-1.1
162	13	0.4 ^h	0.2-0.7	0.5 ^f	0.3-0.9	1	1.8	0.3-13.3	1.8	0.2-13.1	30	0.8	0.6-1.2	0.8	0.6-1.3
17	126	0.8 ^g	0.6-0.9	1.0	0.8-1.2	1	0.4	0.1-3.2	0.5	0.1-3.7	182	0.9	0.8-1.1	1.0	0.9-1.2
171	2	0.4	0.1-1.8	0.6	0.1-2.4	-	.	.	.	.	6	0.9	0.4-2.1	0.9	0.4-2.2
173	72	0.7 ^g	0.5-0.9	0.9	0.7-1.2	1	0.7	0.1-5.1	0.8	0.1-7.1	117	1.0	0.8-1.2	1.2	1.0-1.6
175	32	1.0	0.7-1.5	1.2	0.8-1.8	-	.	.	.	.	44	0.8	0.5-1.1	0.8	0.6-1.1

(continued horizontally on page 52 and vertically on page 63)

Table 8. Continued

ASCR code	Testis (ICD-O 186 N=1112)					Other male genital (ICD-O 187 N=200)					Urinary bladder (ICD-O 188) (N=3014)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	36	1.1	0.7-1.6	1.3	0.8-1.9	13	1.5	0.8-2.7	1.3	0.7-2.4	102	0.8 ^f	0.6-1.0	0.8 ^g	0.6-0.9
011	18	1.0	0.6-1.6	1.1	0.6-1.9	6	1.2	0.5-2.8	1.0	0.4-2.3	49	0.6 ^g	0.5-0.9	0.6 ^g	0.5-0.8
012	2	2.3	0.5-11.9	2.6	0.5-13.5	-	-	-	-	-	1	0.4	0.1-2.9	0.4	0.1-2.9
013	9	0.9	0.4-1.9	1.1	0.5-2.2	5	1.9	0.8-4.7	1.6	0.6-4.0	37	0.9	0.7-1.3	0.9	0.7-1.3
02	18	1.0	0.6-1.8	1.2	0.7-2.1	4	0.8	0.3-2.3	0.7	0.3-2.1	66	0.9	0.7-1.2	1.0	0.7-1.3
021	7	0.9	0.4-2.1	1.0	0.4-2.5	1	0.5	0.1-3.7	0.4	0.1-3.3	34	1.2	0.8-1.7	1.3	0.9-1.8
022	1	1.6	0.2-12.9	1.8	0.2-14.2	-	-	-	-	-	7	1.1	0.5-2.3	1.1	0.5-2.4
023	9	1.1	0.5-2.3	1.2	0.5-2.6	3	1.7	0.5-5.4	1.6	0.5-5.5	19	0.7	0.5-1.1	0.8	0.5-1.2
03	9	1.5	0.7-3.1	1.7	0.8-3.6	3	1.1	0.3-3.4	0.9	0.3-2.9	37	0.8	0.6-1.2	0.8	0.6-1.2
031	3	1.8	0.5-6.7	2.0	0.5-7.6	2	3.4	0.8-14.1	2.9	0.7-11.9	6	0.6	0.3-1.5	0.6	0.3-1.4
032	1	0.5	0.1-3.5	0.5	0.1-3.9	1	0.9	0.1-6.5	0.7	0.1-5.4	12	0.7	0.4-1.2	0.6	0.4-1.2
033	5	2.4	0.8-7.3	2.7	0.9-8.3	-	-	-	-	-	19	1.1	0.7-1.8	1.1	0.7-1.8
04	41	0.7 ^f	0.5-1.0	0.8	0.5-1.1	16	1.3	0.8-2.1	1.0	0.6-1.8	218	1.1	1.0-1.3	1.1	1.0-1.3
041	10	0.4 ^f	0.2-0.8	0.5 ^f	0.2-0.9	8	1.7	0.8-3.5	1.4	0.7-3.0	85	1.1	0.9-1.4	1.1	0.9-1.4
043	15	0.8	0.4-1.4	0.9	0.5-1.5	7	1.6	0.7-3.4	1.3	0.6-2.9	73	1.1	0.8-1.4	1.1	0.8-1.4
05	-	-	-	-	-	-	-	-	-	-	14	0.7	0.4-1.1	0.6	0.4-1.1
051	-	-	-	-	-	-	-	-	-	-	7	0.6	0.3-1.3	0.6	0.3-1.2
052	-	-	-	-	-	-	-	-	-	-	1	0.3	0.0-2.1	0.3	0.0-2.1
059	-	-	-	-	-	-	-	-	-	-	6	1.0	0.4-2.2	0.9	0.4-2.1
06	138	0.9	0.8-1.2	1.5 ^g	1.2-2.0	21	0.8	0.5-1.2	0.8	0.5-1.4	437	1.1 ^f	1.0-1.3	1.2 ^f	1.0-1.3
061	5	0.9	0.3-2.6	1.7	0.6-4.9	-	-	-	-	-	15	0.6 ^f	0.3-0.9	0.5 ^f	0.3-0.9
062	16	1.4	0.8-2.4	1.6	0.9-2.9	2	0.6	0.1-2.3	0.5	0.1-1.9	48	0.9	0.7-1.2	0.9	0.6-1.2
063	48	1.0	0.7-1.3	1.1	0.8-1.6	12	1.6	0.9-2.8	1.3	0.7-2.5	145	1.3 ^g	1.1-1.5	1.3 ^g	1.1-1.6
064	35	1.3	0.9-1.9	1.6 ^f	1.0-2.4	4	0.9	0.3-2.5	0.7	0.3-2.1	75	1.2	1.0-1.6	1.2	1.0-1.6
065	1	0.5	0.1-3.9	0.5	0.1-4.5	-	-	-	-	-	15	1.6	1.0-2.8	1.7	1.0-2.8
07	13	0.6	0.3-1.0	0.7	0.4-1.2	3	0.6	0.2-1.8	0.5	0.2-1.6	68	0.9	0.7-1.1	0.8	0.6-1.1
071	1	0.2	0.0-1.8	0.3	0.0-2.1	1	1.3	0.2-9.5	1.1	0.2-7.9	3	0.2 ^f	0.1-0.8	0.2 ^f	0.1-0.8
072	10	0.6	0.3-1.2	0.7	0.3-1.3	2	0.5	0.1-2.1	0.4	0.1-1.7	54	0.9	0.7-1.2	0.9	0.7-1.2
08	14	1.0	0.6-1.8	1.1	0.6-2	6	2.1	0.9-4.7	1.8	0.8-4.1	42	1.0	0.7-1.4	1.0	0.7-1.4
081	3	0.9	0.3-3.2	1.1	0.3-3.7	3	4.3 ^f	1.4-13.7	3.6 ^f	1.1-11.7	10	1.0	0.5-1.9	1.0	0.5-1.9
089	11	1.0	0.5-1.9	1.1	0.6-2.2	3	1.3	0.4-4.2	1.2	0.4-3.7	32	1.0	0.7-1.4	1.0	0.7-1.5
09	4	0.6	0.2-1.7	1.0	0.3-3.2	2	1.3	0.3-5.3	4.8	0.9-26.4	25	1.1	0.8-1.7	1.1	0.7-1.6
091	3	0.5	0.1-1.6	0.8	0.2-3.0	2	1.6	0.4-6.5	6.0 ^f	1.1-33.1	20	1.1	0.7-1.8	1.0	0.7-1.7
10	169	1.5 ^h	1.2-1.8	1.3 ^f	1.1-1.6	16	0.8	0.5-1.3	0.8	0.5-1.4	281	1.0	0.9-1.2	1.1	0.9-1.2
101	18	1.8 ^f	1.0-3.1	1.4	0.8-2.5	-	-	-	-	-	28	1.1	0.8-1.7	1.2	0.8-1.8
102	6	3.5 ^f	1.3-9.1	2.8 ^f	1.1-7.4	2	5.3 ^f	1.3-22.5	7.3 ^g	1.6-32.7	3	0.6	0.2-1.8	0.6	0.2-1.8
103.1	3	1.2	0.3-4.9	0.9	0.2-3.8	-	-	-	-	-	3	0.8	0.2-2.4	0.8	0.2-2.5
103.9	71	1.4 ^f	1.1-1.9	1.2	0.8-1.7	4	0.6	0.2-1.6	0.7	0.2-2.1	90	0.9	0.7-1.1	0.9	0.7-1.2
104	26	1.7 ^f	1.1-2.7	1.7 ^f	1.0-2.6	3	0.8	0.3-2.5	0.7	0.2-2.4	64	1.3	1.0-1.6	1.2	0.9-1.6
106	10	1.3	0.6-2.7	1.5	0.7-3.2	-	-	-	-	-	14	1.1	0.7-1.9	1.2	0.7-2.1
107	11	1.3	0.6-2.5	1.4	0.7-2.9	3	1.8	0.6-5.8	1.5	0.5-4.8	20	0.9	0.6-1.4	0.9	0.6-1.4
11	247	1.1	0.9-1.2	0.9	0.7-1.1	51	1.1	0.8-1.5	1.4	0.8-2.4	695	1.0	0.9-1.1	1.0	0.8-1.1
111	44	1.0	0.7-1.4	0.7 ^f	0.5-1.0	14	0.9	0.5-1.6	1.5	0.6-3.8	246	1.1	0.9-1.2	1.3 ^f	1.0-1.6
112	133	1.0	0.8-1.3	1.0	0.8-1.3	23	1.0	0.7-1.6	0.9	0.5-1.7	309	1.0	0.8-1.1	0.9	0.7-1.0
115	51	1.2	0.9-1.7	1.2	0.8-1.7	13	1.6	0.9-2.8	1.6	0.8-3.0	121	1.0	0.8-1.2	1.0	0.8-1.2
12	66	0.8	0.6-1.1	0.9	0.6-1.2	17	1.0	0.6-1.7	0.9	0.5-1.7	233	0.9	0.8-1.1	1.0	0.8-1.2
121.1	3	1.3	0.4-5.0	1.3	0.3-4.8	-	-	-	-	-	10	1.0	0.5-1.8	0.9	0.5-1.8
121.2	12	1.0	0.5-1.9	1.1	0.6-2.3	2	0.5	0.1-2.0	0.4	0.1-1.8	43	0.7 ^f	0.5-1.0	0.7 ^f	0.5-1.0
123	30	0.9	0.6-1.3	1.0	0.6-1.6	11	1.8	1.0-3.3	2.0	0.9-4.4	98	1.0	0.9-1.3	1.2	0.9-1.5
125	8	0.5	0.2-1.1	0.5	0.2-1.2	2	0.7	0.2-2.7	0.6	0.1-2.5	37	0.8	0.6-1.2	0.9	0.6-1.2
126	9	0.7	0.3-1.3	0.6	0.3-1.3	2	0.7	0.2-3.0	0.7	0.2-2.9	44	1.2	0.9-1.6	1.2	0.8-1.6
13	33	1.2	0.8-1.8	1.0	0.7-1.6	1	0.2	0.0-1.5	0.2	0.0-1.4	72	1.1	0.9-1.4	1.1	0.9-1.4
131	18	1.6	0.9-2.8	1.2	0.7-2.2	-	-	-	-	-	22	0.8	0.5-1.2	0.8	0.5-1.2
132	15	0.9	0.5-1.6	0.9	0.5-1.6	1	0.4	0.1-2.8	0.4	0.0-2.6	50	1.4 ^f	1.0-1.9	1.4 ^f	1.0-1.8
14	18	2.1 ^f	1.1-3.7	1.8	1.0-3.2	-	-	-	-	-	9	0.5 ^f	0.2-0.9	0.5 ^f	0.2-0.9
15	16	0.8	0.4-1.3	0.6	0.3-1.0	7	2.2 ^f	1.0-4.7	2.7 ^f	1.1-6.9	51	1.1	0.8-1.4	1.1	0.8-1.6
151	2	1.1	0.2-5.2	1.3	0.3-6.1	1	2.2	0.3-16	1.8	0.2-13.4	4	0.6	0.2-1.6	0.6	0.2-1.6
152	14	0.7	0.4-1.3	0.5 ^f	0.3-1.0	6	2.2	0.9-4.9	3.2 ^f	1.1-9.6	47	1.2	0.9-1.6	1.3	0.9-1.8
16	23	0.5 ^g	0.3-0.8	0.5 ^f	0.3-0.9	6	1.2	0.5-2.8	1.2	0.5-2.7	56	0.8	0.6-1.0	0.8	0.6-1.0
161	8	0.7	0.3-1.4	0.7	0.3-1.6	3	1.4	0.4-4.3	1.3	0.4-4.3	30	0.9	0.7-1.4	1.0	0.7-1.5
162	10	0.7	0.3-1.3	0.7	0.4-1.5	2	1.9	0.5-7.7	1.6	0.4-6.4	8	0.5	0.3-1.1	0.5	0.3-1.1
17	5	0.3 ^f	0.1-0.9	0.5	0.2-1.2	3	0.7	0.2-2.2	1.1	0.3-3.4	87	1.3 ^f	1.1-1.7	1.3 ^f	1.1-1.7
171	1	0.3	0.0-2.6	0.3	0.0-3.0	1	5.5	0.8-40.7	4.6	0.6-34.1	3	1.1	0.3-3.7	1.1	0.3-3.7
173	-	-	-	-	-	1	0.4	0.1-2.7	1.0	0.1-8.9	56	1.3 ^f	1.0-1.8	1.3	1.0-1.8
175	3	1.2	0.4-4.3	1.4	0.4-4.9	1	0.9	0.1-6.3	0.8	0.1-5.9	24	1.5	1.0-2.2	1.6 ^f	1.0-2.5

(continued horizontally on page 53 and vertically on page 63)

Table 8. Continued

ASCR code	Kidney, urinary tract (ICD-O 189 N=1682)					Kidney (ICD-O 189.0 N=1356)					Renal pelvis (ICD-O 189.1) (N=326)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	67	0.9	0.7-1.2	1.0	0.8-1.3	57	1.0	0.7-1.3	1.1	0.8-1.4	10	0.6	0.3-1.4	0.5	0.2-1.3
011	43	1.0	0.7-1.4	1.1	0.8-1.6	39	1.2	0.8-1.6	1.3	0.9-1.8	4	0.5	0.2-1.7	0.5	0.1-1.6
012	1	0.7	0.1-4.7	0.7	0.1-5.2	1	0.8	0.1-5.7	0.9	0.1-6.4	-	-	-	-	-
013	19	0.9	0.6-1.5	1.0	0.6-1.6	14	0.8	0.5-1.4	0.9	0.5-1.6	5	0.7	0.2-2.8	0.6	0.2-2.6
02	39	1.0	0.7-1.4	1.0	0.7-1.4	31	1.0	0.7-1.5	1.1	0.7-1.6	8	1.1	0.5-2.5	0.9	0.4-2.3
021	15	1.0	0.6-1.7	1.0	0.6-1.6	12	1.0	0.6-1.8	1.0	0.6-1.8	3	0.9	0.2-3.7	0.8	0.2-3.3
022	3	0.9	0.3-2.8	0.9	0.3-2.7	1	0.4	0.1-2.4	0.4	0.1-2.4	2	9.4 ^g	2.2-39.7	9.1 ^g	2-41.5
023	17	1.2	0.7-1.9	1.2	0.7-1.9	15	1.3	0.8-2.2	1.3	0.8-2.3	2	0.5	0.1-3.5	0.4	0.1-3
03	16	0.7	0.4-1.2	0.8	0.5-1.3	12	0.7	0.4-1.2	0.8	0.4-1.3	4	1.2	0.5-3.4	1.2	0.4-3.2
031	4	0.9	0.3-2.4	0.9	0.3-2.6	2	0.5	0.1-2.1	0.6	0.1-2.3	2	-	-	-	-
032	7	0.8	0.4-1.7	0.9	0.4-1.9	6	0.9	0.4-2.0	1.0	0.4-2.2	1	1.7	0.2-12	1.2	0.2-8.7
033	5	0.6	0.2-1.4	0.6	0.3-1.5	4	0.6	0.2-1.5	0.6	0.2-1.7	1	1.6	0.2-11.9	1.2	0.2-8.7
04	85	0.8 ^f	0.6-0.9	0.8	0.6-1.0	61	0.7 ^g	0.5-0.9	0.7 ^f	0.5-0.9	24	1.2	0.7-2	1.1	0.6-2
041	30	0.7 ^f	0.5-1.0	0.7	0.5-1.1	25	0.7	0.5-1.0	0.8	0.5-1.1	5	0.7	0.3-2	0.7	0.2-1.8
043	40	1.1	0.8-1.5	1.2	0.9-1.7	26	0.9	0.6-1.3	1.0	0.6-1.4	14	2.2 ^f	1.2-4.1	2.2 ^f	1.1-4.2
05	17	1.7 ^f	1.1-2.8	2.1 ^g	1.3-3.5	15	1.9 ^f	1.1-3.2	2.3 ^g	1.3-3.9	2	0.7	0.1-5	1.0	0.1-7.5
051	6	1.1	0.5-2.5	1.3	0.6-3.0	5	1.2	0.5-2.8	1.3	0.5-3.3	1	-	-	-	-
052	2	1.2	0.3-5.0	1.3	0.3-5.6	2	1.6	0.4-6.5	1.7	0.4-7.2	-	-	-	-	-
059	9	3.2 ^h	1.6-6.5	4.0 ^h	2.0-8.2	8	3.5 ^h	1.7-7.4	4.2 ^h	2.0-9.0	1	-	-	-	-
06	204	0.9	0.8-1.1	1.1	0.9-1.3	166	0.9	0.8-1.1	1.1	0.9-1.4	38	1.0	0.6-1.4	1.1	0.7-1.8
061	10	0.8	0.4-1.6	1.0	0.5-1.9	8	0.8	0.4-1.7	0.9	0.4-1.9	2	1.3	0.3-5.2	2.3	0.5-10.4
062	29	1.1	0.8-1.7	1.3	0.9-1.8	23	1.1	0.7-1.7	1.2	0.8-1.9	6	1.2	0.4-3.3	1.1	0.4-3.1
063	68	1.1	0.8-1.4	1.2	0.9-1.6	52	1.0	0.8-1.3	1.1	0.8-1.5	16	1.4	0.8-2.5	1.3	0.7-2.5
064	34	1.0	0.7-1.4	1.1	0.8-1.6	30	1.1	0.8-1.6	1.3	0.9-1.8	4	0.9	0.3-2.5	0.9	0.3-2.4
065	7	1.2	0.6-2.6	1.4	0.6-2.9	6	1.4	0.6-3.1	1.6	0.7-3.5	1	-	-	-	-
07	40	0.9	0.7-1.3	1.0	0.7-1.4	37	1.1	0.8-1.5	1.2	0.9-1.7	3	0.3	0.1-1.3	0.3	0.1-1.2
071	5	0.8	0.3-1.8	0.8	0.3-2.0	4	0.7	0.3-2.0	0.8	0.3-2.2	1	0.8	0.1-6.0	0.8	0.1-6.1
072	33	1.0	0.7-1.5	1.1	0.8-1.6	31	1.2	0.9-1.8	1.4	1.0-2.0	2	0.2	0.0-1.5	0.2	0.0-1.4
08	17	0.7	0.5-1.2	0.8	0.5-1.3	15	0.8	0.5-1.4	0.9	0.5-1.5	2	0.6	0.2-2.5	0.5	0.1-2.2
081	5	0.9	0.4-2.1	1.0	0.4-2.4	3	0.7	0.2-2.1	0.8	0.2-2.4	2	3.2	0.8-13.2	2.3	0.6-9.9
089	12	0.7	0.4-1.3	0.7	0.4-1.3	12	0.9	0.5-1.6	1.0	0.5-1.7	-	-	-	-	-
09	12	0.7	0.4-1.3	0.9	0.5-1.6	11	0.8	0.5-1.5	1.0	0.5-1.8	1	-	-	-	-
091	10	0.7	0.4-1.3	0.8	0.4-1.6	9	0.8	0.4-1.5	0.9	0.4-1.8	1	-	-	-	-
10	177	1.2	1.0-1.4	1.1	1.0-1.3	147	1.2 ^f	1.0-1.4	1.2	1.0-1.4	29	1.1	0.7-1.7	1.1	0.7-1.8
101	13	0.9	0.5-1.6	1.0	0.6-1.8	12	1.1	0.6-1.9	1.2	0.6-2.2	1	0.0	0-777.9	-	-
102	7	1.6	0.7-3.4	1.5	0.7-3.3	5	1.3	0.5-3.2	1.2	0.5-3.0	2	3.1	0.7-12.8	3.7	0.9-15.9
103.1	4	2.8	1.0-7.7	2.6	0.9-7.3	3	2.6	0.8-8.5	2.4	0.7-7.8	1	3.1	0.4-22.3	3.6	0.5-26.6
103.9	54	1.1	0.8-1.4	1.0	0.7-1.4	47	1.2	0.9-1.6	1.1	0.7-1.5	7	0.7	0.3-1.5	0.8	0.3-1.8
104	38	1.3	0.9-1.8	1.1	0.8-1.6	34	1.4	1.0-2.0	1.2	0.9-1.8	4	0.3	0.0-1.8	0.3	0.0-1.8
106	16	1.7 ^f	1.0-2.9	1.8 ^f	1.1-3.0	13	1.7	1.0-3.0	1.8 ^f	1.0-3.3	3	0.9	0.1-6.7	0.8	0.1-5.9
107	8	0.5	0.3-1.1	0.6	0.3-1.2	3	0.2 ^g	0.1-0.7	0.3 ^f	0.1-0.8	5	3.2 ^f	1.3-7.9	3.1 ^f	1.2-7.8
11	437	1.2 ^g	1.0-1.3	1.0	0.8-1.2	348	1.2 ^f	1.0-1.3	1.0	0.8-1.2	88	1.1	0.8-1.5	1.3	0.8-2.2
111	125	1.0	0.9-1.3	0.9	0.7-1.2	107	1.1	0.9-1.4	1.0	0.8-1.4	17	0.9	0.6-1.6	0.9	0.4-1.9
112	194	1.1	0.9-1.2	0.9	0.7-1.0	144	1.0	0.8-1.2	0.8 ^f	0.6-1.0	50	1.2	0.8-1.8	1.6	0.9-2.8
115	99	1.4 ^g	1.1-1.7	1.3 ^f	1.0-1.6	80	1.4 ^g	1.1-1.8	1.3 ^f	1.0-1.7	19	1.1	0.6-2.0	1.1	0.6-2.2
12	131	0.9	0.8-1.1	0.8	0.7-1.0	97	0.9	0.7-1.1	0.8 ^f	0.6-1.0	33	1.3	0.9-2.1	1.3	0.7-2.3
121.1	2	0.3	0.1-1.3	0.3	0.1-1.2	2	0.4	0.1-1.7	0.4	0.1-1.5	11	1.8	1.0-3.2	1.7	0.8-3.3
121.2	33	1.0	0.7-1.4	1.0	0.7-1.4	22	0.8	0.5-1.3	0.8	0.5-1.3	1	1.0	0.1-7.4	0.9	0.1-6.5
123	47	0.9	0.7-1.2	0.8	0.6-1.1	37	0.9	0.6-1.2	0.8	0.6-1.2	10	1.0	0.5-2.1	0.8	0.3-1.9
125	24	1.0	0.6-1.5	1.0	0.6-1.5	17	0.9	0.5-1.4	0.9	0.5-1.4	6	2.1 ^f	1.1-3.9	2.1	1.0-4.4
126	25	1.2	0.8-1.7	1.0	0.7-1.5	19	1.1	0.7-1.7	1.0	0.6-1.6	5	0.7	0.2-2.7	0.7	0.2-2.8
13	36	1.1	0.8-1.5	1.0	0.7-1.4	30	1.1	0.8-1.6	1.1	0.7-1.5	6	0.8	0.3-2.2	0.9	0.3-2.4
131	15	1.1	0.6-1.8	1.2	0.7-2.1	11	1.0	0.5-1.8	1.1	0.6-2.0	4	1.0	0.2-4.1	1.2	0.3-5.4
132	21	1.0	0.7-1.6	0.9	0.6-1.4	19	1.2	0.7-1.9	1.1	0.7-1.7	2	0.7	0.2-2.8	0.7	0.2-2.9
14	8	0.8	0.4-1.6	0.7	0.4-1.5	6	0.7	0.3-1.7	0.7	0.3-1.5	2	1.5	0.4-6	1.5	0.4-6.5
15	26	1.0	0.7-1.5	1.1	0.7-1.7	21	1.0	0.7-1.6	1.1	0.7-1.8	5	0.8	0.3-2.5	0.9	0.2-3
151	3	0.9	0.3-2.9	1.0	0.3-3.2	3	1.2	0.4-3.9	1.4	0.4-4.4	-	-	-	-	-
152	23	1.0	0.7-1.5	1.1	0.7-1.8	18	1.0	0.6-1.6	1.1	0.6-1.8	5	1.0	0.3-3	1.1	0.3-4.1
16	39	1.0	0.7-1.4	1.0	0.7-1.4	35	1.1	0.8-1.5	1.2	0.8-1.7	4	0.4	0.1-1.5	0.3	0.1-1.4
161	21	1.1	0.7-1.8	1.1	0.7-1.8	18	1.2	0.8-1.9	1.2	0.8-2.1	3	0.4	0.1-2.9	0.3	0-2.4
162	8	0.9	0.5-1.9	1	0.5-2.1	7	1.0	0.5-2.1	1.1	0.5-2.4	1	-	-	-	-
17	36	1.0	0.7-1.4	1.1	0.8-1.6	25	0.9	0.6-1.3	0.9	0.6-1.4	11	1.3	0.6-2.8	1.7	0.8-3.9
171	1	0.7	0.1-5.0	0.8	0.1-5.5	-	-	-	-	-	1	-	-	-	-
173	22	0.9	0.6-1.4	1.1	0.7-1.8	15	0.8	0.5-1.4	0.9	0.5-1.6	7	1.8	0.8-4.1	4.7 ^g	1.5-14.6
175	11	1.2	0.7-2.3	1.2	0.7-2.3	8	1.1	0.6-2.3	1.2	0.6-2.4	3	-	-	-	-

(continued horizontally on page 54 and vertically on page 63)

Table 8. Continued

ASCR code	Eye, lacrimal gland (ICD-O 190) (N=109)					Brain, nervous system (ICD-O 191-2) (N=879)					Thyroid gland (ICD-O 193) (N=320)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	7	1.9	0.8-4.2	2.1	0.9-5.3	42	1.2	0.9-1.7	1.2	0.9-1.7	20	1.6 ^f	1.0-2.6	1.7 ^f	1.0-2.9
011	5	2.6	1.0-6.9	2.9	1.0-8.2	21	1.2	0.7-1.8	1.1	0.7-1.8	17	2.7 ^h	1.6-4.6	3.0 ^h	1.7-5.2
012	-	-	-	-	-	1	1.0	0.1-7.6	1.0	0.1-7.4	-	-	-	-	-
013	2	1.7	0.4-6.9	1.8	0.4-7.6	13	1.2	0.7-2.1	1.2	0.7-2.1	3	0.7	0.2-2.3	0.7	0.2-2.4
02	1	0.5	0.1-3.3	0.7	0.1-5.3	20	1.1	0.7-1.7	1.2	0.7-2.0	9	1.3	0.7-2.6	1.4	0.7-3.1
021	-	-	-	-	-	9	1.2	0.6-2.4	1.3	0.7-2.7	4	1.4	0.5-3.8	1.5	0.5-4.2
022	-	-	-	-	-	1	0.7	0.1-5.2	0.8	0.1-5.5	-	-	-	-	-
023	1	1.2	0.2-8.6	1.8	0.2-14.9	8	1.1	0.5-2.3	1.2	0.6-2.5	4	1.5	0.5-4.0	1.5	0.5-4.4
03	1	0.9	0.1-6.2	0.9	0.1-6.5	13	1.4	0.8-2.4	1.3	0.7-2.3	5	1.2	0.5-3.0	1.3	0.5-3.1
031	-	-	-	-	-	4	1.9	0.7-5.3	1.9	0.7-5.2	2	2.3	0.6-9.3	2.3	0.6-9.5
032	1	2.1	0.3-15.0	2.1	0.3-16.1	9	2.5 ^g	1.2-4.8	2.4 ^f	1.2-4.8	2	1.2	0.3-5.1	1.3	0.3-5.1
033	-	-	-	-	-	-	-	-	-	-	1	0.6	0.1-4.6	0.6	0.1-4.6
04	3	0.4	0.1-1.3	0.4	0.1-1.3	59	1.0	0.7-1.3	0.9	0.7-1.2	25	1.1	0.7-1.7	1.1	0.7-1.8
041	2	0.7	0.2-3.0	0.7	0.2-3.2	27	1.1	0.7-1.6	1.0	0.7-1.6	9	0.9	0.5-1.8	0.9	0.4-1.8
043	1	0.4	0.1-3.2	0.4	0.1-3.2	21	1.1	0.7-1.7	1.0	0.7-1.6	6	0.8	0.4-1.8	0.8	0.3-1.8
05	-	-	-	-	-	5	1.0	0.4-2.5	1.1	0.4-2.6	2	1.1	0.3-4.5	1.4	0.3-6.1
051	-	-	-	-	-	3	1.2	0.4-3.7	1.3	0.4-4.0	1	1.1	0.1-7.6	1.5	0.2-11.0
052	-	-	-	-	-	2	2.3	0.6-9.8	2.3	0.5-9.6	-	-	-	-	-
059	-	-	-	-	-	-	-	-	-	-	1	1.8	0.2-12.8	2.5	0.3-18.8
06	14	1.1	0.6-2.0	1.2	0.6-2.4	121	1.0	0.8-1.2	1.0	0.8-1.3	34	0.7	0.5-1.1	0.8	0.5-1.2
061	1	1.6	0.2-11.6	1.6	0.2-12.9	4	0.6	0.2-1.7	0.6	0.2-1.8	2	0.8	0.2-3.1	1.0	0.2-4.6
062	1	0.7	0.1-4.7	0.7	0.1-5.0	15	1.1	0.6-1.8	1.0	0.6-1.8	4	0.7	0.3-1.9	0.7	0.3-1.9
063	5	1.3	0.5-3.3	1.5	0.5-3.9	41	1.1	0.8-1.6	1.1	0.8-1.6	11	0.8	0.5-1.6	0.8	0.4-1.6
064	2	1.0	0.2-4.0	1.0	0.2-4.3	14	0.7	0.4-1.2	0.7	0.4-1.1	7	1.0	0.5-2.1	1.0	0.4-2.1
065	-	-	-	-	-	2	0.8	0.2-3.4	0.8	0.2-3.3	-	-	-	-	-
07	4	1.7	0.6-4.5	1.7	0.6-5.0	21	1.0	0.6-1.5	1.0	0.6-1.5	8	1.0	0.5-1.9	1.0	0.5-2.0
071	1	2.7	0.4-19.6	2.8	0.4-21.1	3	0.9	0.3-2.8	0.9	0.3-2.7	-	-	-	-	-
072	2	1.1	0.3-4.5	1.1	0.3-4.8	15	1.0	0.6-1.6	0.9	0.6-1.6	8	1.3	0.7-2.7	1.4	0.7-2.9
08	1	0.8	0.1-5.8	0.9	0.1-6.7	13	1.1	0.6-1.9	1.1	0.6-1.9	5	1.2	0.5-2.8	1.2	0.5-2.8
081	-	-	-	-	-	4	1.4	0.5-3.9	1.4	0.5-3.8	2	2.1	0.5-8.5	2.1	0.5-8.8
089	1	1.1	0.1-7.7	1.3	0.2-9.5	9	1.0	0.5-1.9	1.0	0.5-2.0	3	0.9	0.3-2.7	0.9	0.3-2.8
09	-	-	-	-	-	9	1.1	0.6-2.2	1.2	0.6-2.5	2	0.7	0.2-2.8	0.9	0.2-4.1
091	-	-	-	-	-	9	1.3	0.7-2.6	1.5	0.7-3.0	2	0.8	0.2-3.3	1.1	0.3-4.9
10	19	2.3 ^g	1.4-3.8	2.1 ^g	1.2-3.6	107	1.2	1.0-1.5	1.2	1.0-1.5	31	1.0	0.7-1.4	0.9	0.6-1.3
101	3	3.7 ^f	1.1-11.7	3.8	0.9-15.9	11	1.4	0.8-2.5	1.4	0.7-2.7	5	1.8	0.7-4.5	2.2	0.8-6.0
102	1	3.2	0.4-23.6	2.1	0.3-16.1	2	0.8	0.2-3.1	0.8	0.2-3.3	1	1.3	0.2-9.6	1.1	0.1-8.0
103.1	1	11.8 ^f	1.6-87.3	8.1 ^f	1.0-62.5	1	1.0	0.1-7.2	1.0	0.1-7.6	2	5.4 ^f	1.3-22.7	4.5 ^f	1.0-19.4
103.9	7	2.3 ^f	1.0-5.0	1.7	0.7-4.4	43	1.4	1.0-1.9	1.7 ^g	1.1-2.5	11	1.0	0.5-1.8	0.7	0.4-1.5
104	1	0.6	0.1-4.1	0.7	0.1-5.3	15	0.9	0.5-1.5	0.8	0.5-1.4	3	0.5	0.2-1.6	0.5	0.2-1.5
106	2	3.3	0.8-13.7	5.9 ^f	1.2-30.1	4	0.7	0.3-1.9	0.8	0.3-2.1	-	-	-	-	-
107	1	1.1	0.1-7.8	1.1	0.1-8.3	9	1.1	0.6-2.1	1.1	0.5-2.1	-	-	-	-	-
11	22	0.9	0.6-1.5	0.8	0.4-1.6	207	1.0	0.9-1.2	1.0	0.8-1.3	76	1.1	0.9-1.5	1.1	0.7-1.6
111	7	1.0	0.5-2.3	0.5	0.2-1.2	48	0.8	0.6-1.1	0.8	0.5-1.1	28	1.4	1.0-2.1	1.3	0.7-2.3
112	13	1.2	0.6-2.1	2.6	0.9-7.2	104	1.1	0.9-1.3	1.0	0.8-1.3	37	1.1	0.8-1.6	1.2	0.8-2.0
115	2	0.4	0.1-1.8	0.5	0.1-2.3	40	1.0	0.8-1.4	1.0	0.7-1.4	6	0.5	0.2-1.0	0.4 ^f	0.2-1.0
12	3	0.3	0.1-1.1	0.3	0.1-1.3	62	0.9	0.7-1.1	0.8	0.6-1.2	26	1.0	0.7-1.5	1.1	0.6-1.8
121.1	-	-	-	-	-	2	0.8	0.2-3.2	0.8	0.2-3.1	1	1.0	0.1-7.4	1.0	0.1-7.5
121.2	1	0.5	0.1-3.8	0.7	0.1-6.0	17	1.1	0.7-1.9	1.2	0.7-2.1	7	1.2	0.6-2.6	1.3	0.6-2.9
123	1	0.3	0.0-2.1	0.4	0.0-2.9	21	0.7	0.5-1.1	0.7	0.4-1.1	8	0.8	0.4-1.6	0.7	0.3-1.6
125	1	0.7	0.1-4.9	1.0	0.1-8.0	12	1.0	0.6-1.8	1.1	0.6-2.0	6	1.4	0.6-3.1	1.5	0.6-3.5
126	-	-	-	-	-	9	0.8	0.4-1.6	0.8	0.4-1.5	4	1.0	0.4-2.8	1.0	0.4-2.9
13	1	0.5	0.1-3.6	0.5	0.1-3.6	21	1.2	0.7-1.8	1.1	0.7-1.8	4	0.6	0.2-1.6	0.6	0.2-1.6
131	1	1.2	0.2-9.0	0.9	0.1-7.7	12	1.6	0.9-2.9	1.6	0.9-3.1	-	-	-	-	-
132	-	-	-	-	-	9	0.8	0.4-1.6	0.8	0.4-1.6	4	1.1	0.4-2.8	1.1	0.4-2.9
14	1	1.6	0.2-11.5	1.0	0.1-7.8	-	-	-	-	-	3	1.4	0.4-4.4	1.2	0.4-3.8
15	-	-	-	-	-	12	0.8	0.5-1.5	0.8	0.4-1.4	6	1.2	0.5-2.7	1.3	0.5-3.2
151	-	-	-	-	-	2	1.3	0.3-5.1	1.2	0.3-5.0	-	-	-	-	-
152	-	-	-	-	-	10	0.8	0.4-1.5	0.7	0.4-1.4	6	1.3	0.6-3.0	1.5	0.6-3.9
16	2	0.7	0.2-2.9	0.8	0.2-3.5	19	0.7	0.4-1.0	0.7	0.4-1.1	7	0.7	0.3-1.5	0.7	0.3-1.6
161	1	0.9	0.1-6.2	1.3	0.2-10.6	9	0.9	0.4-1.7	0.9	0.4-1.8	-	-	-	-	-
162	-	-	-	-	-	5	0.7	0.3-1.8	0.7	0.3-1.7	4	1.7	0.6-4.6	1.7	0.6-4.8
17	2	0.9	0.2-3.8	1.0	0.2-4.3	17	0.9	0.6-1.5	1.0	0.6-1.6	4	0.6	0.2-1.7	0.8	0.3-2.1
171	-	-	-	-	-	2	2.6	0.6-11.0	2.5	0.6-10.7	-	-	-	-	-
173	1	0.7	0.1-5.3	0.7	0.1-5.3	8	0.7	0.3-1.4	0.7	0.3-1.4	1	0.3	0.0-1.8	0.3	0.0-2.3
175	1	1.9	0.3-14	3.1	0.4-25.2	6	1.5	0.7-3.4	1.6	0.7-3.7	2	1.3	0.3-5.2	1.3	0.3-5.5

(continued horizontally on page 55 and vertically on page 64)

Table 8. Continued

ASCR code	Other endocrine glands (ICD-O 194) (N=70)					Non-Hodgkin's lymphoma (ICD-O M 959-64.9) (N=1125)					Hodgkin's disease (ICD-O M 965-6) (N=345)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	4	1.7	0.6-4.7	1.6	0.5-4.9	51	1.1	0.8-1.5	1.3	1.0-1.8	15	1.2	0.7-2.1	1.1	0.6-1.9
011	2	1.5	0.3-6.6	1.4	0.3-6.5	27	1.0	0.7-1.6	1.2	0.8-1.8	9	1.4	0.7-2.9	1.3	0.6-2.6
012	-	-	-	-	-	1	0.8	0.1-5.6	0.9	0.1-6.4	-	-	-	-	-
013	2	2.7	0.7-11.1	2.6	0.6-11.3	16	1.2	0.7-1.9	1.4	0.8-2.3	5	1.3	0.5-3.2	1.2	0.5-2.9
02	-	-	-	-	-	33	1.4	1.0-2.0	1.5 ^f	1.0-2.3	3	0.4	0.1-1.4	0.4	0.1-1.2
021	-	-	-	-	-	11	1.1	0.6-2.0	1.1	0.6-2.1	1	0.3	0.0-2.4	0.3	0.0-2.1
022	-	-	-	-	-	5	2.5 ^f	1.0-6.1	2.6 ^f	1.0-6.4	1	2.8	0.4-20.7	2.6	0.4-19.7
023	-	-	-	-	-	15	1.6	1.0-2.8	1.7 ^f	1.0-3.0	1	0.3	0.0-2.4	0.3	0.0-2.1
03	-	-	-	-	-	12	0.9	0.5-1.5	1.0	0.6-1.8	2	0.6	0.2-2.5	0.6	0.1-2.3
031	-	-	-	-	-	2	0.7	0.2-2.7	0.8	0.2-3.0	-	-	-	-	-
032	-	-	-	-	-	5	0.9	0.4-2.2	1.0	0.4-2.5	2	1.7	0.4-7.2	1.6	0.4-6.5
033	-	-	-	-	-	5	0.9	0.4-2.2	1.0	0.4-2.5	-	-	-	-	-
04	2	0.4	0.1-1.5	0.3	0.1-1.2	50	0.7 ^g	0.5-0.9	0.7	0.5-1.0	16	0.7	0.4-1.1	0.6 ^f	0.3-1.0
041	1	0.4	0.1-3.1	0.4	0.1-2.8	20	0.7	0.4-1.0	0.7	0.5-1.2	7	0.7	0.3-1.5	0.6	0.3-1.4
043	-	-	-	-	-	19	0.8	0.5-1.2	0.9	0.6-1.4	8	1.1	0.6-2.3	1.0	0.5-2.1
05	-	-	-	-	-	3	0.5	0.2-1.4	0.5	0.2-1.6	-	-	-	-	-
051	-	-	-	-	-	3	0.9	0.3-2.7	1.0	0.3-3.3	-	-	-	-	-
052	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06	7	0.7	0.3-1.6	0.7	0.3-1.8	107	0.7 ^g	0.6-0.9	0.8	0.6-1.0	61	1.4 ^f	1.0-1.8	1.4	1.0-2.0
061	-	-	-	-	-	6	0.8	0.4-1.8	1.0	0.4-2.2	2	0.8	0.2-3.2	0.8	0.2-3.3
062	1	1.0	0.1-7.2	0.9	0.1-6.8	9	0.6	0.3-1.1	0.6	0.3-1.2	5	0.9	0.4-2.2	0.8	0.3-2.0
063	4	1.5	0.5-4.1	1.4	0.5-4.3	38	0.9	0.6-1.2	1.0	0.7-1.4	25	1.8 ^g	1.2-2.8	1.7 ^f	1.1-2.7
064	-	-	-	-	-	11	0.5 ^f	0.3-0.9	0.5 ^f	0.3-1.0	9	1.1	0.5-2.1	0.9	0.5-1.9
065	-	-	-	-	-	2	0.5	0.1-2.0	0.6	0.2-2.3	1	1.4	0.2-10.6	1.3	0.2-9.3
07	4	2.4	0.9-6.6	2.5	0.8-7.3	28	1.0	0.7-1.5	1.2	0.8-1.7	10	1.3	0.7-2.5	1.2	0.6-2.3
071	-	-	-	-	-	8	1.9	1.0-4.0	2.3 ^f	1.1-4.6	1	0.8	0.1-5.6	0.7	0.1-5.0
072	2	1.6	0.4-6.6	1.5	0.4-6.5	19	0.9	0.6-1.5	1.1	0.7-1.7	8	1.5	0.7-3.1	1.4	0.7-2.9
08	2	1.9	0.5-7.9	2.3	0.5-9.7	18	1.2	0.7-1.9	1.3	0.8-2.1	8	1.7	0.8-3.6	1.6	0.8-3.3
081	-	-	-	-	-	5	1.3	0.5-3.1	1.5	0.6-3.7	1	1.0	0.1-7.0	0.8	0.1-6.1
089	2	2.5	0.6-10.5	3.4	0.8-14.8	13	1.1	0.7-2.0	1.2	0.7-2.2	7	2.0	0.9-4.3	1.8	0.8-3.9
09	-	-	-	-	-	10	1.0	0.6-2.0	1.3	0.7-2.5	2	0.9	0.2-3.7	0.9	0.2-3.7
091	-	-	-	-	-	9	1.1	0.6-2.1	1.3	0.7-2.7	1	0.5	0.1-3.9	0.5	0.1-3.8
10	11	1.6	0.8-3.1	1.5	0.8-2.9	101	0.9	0.8-1.2	0.8	0.7-1.0	29	0.7	0.5-1.1	0.7	0.5-1.0
101	2	3.0	0.7-12.5	2.1	0.4-10.5	9	0.9	0.5-1.8	0.8	0.4-1.6	2	0.6	0.1-2.3	0.6	0.1-2.7
102	-	-	-	-	-	1	0.3	0.1-2.3	0.3	0.0-1.8	1	1.4	0.2-10.7	1.4	0.2-10.3
103.1	-	-	-	-	-	3	2.4	0.8-7.8	1.9	0.6-6.1	-	-	-	-	-
103.9	4	1.8	0.6-4.9	1.7	0.5-5.9	46	1.3	1.0-1.8	1.0	0.7-1.4	10	0.6	0.3-1.2	0.5	0.2-1.0
104	-	-	-	-	-	13	0.6	0.4-1.1	0.6	0.3-1.0	7	1.2	0.6-2.5	1.5	0.7-3.4
106	1	1.7	0.2-12.5	4.3	0.4-41.9	4	0.6	0.2-1.6	0.6	0.2-1.7	3	1.5	0.5-4.7	1.3	0.4-4.4
107	3	4.7 ^g	1.5-15.3	4.7 ^f	1.4-16.3	4	0.4	0.2-1.1	0.5	0.2-1.3	3	1.1	0.3-3.4	0.9	0.3-3.0
11	20	1.3	0.8-2.3	1.7	0.7-4.0	287	1.1	1.0-1.3	1.0	0.8-1.3	73	1.0	0.7-1.3	1.4	0.9-2.0
111	7	1.6	0.7-3.5	1.7	0.5-5.8	98	1.3 ^f	1.1-1.6	1.0	0.7-1.3	28	1.5 ^f	1.0-2.3	2.0 ^f	1.1-3.6
112	6	0.7	0.3-1.7	0.6	0.2-1.7	125	1.0	0.8-1.2	1.0	0.8-1.3	30	0.8	0.5-1.1	1.0	0.6-1.6
115	5	1.7	0.7-4.3	2.0	0.7-5.6	49	1.0	0.7-1.3	1.0	0.7-1.3	9	0.6	0.3-1.3	0.8	0.4-1.6
12	4	0.7	0.2-1.9	1.4	0.4-5.0	85	1.0	0.8-1.2	0.9	0.7-1.3	27	1.1	0.7-1.6	1.0	0.6-1.8
121.1	2	10.1 ^g	2.4-42.2	11.0 ^g	2.4-49.7	4	1.2	0.4-3.2	1.2	0.4-3.2	-	-	-	-	-
121.2	-	-	-	-	-	23	1.2	0.8-1.8	1.2	0.8-1.9	4	0.9	0.3-2.4	0.8	0.3-2.2
123	1	0.4	0.1-3.0	0.9	0.1-8.0	25	0.7	0.5-1.0	0.6	0.4-1.0	11	1.0	0.6-1.9	0.9	0.4-1.8
125	1	1.0	0.1-7.1	2.4	0.2-23.1	14	0.9	0.5-1.6	0.9	0.5-1.6	7	1.5	0.7-3.2	1.4	0.6-3.2
126	-	-	-	-	-	17	1.2	0.7-2.0	1.2	0.7-2.0	4	1.0	0.4-2.8	1.3	0.5-3.6
13	1	0.6	0.1-4.6	0.5	0.1-3.6	21	0.9	0.6-1.4	0.8	0.5-1.2	9	1.2	0.6-2.3	1.5	0.7-3.0
131	-	-	-	-	-	9	0.9	0.5-1.7	0.7	0.4-1.5	4	1.2	0.4-3.3	1.4	0.5-4.3
132	1	1.1	0.2-8.2	1.2	0.2-8.7	12	0.9	0.5-1.5	0.8	0.5-1.5	5	1.2	0.5-2.9	1.5	0.6-3.7
14	-	-	-	-	-	7	0.9	0.4-2.0	0.7	0.3-1.6	1	0.3	0.0-2.4	0.3	0.0-2.2
15	2	1.8	0.4-7.2	1.1	0.2-5.4	19	1.1	0.7-1.7	0.9	0.6-1.6	6	1.1	0.5-2.4	1.2	0.5-3.1
151	1	8.5 ^f	1.1-62.9	8.2 ^f	1.1-62.8	4	1.7	0.6-4.5	1.9	0.7-5.3	-	-	-	-	-
152	1	1.0	0.1-6.9	0.5	0.1-4.3	15	1.0	0.6-1.6	0.8	0.5-1.4	6	1.2	0.5-2.8	1.5	0.6-3.9
16	1	0.4	0.1-3.1	0.5	0.1-3.8	35	1.2	0.9-1.7	1.4	1.0-1.9	17	1.4	0.9-2.4	1.3	0.8-2.2
161	-	-	-	-	-	11	0.9	0.5-1.7	0.9	0.5-1.8	5	1.4	0.6-3.4	1.3	0.5-3.3
162	1	1.9	0.3-13.6	1.8	0.2-13.4	9	1.4	0.7-2.7	1.6	0.8-3.2	5	1.5	0.6-3.8	1.4	0.5-3.4
17	1	0.7	0.1-5.0	1.1	0.1-8.8	21	0.9	0.6-1.4	1.0	0.6-1.6	8	1.5	0.7-3.0	1.4	0.7-3.1
171	-	-	-	-	-	1	1.0	0.1-7.5	1.2	0.2-8.7	2	5.2 ^f	1.1-24.2	4.6	1.0-21.7
173	-	-	-	-	-	15	1.0	0.6-1.7	1.2	0.7-2.2	2	0.6	0.1-2.3	0.5	0.1-2.2
175	1	-	-	-	-	3	0.5	0.2-1.6	0.5	0.2-1.7	3	2.8	0.9-9.0	2.7	0.8-8.9

(continued horizontally on page 56 and vertically on page 64)

Table 8. Continued

ASCR code	Multiple myeloma (ICD-O M 9730-1) (N=535)					Leukemia (ICD-O M 980-94) (N=1322)					Myeloid leukemia (N=543)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	29	1.1	0.7-1.6	1.1	0.7-1.7	69	1.3	1.0-1.6	1.3	1.0-1.7	23	1.0	0.7-1.6	1.1	0.7-1.7
011	20	1.3	0.8-2.0	1.3	0.8-2.1	41	1.3	1.0-1.9	1.3	0.9-1.9	14	1.2	0.7-2.1	1.2	0.7-2.2
012	—	.	.	.	.	4	3.5 ^f	1.3-9.8	3.4 ^f	1.2-9.7	2	3.8	0.9-15.9	3.9	0.9-16.4
013	3	0.4	0.1-1.3	0.4	0.1-1.3	21	1.3	0.8-1.9	1.2	0.8-1.9	7	1.0	0.5-2.2	1.1	0.5-2.3
02	16	1.2	0.7-2.0	1.1	0.7-2.0	31	1.0	0.7-1.4	1.2	0.8-1.8	11	0.9	0.5-1.6	1.0	0.5-1.9
021	6	1.1	0.5-2.6	1.0	0.4-2.4	12	0.9	0.5-1.7	1.1	0.6-2.0	4	0.8	0.3-2.1	0.9	0.3-2.4
022	2	1.6	0.4-6.6	1.5	0.4-6.1	4	1.5	0.5-4.0	1.7	0.6-4.6	1	0.9	0.1-6.8	1.0	0.1-7.5
023	5	1.0	0.4-2.5	0.9	0.4-2.3	14	1.2	0.7-2.1	1.4	0.8-2.5	5	1.1	0.5-2.7	1.2	0.5-3.1
03	8	1.0	0.5-2.0	1.0	0.5-2.0	22	1.2	0.8-1.9	1.2	0.8-1.9	6	0.9	0.4-1.9	0.9	0.4-2.0
031	2	1.1	0.3-4.4	1.1	0.3-4.5	3	0.8	0.2-2.4	0.8	0.2-2.4	1	0.7	0.1-4.9	0.7	0.1-5.0
032	2	0.6	0.2-2.5	0.6	0.2-2.5	7	1.0	0.5-2.1	0.9	0.4-2.0	1	0.3	0.0-2.5	0.4	0.0-2.5
033	4	1.3	0.5-3.6	1.3	0.5-3.7	12	1.7	1.0-3.1	1.7	1.0-3.1	4	1.5	0.5-4.0	1.5	0.6-4.2
04	36	1.0	0.7-1.4	1.0	0.7-1.4	75	0.9	0.7-1.1	0.8	0.6-1.0	27	0.8	0.5-1.1	0.8	0.5-1.2
041	13	0.9	0.5-1.6	0.9	0.5-1.6	31	0.9	0.6-1.3	0.9	0.6-1.3	10	0.7	0.4-1.4	0.7	0.4-1.4
043	16	1.3	0.8-2.2	1.4	0.8-2.3	22	0.7	0.5-1.1	0.7	0.5-1.1	7	0.6	0.3-1.2	0.6	0.3-1.3
05	4	1.1	0.4-2.9	1.4	0.5-3.8	7	0.9	0.4-1.9	1.0	0.4-2.0	4	1.3	0.5-3.5	1.1	0.4-3.1
051	1	0.5	0.1-3.5	0.6	0.1-4.6	4	0.9	0.3-2.5	1.0	0.4-2.8	2	1.2	0.3-4.8	1.0	0.2-4.3
052	1	1.8	0.2-12.8	1.8	0.2-13	2	1.5	0.4-6.2	1.5	0.4-6.0	2	3.6	0.9-15.0	3.7	0.9-15.6
059	2	1.8	0.4-7.3	2.4	0.6-10.3	1	0.4	0.1-2.9	0.5	0.1-3.2	—	.	.	.	.
06	73	1.0	0.8-1.3	1.2	0.9-1.6	160	0.9	0.8-1.1	0.9	0.8-1.1	75	1.1	0.9-1.4	1.1	0.8-1.4
061	4	0.9	0.3-2.5	1.2	0.4-3.6	13	1.4	0.8-2.5	1.7	0.9-3.0	8	2.3 ^f	1.1-4.7	2.1	1.0-4.6
062	13	1.4	0.8-2.5	1.5	0.8-2.6	13	0.6	0.4-1.1	0.6	0.3-1.0	5	0.6	0.3-1.5	0.6	0.3-1.5
063	21	1.0	0.6-1.5	1.0	0.6-1.6	48	0.9	0.7-1.2	0.9	0.7-1.2	20	0.9	0.6-1.5	1.0	0.6-1.5
064	10	0.9	0.5-1.7	0.9	0.5-1.7	29	1.1	0.8-1.6	1.1	0.7-1.6	15	1.4	0.8-2.4	1.5	0.9-2.5
065	2	1.0	0.2-3.9	1.0	0.2-3.9	3	0.6	0.2-1.9	0.6	0.2-1.9	1	0.5	0.1-3.6	0.5	0.1-3.7
07	18	1.2	0.8-2.0	1.3	0.8-2.1	39	1.1	0.8-1.6	1.1	0.8-1.6	16	1.2	0.7-2.0	1.2	0.7-2.0
071	6	2.8 ^f	1.2-6.4	2.9 ^f	1.3-6.6	7	1.4	0.7-3.0	1.4	0.6-2.9	3	1.5	0.5-4.7	1.6	0.5-4.9
072	11	1.0	0.6-1.9	1.0	0.6-1.9	27	1.1	0.7-1.6	1.1	0.7-1.6	10	1.0	0.5-1.9	1.0	0.5-2.0
08	4	0.5	0.2-1.4	0.5	0.2-1.4	27	1.5 ^f	1.0-2.2	1.5 ^f	1.0-2.3	10	1.3	0.7-2.4	1.4	0.7-2.6
081	1	0.5	0.1-3.6	0.5	0.1-3.7	8	1.7	0.8-3.5	1.7	0.8-3.4	4	2.0	0.7-5.4	2.1	0.8-5.6
089	3	0.5	0.2-1.7	0.5	0.2-1.6	19	1.4	0.9-2.2	1.5	0.9-2.4	6	1.1	0.5-2.4	1.1	0.5-2.5
09	3	0.7	0.2-2.2	0.9	0.3-3.1	4	0.4 ^f	0.1-0.9	0.4 ^f	0.1-1.0	2	0.5	0.1-1.9	0.4	0.1-1.6
091	2	0.6	0.1-2.3	0.7	0.2-3.1	1	0.1 ^g	0.0-0.5	0.1 ^g	0.0-0.6	—	.	.	.	.
10	42	0.8	0.6-1.2	0.8	0.6-1.1	136	1.1	0.9-1.4	1.1	0.9-1.3	57	1.2	0.9-1.5	1.1	0.8-1.5
101	1	0.2	0.0-1.6	0.2	0.0-1.6	11	1.0	0.5-1.8	0.9	0.5-1.7	5	1.1	0.4-2.7	1.3	0.5-3.5
102	2	2.0	0.5-8.2	1.7	0.4-7.3	2	0.7	0.2-2.8	0.6	0.2-2.5	—	.	.	.	.
103.1	1	1.8	0.2-12.8	1.5	0.2-11.2	4	2.7	1.0-7.6	2.5	0.9-7.0	3	5.3 ^g	1.6-17.1	4.6 ^f	1.4-15.3
103.9	18	1.1	0.7-1.7	0.9	0.5-1.5	52	1.2	0.9-1.6	1.1	0.8-1.6	26	1.5	1.0-2.2	1.4	0.9-2.2
104	11	1.1	0.6-2.1	1.2	0.6-2.2	23	1.0	0.6-1.5	1.0	0.6-1.5	6	0.6	0.3-1.4	0.6	0.3-1.4
106	—	.	.	.	.	6	0.9	0.4-2.0	1.0	0.4-2.3	1	0.4	0.0-2.5	0.4	0.1-2.7
107	3	0.7	0.2-2.2	0.7	0.2-2.2	12	1.2	0.7-2.1	1.1	0.6-2.1	3	0.7	0.2-2.3	0.8	0.2-2.4
11	123	0.9	0.8-1.2	0.8	0.6-1.1	299	0.9	0.8-1.1	0.8 ^f	0.7-1.0	114	0.8	0.7-1.0	0.7 ^g	0.5-0.9
111	43	1.0	0.8-1.4	0.8	0.5-1.2	91	0.9	0.7-1.2	0.7 ^f	0.5-1.0	31	0.8	0.5-1.1	0.5 ^g	0.3-0.8
112	61	1.0	0.8-1.4	1.1	0.8-1.6	138	0.9	0.8-1.1	0.9	0.7-1.1	54	0.9	0.6-1.1	0.8	0.6-1.2
115	14	0.6 ^f	0.3-1.0	0.6 ^f	0.3-1.0	57	1.0	0.8-1.3	1.0	0.7-1.3	22	0.9	0.6-1.4	0.9	0.6-1.5
12	56	1.3	1.0-1.7	1.3	0.9-1.9	91	0.9	0.7-1.1	0.9	0.7-1.2	40	0.9	0.7-1.3	1.0	0.7-1.6
121.1	2	1.2	0.3-4.7	1.2	0.3-4.9	8	2.1 ^f	1.0-4.2	2.1 ^f	1.0-4.3	5	3.3 ^g	1.3-8.0	3.5 ^g	1.4-8.6
121.2	12	1.1	0.6-2.0	1.0	0.5-1.9	20	0.8	0.5-1.3	0.9	0.6-1.5	7	0.7	0.3-1.6	0.8	0.4-1.7
123	19	1.1	0.7-1.8	1.0	0.6-1.7	28	0.7 ^f	0.5-1.0	0.7	0.5-1.1	13	0.8	0.4-1.3	0.8	0.4-1.5
125	10	1.3	0.7-2.4	1.2	0.6-2.3	20	1.1	0.7-1.7	1.2	0.8-2.0	8	0.7	0.4-1.5	0.8	0.4-1.6
126	13	1.9 ^f	1.1-3.3	2.0 ^f	1.1-3.6	15	0.9	0.5-1.5	0.9	0.5-1.5	6	0.9	0.4-1.9	0.9	0.4-2.0
13	9	0.8	0.4-1.5	0.8	0.4-1.6	29	1.0	0.7-1.5	1.0	0.7-1.5	11	0.9	0.5-1.7	1.0	0.5-1.9
131	6	1.3	0.6-2.8	1.4	0.6-3.5	11	0.9	0.5-1.6	0.8	0.4-1.5	2	0.4	0.1-1.6	0.4	0.1-1.8
132	3	0.4	0.1-1.4	0.4	0.1-1.4	18	1.1	0.7-1.8	1.1	0.7-1.8	9	1.4	0.7-2.6	1.4	0.7-2.8
14	9	2.8 ^g	1.4-5.5	2.6 ^g	1.3-5.2	14	1.6	0.9-2.7	1.5	0.8-2.6	8	2.1 ^f	1.0-4.2	1.8	0.9-3.9
15	7	0.8	0.4-1.7	0.8	0.4-1.9	15	0.7	0.4-1.1	0.6	0.4-1.1	9	1.0	0.5-1.9	1.2	0.6-2.5
151	2	1.5	0.4-6.1	1.5	0.4-6.2	—	.	.	.	.	—	.	.	.	.
152	5	0.7	0.3-1.7	0.7	0.3-1.8	15	0.8	0.5-1.3	0.7	0.4-1.3	9	1.2	0.6-2.3	1.5	0.7-3.3
16	11	0.8	0.5-1.5	0.8	0.4-1.5	38	1.2	0.8-1.6	1.2	0.9-1.7	17	1.2	0.7-2.0	1.2	0.8-2.1
161	5	0.8	0.3-2.0	0.7	0.3-1.8	11	0.8	0.4-1.4	0.9	0.5-1.6	6	1.0	0.5-2.4	1.2	0.5-2.7
162	3	1.1	0.4-3.6	1.2	0.4-3.6	10	1.4	0.7-2.7	1.4	0.7-2.6	3	0.9	0.3-2.9	1.0	0.3-3.0
17	7	0.5	0.3-1.2	0.6	0.3-1.3	22	0.8	0.5-1.2	0.8	0.5-1.3	14	1.2	0.7-2.1	1.1	0.6-2.0
171	—	.	.	.	.	1	0.9	0.1-6.2	0.8	0.1-6.0	1	2.1	0.3-15.5	2.2	0.3-16.0
173	2	0.2 ^f	0.1-1.0	0.3	0.1-1.2	13	0.7	0.4-1.2	0.8	0.4-1.4	8	1.1	0.5-2.2	0.9	0.4-1.9
175	5	1.7	0.7-4.2	1.6	0.6-4.0	6	0.9	0.4-1.9	1.0	0.4-2.2	4	1.5	0.5-4.0	1.7	0.6-4.7

(continued horizontally on page 57 and vertically on page 64)

Table 8. Continued.

ASCR code	Lymphoid leukemia (N=568)					Chronic lymphatic leukemia (N=514)					Acute leukemia (N=388)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
01	31	1.4	0.9-2.0	1.3	0.8-1.9	28	1.3	0.9-2.0	1.4	0.9-2.1	20	1.2	0.8-1.9	1.2	0.7-2.0
011	17	1.3	0.8-2.2	1.2	0.7-2.1	16	1.4	0.8-2.3	1.4	0.8-2.3	11	1.2	0.6-2.2	1.1	0.6-2.2
012	—	—	—	—	—	—	—	—	—	—	3	8.4 ^h	2.5-27.7	8.3 ^h	2.5-27.7
013	12	1.7	0.9-3.0	1.6	0.9-2.8	10	1.5	0.8-2.9	1.5	0.8-2.9	6	1.2	0.5-2.8	1.2	0.5-2.7
02	16	1.2	0.7-2.0	1.6	0.9-2.9	15	1.2	0.7-2.1	1.7	0.9-3.1	7	0.8	0.4-1.7	1.0	0.4-2.3
021	6	1.1	0.5-2.5	1.4	0.6-3.3	5	1.0	0.4-2.4	1.2	0.5-3.2	3	0.8	0.3-2.6	1.0	0.3-3.4
022	1	0.8	0.1-5.8	1.0	0.1-7.1	1	0.9	0.1-6.2	1.1	0.1-7.7	1	1.4	0.2-9.9	1.7	0.2-12.6
023	9	1.8	0.9-3.6	2.4 ^f	1.2-5.0	9	2.0 ^f	1.0-3.9	2.7 ^g	1.3-5.7	3	0.9	0.3-2.9	1.1	0.3-3.7
03	12	1.5	0.9-2.7	1.4	0.8-2.6	11	1.5	0.8-2.8	1.5	0.8-2.8	2	0.4	0.1-1.6	0.4	0.1-1.5
031	1	0.6	0.1-4.3	0.6	0.1-3.9	1	0.7	0.1-4.7	0.6	0.1-4.6	—	—	—	—	—
032	4	1.3	0.5-3.4	1.2	0.4-3.2	3	1.0	0.3-3.2	1.0	0.3-3.1	2	1.0	0.3-4.2	1.0	0.2-4.1
033	7	2.3 ^f	1.1-4.9	2.1	1.0-4.6	7	2.5 ^f	1.2-5.3	2.4 ^f	1.1-5.3	—	—	—	—	—
04	33	0.9	0.6-1.3	0.8	0.5-1.2	30	0.9	0.6-1.3	0.8	0.6-1.3	17	0.7	0.4-1.1	0.6	0.4-1.0
041	14	1.0	0.6-1.7	0.9	0.5-1.6	13	1.0	0.6-1.8	1.0	0.6-1.8	6	0.6	0.3-1.3	0.6	0.2-1.3
043	10	0.8	0.4-1.5	0.7	0.4-1.4	9	0.8	0.4-1.5	0.7	0.4-1.5	3	0.4	0.1-1.1	0.3	0.1-1.0
05	2	0.6	0.2-2.4	0.8	0.2-3.1	2	0.6	0.2-2.6	0.8	0.2-3.2	1	0.4	0.1-3.2	0.4	0.1-3.2
051	1	0.5	0.1-3.8	0.8	0.1-5.4	1	0.6	0.1-4.2	0.7	0.1-5.4	1	0.8	0.1-6.1	0.9	0.1-6.4
052	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
059	1	1.1	0.1-7.7	1.5	0.2-11.2	1	1.2	0.2-8.3	1.5	0.2-11	—	—	—	—	—
06	61	0.8	0.6-1.1	0.9	0.6-1.2	51	0.8	0.6-1.0	0.8	0.5-1.1	62	1.3	1.0-1.7	1.4 ^f	1.0-2.0
061	2	0.5	0.1-2.1	0.7	0.2-3.0	2	0.6	0.1-2.3	0.7	0.2-3.0	7	2.7 ^g	1.3-5.9	3.3 ^g	1.4-7.9
062	5	0.6	0.2-1.4	0.5	0.2-1.3	4	0.5	0.2-1.4	0.5	0.2-1.3	3	0.5	0.2-1.6	0.5	0.1-1.5
063	22	1.0	0.7-1.6	0.9	0.6-1.5	19	1.0	0.6-1.6	1.0	0.6-1.6	20	1.3	0.8-2.1	1.3	0.8-2.2
064	13	1.2	0.7-2.1	1.1	0.6-2.0	8	0.8	0.4-1.7	0.8	0.4-1.6	15	1.9 ^f	1.2-3.3	2.0 ^f	1.1-3.4
065	1	0.5	0.1-3.2	0.4	0.1-2.9	—	—	—	—	—	2	1.5	0.4-6.1	1.5	0.4-6.0
07	16	1.1	0.7-1.8	1.0	0.6-1.7	16	1.2	0.7-2.0	1.2	0.7-2.0	12	1.2	0.7-2.2	1.2	0.7-2.2
071	4	1.4	0.5-4.6	1.3	0.4-4.2	3	1.6	0.5-5.0	1.6	0.5-4.9	2	1.4	0.3-5.5	1.3	0.3-5.4
072	11	1.0	0.6-1.8	0.9	0.5-1.7	11	1.1	0.6-2.0	1.1	0.6-2.0	7	1.0	0.5-2.1	0.9	0.4-2.0
08	11	1.4	0.8-2.6	1.5	0.8-2.7	10	1.4	0.8-2.7	1.5	0.8-2.9	8	1.5	0.7-3.0	1.6	0.8-3.3
081	3	1.4	0.5-4.5	1.3	0.4-4.2	3	1.6	0.5-5.0	1.5	0.5-4.9	3	2.2	0.7-6.9	2.1	0.7-6.8
089	8	1.4	0.7-2.9	1.5	0.7-3.1	7	1.4	0.6-2.9	1.5	0.7-3.2	5	1.2	0.5-3.0	1.4	0.6-3.4
09	2	0.4	0.1-1.5	0.5	0.1-2.1	2	0.4	0.1-1.7	0.5	0.1-2.2	—	—	—	—	—
091	1	0.2	0.0-1.5	0.3	0.0-2.0	1	0.2	0.0-1.7	0.3	0.0-2.1	—	—	—	—	—
10	62	1.3	1.0-1.6	1.2	0.9-1.6	53	1.2	0.9-1.6	1.1	0.8-1.5	35	0.9	0.6-1.3	0.9	0.6-1.3
101	5	1.1	0.4-2.6	1.0	0.4-2.5	4	0.9	0.4-2.6	0.8	0.3-2.4	2	0.6	0.1-2.4	0.5	0.1-2.2
102	1	0.8	0.1-5.4	0.7	0.1-4.8	—	—	—	—	—	1	1.1	0.1-7.8	1.0	0.1-7.7
103.1	1	1.5	0.2-10.7	1.3	0.2-9.6	1	1.7	0.2-12.3	1.5	0.2-10.8	2	4.3 ^f	1.0-18.1	4.2	1.0-18.3
103.9	19	1.1	0.7-1.7	0.9	0.6-1.6	17	1.1	0.7-1.8	0.9	0.5-1.6	14	1.0	0.6-1.8	1.0	0.5-1.8
104	13	1.3	0.8-2.3	1.4	0.8-2.5	13	1.5	0.8-2.6	1.5	0.8-2.6	6	0.8	0.4-1.9	0.8	0.4-1.9
106	4	1.4	0.5-3.7	1.7	0.6-4.8	3	1.1	0.4-3.6	1.4	0.4-4.6	1	0.4	0.1-3.2	0.5	0.1-4.0
107	8	1.9	0.9-3.8	1.7	0.9-3.6	7	1.8	0.9-3.9	1.8	0.8-3.9	1	0.3	0.0-2.3	0.3	0.0-2.2
11	139	1.0	0.8-1.3	1.0	0.7-1.3	131	1.1	0.9-1.3	1.0	0.7-1.3	86	0.9	0.7-1.2	0.8	0.5-1.1
111	45	1.1	0.8-1.5	0.9	0.6-1.3	42	1.1	0.8-1.5	0.8	0.5-1.3	20	0.7	0.5-1.1	0.5 ^f	0.3-0.9
112	64	1.0	0.8-1.3	1.0	0.7-1.5	60	1.0	0.8-1.4	1.0	0.7-1.5	43	1.0	0.7-1.4	0.9	0.6-1.4
115	27	1.1	0.7-1.6	1.1	0.7-1.7	26	1.2	0.8-1.7	1.1	0.7-1.8	20	1.2	0.8-1.9	1.2	0.7-2.0
12	34	0.7	0.5-1.1	0.8	0.5-1.2	31	0.7	0.5-1.1	0.8	0.5-1.3	26	0.8	0.6-1.2	1.0	0.6-1.6
121.1	2	1.2	0.3-4.7	1.2	0.3-4.8	2	1.2	0.3-5.0	1.2	0.3-4.9	2	1.8	0.4-7.3	1.7	0.4-7.2
121.2	8	0.8	0.4-1.5	0.9	0.4-1.9	8	0.8	0.4-1.7	1.0	0.5-2.1	5	0.7	0.3-1.8	0.9	0.3-2.3
123	9	0.5	0.3-1.0	0.6	0.3-1.1	8	0.5	0.2-1.0	0.5	0.3-1.2	7	0.6	0.3-1.2	0.6	0.3-1.5
125	9	0.7	0.3-1.3	0.8	0.4-1.6	8	1.1	0.6-2.3	1.4	0.7-3.0	7	0.6	0.3-1.6	0.8	0.3-2.0
126	6	0.9	0.4-1.9	0.9	0.4-1.9	5	0.8	0.3-1.9	0.7	0.3-1.8	5	1.0	0.4-2.5	1.0	0.4-2.4
13	10	0.8	0.4-1.5	0.8	0.4-1.5	9	0.8	0.4-1.6	0.7	0.4-1.5	10	1.2	0.6-2.2	1.1	0.6-2.2
131	7	1.3	0.6-2.8	1.3	0.6-2.9	7	1.4	0.7-3.1	1.4	0.6-3.2	3	0.8	0.3-2.5	0.7	0.2-2.4
132	3	0.4	0.1-1.3	0.4	0.1-1.3	2	0.3	0.1-1.3	0.3	0.1-1.2	7	1.5	0.7-3.2	1.5	0.7-3.2
14	6	1.6	0.7-3.6	1.5	0.6-3.4	6	1.8	0.8-4.1	1.6	0.7-3.8	4	1.5	0.5-3.9	1.4	0.5-4.0
15	3	0.3 ^f	0.1-1.0	0.3 ^f	0.1-0.8	3	0.4	0.1-1.1	0.3 ^f	0.1-0.9	8	1.3	0.6-2.6	1.2	0.6-2.7
151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
152	3	0.4	0.1-1.2	0.3 ^f	0.1-1.0	3	0.4	0.1-1.3	0.3	0.1-1.0	8	1.5	0.7-3.0	1.6	0.7-3.5
16	13	1.0	0.6-1.7	1.1	0.6-1.9	10	0.9	0.5-1.6	1.0	0.5-1.8	15	1.5	0.9-2.5	1.6	0.9-2.8
161	3	0.5	0.2-1.6	0.6	0.2-1.9	2	0.4	0.1-1.5	0.4	0.1-1.8	6	1.4	0.6-3.3	1.9	0.8-4.6
162	3	1.1	0.4-3.5	1.0	0.3-3.2	1	0.4	0.1-3.0	0.4	0.1-2.9	3	1.2	0.4-3.9	1.2	0.4-3.8
17	6	0.5	0.2-1.0	0.6	0.3-1.3	6	0.5	0.2-1.1	0.6	0.3-1.4	4	0.5	0.2-1.3	0.5	0.2-1.4
171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
173	5	0.6	0.3-1.5	0.9	0.3-2.2	5	0.7	0.3-1.7	0.9	0.3-2.2	3	0.6	0.2-1.8	0.6	0.2-1.9
175	—	—	—	—	—	—	—	—	—	—	1	0.5	0.1-3.8	0.6	0.1-4.7

(continued horizontally on page 58 and vertically on page 65)

Table 8. Continued.

ASCR code	Nonacute leukemia (N=918)					Primary site uncertain (ICD-O 199) (N=1262)				
	N	OR ^a	95% CI	OR ^d	95% CI	N	OR ^a	95% CI	OR ^d	95% CI
01	48	1.3	0.9–1.7	1.3	0.9–1.8	76	1.1	0.9–1.4	1.1	0.8–1.4
011	30	1.5	1.0–2.1	1.5	1.0–2.2	43	1.0	0.7–1.4	1.0	0.7–1.4
012	1	1.2	0.2–9.0	1.2	0.2–8.9	2	1.4	0.3–5.8	1.4	0.3–5.7
013	14	1.2	0.7–2.0	1.2	0.7–2.0	18	1.0	0.6–1.5	0.9	0.6–1.5
02	24	1.1	0.7–1.7	1.3	0.8–2.0	34	1.0	0.7–1.4	1.0	0.7–1.5
021	9	1.0	0.5–2.0	1.1	0.6–2.2	13	1.0	0.6–1.7	0.9	0.5–1.7
022	3	1.5	0.5–4.9	1.7	0.5–5.5	4	1.4	0.5–3.8	1.4	0.5–3.8
023	11	1.4	0.8–2.5	1.6	0.8–3.0	12	0.9	0.5–1.7	0.9	0.5–1.7
03	20	1.6 ^f	1.0–2.5	1.6	1.0–2.5	21	1.0	0.7–1.6	1.0	0.7–1.6
031	3	1.1	0.4–3.5	1.1	0.3–3.5	5	1.1	0.5–2.8	1.1	0.5–2.7
032	5	1.0	0.4–2.3	0.9	0.4–2.3	7	0.9	0.4–1.9	0.9	0.4–1.8
033	12	2.5 ^g	1.4–4.4	2.5 ^g	1.4–4.5	9	1.2	0.6–2.3	1.2	0.6–2.3
04	55	0.9	0.7–1.2	0.9	0.6–1.2	109	1.1	0.9–1.4	1.1	0.9–1.4
041	25	1.1	0.7–1.6	1.1	0.7–1.6	51	1.3	1.0–1.7	1.3	1.0–1.7
043	17	0.8	0.5–1.3	0.8	0.5–1.3	33	1.0	0.7–1.4	1.0	0.7–1.4
05	6	1.1	0.5–2.4	1.2	0.5–2.7	10	1.1	0.6–2.1	1.1	0.6–2.1
051	3	1.0	0.3–3.1	1.1	0.3–3.5	3	0.6	0.2–1.9	0.6	0.2–1.9
052	2	2.2	0.5–9.0	2.2	0.5–8.9	1	0.7	0.1–4.9	0.7	0.1–4.8
059	1	0.6	0.1–4.5	0.7	0.1–5.0	6	2.3	1.0–5.2	2.3	1.0–5.3
06	98	0.8 ^f	0.6–1.0	0.8 ^f	0.6–1.0	183	1.0	0.8–1.1	0.9	0.8–1.1
061	6	0.9	0.4–2.0	1.0	0.4–2.4	15	1.4	0.8–2.4	1.4	0.8–2.5
062	10	0.7	0.4–1.3	0.7	0.4–1.3	21	0.9	0.6–1.4	0.9	0.6–1.4
063	28	0.8	0.5–1.1	0.7	0.5–1.1	49	0.9	0.7–1.2	0.8	0.6–1.1
064	14	0.8	0.4–1.3	0.7	0.4–1.3	28	1.0	0.7–1.4	1.0	0.6–1.4
065	1	0.3	0.0–2.1	0.3	0.0–2.0	6	1.1	0.5–2.5	1.1	0.5–2.4
07	26	1.1	0.7–1.6	1.1	0.7–1.6	39	1.0	0.7–1.4	1.0	0.7–1.4
071	5	1.5	0.6–3.6	1.4	0.6–3.5	3	0.5	0.2–1.6	0.5	0.2–1.5
072	19	1.1	0.7–1.7	1.1	0.7–1.7	31	1.1	0.8–1.6	1.1	0.7–1.6
08	19	1.5	0.9–2.4	1.5	1.0–2.5	16	0.8	0.5–1.3	0.8	0.5–1.3
081	5	1.5	0.6–3.7	1.5	0.6–3.7	4	0.8	0.3–2.2	0.8	0.3–2.1
089	14	1.5	0.9–2.5	1.5	0.9–2.7	12	0.8	0.5–1.5	0.8	0.4–1.4
09	4	0.5	0.2–1.4	0.6	0.2–1.5	12	0.9	0.5–1.6	0.9	0.5–1.6
091	1	0.2 ^f	0.0–1.0	0.2	0.0–1.0	10	0.9	0.5–1.6	0.8	0.4–1.6
10	99	1.2	1.0–1.5	1.2	0.9–1.5	153	1.2	1.0–1.4	1.2	1.0–1.4
101	8	1.0	0.5–2.1	1.0	0.5–2.1	12	1.0	0.6–1.8	0.9	0.5–1.6
102	1	0.5	0.1–3.8	0.5	0.1–3.4	4	1.1	0.4–3.1	1.1	0.4–3.0
103.1	2	1.9	0.5–7.8	1.7	0.4–6.9	2	1.5	0.4–6.2	1.4	0.3–5.9
103.9	38	1.3	1.0–1.9	1.2	0.8–1.8	48	1.2	0.9–1.6	1.1	0.8–1.6
104	17	1.1	0.6–1.7	1.1	0.7–1.8	32	1.3	0.9–1.8	1.4	1.0–2.1
106	5	1.1	0.5–2.7	1.2	0.5–3.1	13	1.7	1.0–3.0	1.7	1.0–3.1
107	11	1.6	0.9–2.9	1.6	0.9–2.9	7	0.6	0.3–1.2	0.5	0.3–1.1
11	209	0.9	0.8–1.1	0.8	0.7–1.0	301	0.8 ^f	0.7–1.0	0.8	0.7–1.0
111	70	1.0	0.8–1.3	0.8	0.6–1.1	100	1.0	0.8–1.2	0.8	0.6–1.1
112	92	0.9	0.7–1.1	0.9	0.6–1.1	139	0.9	0.7–1.0	0.9	0.7–1.2
115	37	0.9	0.7–1.3	0.9	0.7–1.4	53	0.8	0.6–1.1	0.9	0.7–1.2
12	64	0.9	0.7–1.1	0.9	0.6–1.2	121	1.0	0.9–1.3	1.1	0.8–1.4
121.1	6	2.2	1.0–4.9	2.2	1.0–5.2	6	1.4	0.6–3.1	1.5	0.7–3.5
121.2	15	0.9	0.5–1.5	0.9	0.5–1.6	23	1.0	0.7–1.5	1.0	0.7–1.5
123	20	0.7	0.4–1.1	0.7	0.4–1.2	53	1.2	0.9–1.6	1.2	0.9–1.7
125	11	0.9	0.5–1.4	0.9	0.5–1.6	17	0.9	0.6–1.4	0.9	0.6–1.4
126	10	0.9	0.5–1.6	0.9	0.5–1.7	15	0.8	0.5–1.3	0.9	0.5–1.5
13	19	1.0	0.6–1.5	0.9	0.6–1.5	30	1.0	0.7–1.4	1.0	0.7–1.5
131	8	0.9	0.5–1.9	0.9	0.4–1.9	18	1.5	0.9–2.4	1.4	0.8–2.3
132	11	1.0	0.5–1.8	1.0	0.5–1.8	12	0.7	0.4–1.2	0.7	0.4–1.3
14	10	1.6	0.9–3.1	1.5	0.8–2.9	13	1.5	0.8–2.6	1.4	0.8–2.6
15	7	0.5 ^f	0.2–1.0	0.4 ^f	0.2–0.9	33	1.5 ^f	1.1–2.1	1.5	1.0–2.2
151	—	.	.	.	.	4	1.3	0.5–3.6	1.3	0.5–3.5
152	7	0.5	0.3–1.1	0.5	0.2–1.0	29	1.5 ^f	1.0–2.2	1.5	1.0–2.3
16	22	1.0	0.6–1.5	1.0	0.7–1.6	39	1.1	0.8–1.5	1.1	0.8–1.5
161	5	0.5	0.2–1.2	0.5	0.2–1.3	14	0.9	0.5–1.5	0.8	0.5–1.5
162	7	1.5	0.7–3.2	1.5	0.7–3.2	10	1.3	0.7–2.5	1.3	0.7–2.5
17	17	0.8	0.5–1.3	0.9	0.5–1.5	27	0.8	0.6–1.2	0.8	0.5–1.2
171	1	1.3	0.2–9.4	1.3	0.2–9.3	1	0.9	0.1–6.2	0.8	0.1–6.1
173	10	0.8	0.4–1.4	0.8	0.4–1.6	21	1.0	0.7–1.6	1.0	0.6–1.6
175	4	0.8	0.3–2.1	0.9	0.3–2.4	2	0.3 ^f	0.1–0.9	0.2 ^f	0.1–0.9

(continued vertically on page 65)

Table 8. Continued from page 39.

ASCR code	Occupation	Lip (ICD-O 140) (N=199)					Oral cavity & oropharynx (ICD-O 141, 143-6) (N=1500)				
		N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	HEALTH CARE OCCUPATIONS	3	0.7	0.2-2.1	1.4	0.4-4.5	22	0.7	0.4-1.1	0.8	0.5-1.3
181	Physicians	—	.	.	.	.	5	0.4 ^f	0.2-0.9	0.5	0.2-1.2
182	Dentists, veterinarians & pharmacists	—	.	.	.	.	4	0.6	0.2-1.7	0.9	0.3-2.4
183	Nurses & related occupations	—	.	.	.	.	2	0.5	0.1-1.9	0.5	0.1-2.0
19	SOCIAL WORK & TEACHING PROFESSIONS	1	0.3	0.0-1.9	1.0	0.1-8.4	16	0.5 ^g	0.3-0.8	0.6	0.3-1.0
191	Professors & teachers	1	0.4	0.1-2.4	1.4	0.1-14.1	13	0.5 ^g	0.3-0.8	0.6	0.3-1.1
20	SCIENCE PROFESSIONS	1	0.4	0.1-2.7	0.7	0.1-5.1	20	0.9	0.6-1.4	1.4	0.8-2.2
201	Chemists	1	1.6	0.2-11.5	2.9	0.4-22.8	1	0.2	0.0-1.1	0.2	0.0-1.6
202	Physicists, biologists & related occupations	—	.	.	.	.	2	0.5	0.1-2.2	0.8	0.2-3.2

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f $P < 0.05$.^g $P < 0.01$.^h $P < 0.001$.

Table 8. Continued from page 40.

ASCR code	Salivary gland (ICD-O 142) (N=96)					Nasopharynx (ICD-O 147) (N=75)					Other pharynx (ICD-O 148-9) (N=484)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	—	.	.	.	.	2	1.2	0.3-5.0	1.1	0.5-2.2	5	0.5	0.2-1.3	0.7	0.3-1.7
181	—	.	.	.	.	2	3.4	0.8-13.9	1.8	0.9-3.7	2	0.5	0.1-2.2	0.8	0.2-3.4
182	—	.	.	.	.	—	.	.	.	.	—	.	.	.	.
183	—	.	.	.	.	—	.	.	.	.	2	1.6	0.4-6.7	1.9	0.5-8.0
19	1	0.5	0.1-3.2	0.7	0.3-1.9	2	1.3	0.3-5.2	1.1	0.6-2.3	5	0.5	0.2-1.2	0.7	0.2-1.8
191	1	0.6	0.1-4.2	0.8	0.3-2.1	2	1.5	0.4-6.2	1.2	0.6-2.5	5	0.6	0.2-1.4	0.9	0.3-2.5
20	2	1.4	0.3-5.8	1.2	0.6-2.4	1	0.8	0.1-6.0	0.9	0.3-2.5	3	0.5	0.2-1.5	0.9	0.3-3.1
201	—	.	.	.	.	1	3.9	0.5-28.6	2.0	0.7-5.4	—	.	.	.	.
202	—	.	.	.	.	—	.	.	.	.	1	0.9	0.1-6.8	1.9	0.3-14

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f $P < 0.05$.^g $P < 0.01$.^h $P < 0.001$.

Table 8. Continued from page 41.

ASCR code	Esophagus (ICD-O 150) (N=817)					Stomach (ICD-O 151) (N=2400)					Cardia (ICD-O 151.0) (N=616)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	7	0.4 ^f	0.2-0.9	0.6	0.3-1.3	35	0.8	0.6-1.1	1.0	0.7-1.4	9	0.8	0.4-1.5	0.8	0.4-1.6
181	1	0.2	0.0-1.1	0.3	0.0-1.9	12	0.7	0.4-1.2	1.0	0.5-1.8	5	1.1	0.5-2.7	1.3	0.5-3.3
182	2	0.6	0.2-2.5	1.2	0.3-5.0	4	0.4	0.2-1.1	0.6	0.2-1.6	1	0.4	0.1-2.9	0.4	0.1-3.2
183	3	1.5	0.5-4.6	1.8	0.6-5.6	6	1.1	0.5-2.5	1.2	0.5-2.8	1	0.7	0.1-4.9	0.7	0.1-5.2
19	8	0.5 ^f	0.2-1.0	0.9	0.4-1.9	32	0.7	0.5-1.0	1.1	0.7-1.6	12	1.0	0.6-1.9	1.2	0.6-2.5
191	5	0.4 ^f	0.2-0.9	0.6	0.2-1.7	24	0.7 ^f	0.4-1.0	1.0	0.6-1.5	10	1.1	0.6-2.0	1.3	0.6-2.7
20	4	0.4	0.1-1.0	0.7	0.3-2.1	13	0.4 ^g	0.3-0.8	0.6	0.4-1.1	6	0.8	0.4-1.9	1.2	0.5-2.7
201	1	0.3	0.0-2.3	0.6	0.1-4.5	2	0.2 ^f	0.1-0.8	0.3	0.1-1.1	1	0.4	0.1-3.0	0.6	0.1-4.2
202	—	.	.	.	.	4	1.1	0.4-2.9	1.6	0.6-4.3	2	2.1	0.5-8.4	2.9	0.7-12.1

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f $P < 0.05$.^g $P < 0.01$.^h $P < 0.001$.

Table 8. Continued from page 42.

ASCR code	Small intestine (CD-O 152) (N=276)					Colon (ICD-O 153) (N=3766)					Rectum (ICD-O 154) (N=2541)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	4	0.8	0.3–2.0	0.7	0.2–1.9	91	1.2	1.0–1.5	1.1	0.8–1.3	50	1.0	0.8–1.3	0.9	0.7–1.3
181	2	0.9	0.2–3.8	0.9	0.2–3.8	35	1.2	0.8–1.7	1.0	0.7–1.4	17	0.9	0.5–1.4	0.8	0.5–1.4
182	1	1.1	0.1–7.6	1.0	0.1–7.5	22	1.4	0.9–2.2	1.2	0.8–1.9	13	1.3	0.7–2.2	1.2	0.7–2.2
183	–	–	–	–	–	8	0.9	0.4–1.8	0.8	0.4–1.7	7	1.1	0.5–2.4	1.0	0.5–2.2
19	9	1.9	0.9–3.6	2.3	0.9–5.7	98	1.4 ^h	1.2–1.8	1.3	1.0–1.6	52	1.1	0.8–1.4	1.0	0.7–1.4
191	7	1.7	0.8–3.7	2.0	0.8–5.3	76	1.4 ⁱ	1.1–1.7	1.1	0.9–1.5	39	1.0	0.7–1.4	0.9	0.6–1.3
20	2	0.6	0.1–2.3	0.5	0.1–2.0	48	1.0	0.8–1.4	0.9	0.6–1.2	30	0.9	0.6–1.4	1.0	0.7–1.4
201	1	0.9	0.1–6.1	0.8	0.1–5.6	11	0.7	0.4–1.3	0.6	0.3–1.0	11	1.0	0.6–1.9	1.1	0.6–2.0
202	–	–	–	–	–	9	1.5	0.7–2.9	1.2	0.6–2.5	4	0.9	0.3–2.6	1.0	0.4–2.7

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 43.

ASCR code	Liver (ICD-O 155) (N=1172)					Gallbladder & biliary tract (ICD-O 156) (N=369)					Gallbladder (ICD-O 156.0) (N=132)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	17	0.8	0.5–1.2	0.8	0.5–1.4	16	2.3 ^g	1.4–3.8	2.2 ^g	1.3–3.9	5	2.1	0.8–5.1	2.1	0.8–5.5
181	3	0.3	0.1–1.1	0.4	0.1–1.3	9	3.4 ^h	1.7–6.6	4.2 ^h	1.8–9.8	3	3.3 ⁱ	1.0–10.3	5.2 ⁱ	1.2–23.4
182	8	2.0	1.0–4.1	2.8 ^g	1.3–6.0	3	2.0	0.6–6.2	1.9	0.6–6.5	–	–	–	–	–
183	1	0.4	0.1–2.7	0.3	0.0–2.5	1	1.2	0.2–8.8	1.0	0.1–7.4	1	3.6	0.5–26.4	2.8	0.4–20.5
19	13	0.6	0.4–1.1	0.7	0.4–1.3	4	0.6	0.2–1.5	0.4	0.2–1.3	–	–	–	–	–
191	11	0.7	0.4–1.2	0.8	0.4–1.5	4	0.7	0.3–1.9	0.6	0.2–1.8	–	–	–	–	–
20	10	0.8	0.4–1.5	1.1	0.6–2.2	4	1.0	0.4–2.6	1.0	0.4–2.9	1	0.7	0.1–5.1	0.7	0.1–5.6
201	4	1.0	0.4–2.6	1.3	0.5–3.6	2	1.4	0.3–5.6	1.5	0.4–6.2	1	2.0	0.3–14.3	2.1	0.3–16
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 44.

ASCR code	Extrahepatic bile duct ICD-O 156.1–9 N=237					Pancreas ICD-O 157) (N=1347)					Peritoneum (ICD-O 158) (N=100)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
18	11	2.4 ^g	1.3–4.4	2.3 ^f	1.2–4.6	18	0.7	0.4–1.0	0.6 ^f	0.3–0.9	2	0.8	0.2–3.3	0.9	0.2–3.9
181	6	3.4 ^g	1.5–7.7	3.8 ^g	1.4–10.4	5	0.5	0.2–1.1	0.4 ^f	0.1–0.9	2	2.1	0.5–8.8	3.1	0.6–16.8
182	3	2.9	0.9–9.1	2.8	0.8–9.8	6	1.1	0.5–2.5	0.9	0.4–2.1	–	–	–	–	–
183	–	–	–	–	–	2	0.6	0.2–2.5	0.7	0.2–2.7	–	–	–	–	–
19	4	0.9	0.3–2.4	0.7	0.2–2.1	35	1.4 ^f	1.0–2.0	1.3	0.9–2.0	2	0.9	0.2–3.7	1.0	0.2–5.3
191	4	1.1	0.4–3.0	0.9	0.3–2.8	32	1.6 ^g	1.1–2.3	1.5	1.0–2.3	2	1.1	0.3–4.5	1.3	0.2–7.4
20	3	1.1	0.4–3.5	1.2	0.4–4.0	17	1.1	0.7–1.7	1.1	0.7–1.8	4	2.4	0.9–6.7	3.1	0.9–10.1
201	1	1.1	0.2–8.0	1.2	0.2–8.7	5	0.9	0.4–2.3	0.9	0.4–2.3	2	4.5 ^f	1.1–18.9	5.3 ^f	1.1–24.3
202	–	–	–	–	–	3	1.3	0.4–4.3	1.4	0.4–4.4	1	4.1	0.6–30.2	4.5	0.6–35.3

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 45.

ASCR code	Nose, sinuses, etc (ICD-O 160) (N=125)					Larynx (ICD-O 161) (N=842)					Lung (ICD-O 162) (N=9106)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	2	0.7	0.2–2.9	1.2	0.3–5.2	12	0.7	0.4–1.2	0.9	0.5–1.7	106	0.6 ^h	0.5–0.7	0.8	0.7–1.0
181	–	–	–	–	–	2	0.3	0.1–1.1	0.4	0.1–1.6	33	0.4 ^h	0.3–0.6	0.8	0.5–1.2
182	–	–	–	–	–	2	0.6	0.1–2.3	0.8	0.2–3.4	23	0.6 ^f	0.4–1.0	1.1	0.7–1.8
183	1	2.7	0.4–19.5	2.7	0.4–20.1	1	0.5	0.1–3.3	0.5	0.1–3.8	14	0.6	0.3–1.0	0.7	0.4–1.2
19	1	0.4	0.1–2.6	0.9	0.1–8.7	9	0.5	0.3–1.0	0.7	0.3–1.5	73	0.4 ^h	0.3–0.5	0.6 ^h	0.5–0.8
191	1	0.4	0.1–3.2	1.4	0.1–15	6	0.4 ^f	0.2–1.0	0.6	0.2–1.4	66	0.4 ^h	0.3–0.6	0.7 ^f	0.6–1.0
20	1	0.5	0.1–3.5	0.6	0.1–4.7	3	0.3 ^f	0.1–0.8	0.4	0.1–1.2	56	0.5 ^h	0.4–0.6	0.7 ^f	0.5–1.0
201	1	1.7	0.2–12.5	2.3	0.3–17.8	–	–	–	–	–	24	0.6 ^f	0.4–0.9	0.9	0.6–1.5
202	–	–	–	–	–	–	–	–	–	–	9	0.6	0.3–1.1	0.9	0.4–1.7

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 46.

ASCR code	Lung, epidermoid (N=3974)					Lung, adenocarcinoma (N=2120)					Lung, small cell (N=1694)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	46	0.6 ^g	0.5–0.8	0.9	0.7–1.3	14	0.3 ^h	0.2–0.5	0.4 ^h	0.2–0.7	21	0.7	0.4–1.0	1.0	0.6–1.6
181	13	0.4 ^g	0.3–0.8	0.8	0.4–1.4	6	0.3 ^g	0.2–0.8	0.5	0.2–1.1	4	0.3 ^f	0.1–0.8	0.6	0.2–1.6
182	12	0.8	0.4–1.4	1.5	0.8–2.8	1	0.1 ^f	0.0–0.8	0.2	0.0–1.1	6	0.9	0.4–2.1	1.9	0.8–4.5
183	3	0.3 ^f	0.1–1.0	0.4	0.1–1.2	2	0.3	0.1–1.4	0.4	0.1–1.4	5	1.2	0.5–2.9	1.3	0.5–3.3
19	26	0.3 ^h	0.2–0.5	0.6 ^g	0.4–0.8	22	0.5 ^g	0.3–0.8	0.7	0.4–1.2	15	0.5 ^g	0.3–0.8	0.9	0.5–1.6
191	23	0.4 ^h	0.2–0.6	0.7	0.4–1	21	0.6 ^f	0.4–0.9	0.9	0.5–1.5	14	0.5 ^f	0.3–0.9	1.1	0.6–2.0
20	20	0.4 ^h	0.3–0.7	0.7	0.4–1.1	17	0.6 ^f	0.3–0.9	0.6	0.4–1.1	5	0.2 ^g	0.1–0.6	0.4 ^f	0.2–1.0
201	7	0.4 ^f	0.2–0.9	0.7	0.3–1.5	8	0.9	0.4–1.8	1.0	0.5–2.1	3	0.4	0.1–1.3	0.7	0.2–2.3
202	3	0.5	0.2–1.5	0.8	0.3–2.5	1	0.2	0.0–1.7	0.3	0.0–1.9	1	0.4	0.1–2.6	0.6	0.1–4.5

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 47.

ASCR code	Lung, giant cell (N=986)					Pleura (ICD-O 163) (N=310)					Pleural mesothelioma (ICD-O M 905) (N=215)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	18	1.0	0.6–1.5	1.3	0.8–2.2	2	0.3	0.1–1.1	0.5	0.1–2.2	1	0.2	0.0–1.7	0.5	0.1–3.6
181	8	1.1	0.5–2.2	1.9	0.9–4.3	–	–	–	–	–	–	–	–	–	–
182	3	0.8	0.2–2.4	1.3	0.4–4.2	–	–	–	–	–	–	–	–	–	–
183	3	1.2	0.4–3.8	1.3	0.4–4.2	1	1.1	0.2–7.8	1.9	0.3–13.6	1	1.8	0.2–12.9	3.2	0.4–23.6
19	8	0.4 ^f	0.2–0.8	0.6	0.3–1.3	5	0.8	0.3–1.8	2.3	0.7–7.7	1	0.2	0.0–1.6	0.5	0.1–4.5
191	6	0.4 ^f	0.2–0.9	0.6	0.2–1.4	3	0.6	0.2–1.7	1.4	0.3–5.5	1	0.3	0.0–1.9	0.7	0.1–6.0
20	9	0.7	0.4–1.5	1.0	0.5–2.0	3	0.7	0.2–2.1	0.6	0.2–2.0	2	0.7	0.2–2.7	1.0	0.2–4.2
201	4	1.0	0.4–2.8	1.4	0.5–3.9	1	0.7	0.1–4.9	0.6	0.1–4.7	1	0.9	0.1–6.7	1.4	0.2–10.5
202	2	1.2	0.3–4.7	1.5	0.4–6.4	1	1.8	0.2–13	1.7	0.2–12.6	1	2.9	0.4–20.7	4.3	0.6–32.8

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 48.

ASCR code	Bone & cartilage (ICD-O 170) (N=104)					Soft tissue (ICD-O 171) (N=354)					Kaposi's sarcoma (ICD-O M 9140) (N=288)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI
18	3	1.1	0.4–3.6	1.2	0.3–4.2	9	1.1	0.5–2.1	0.9	0.5–1.9	15	1.6	0.9–2.8	1.1	0.6–2.1
181	2	1.8	0.4–7.5	1.9	0.4–9.7	3	0.9	0.3–2.9	0.7	0.2–2.3	3	0.9	0.3–3.2	0.6	0.2–2.1
182	—	—	—	—	—	1	0.6	0.1–4.2	0.4	0.1–3.3	2	1.7	0.4–8.1	1.1	0.2–5.5
183	1	2.5	0.3–18.5	3.1	0.4–23.6	4	3.1 ^f	1.1–8.7	3.3 ^f	1.2–9.4	8	3.0 ^f	1.2–7.8	2.5	0.9–6.6
19	—	—	—	—	—	12	1.4	0.8–2.6	1.2	0.6–2.5	7	0.6	0.3–1.4	0.3 ^g	0.1–0.7
191	—	—	—	—	—	7	1.0	0.5–2.1	0.7	0.3–1.7	6	0.7	0.3–1.6	0.3 ^f	0.1–0.9
20	5	2.4	1.0–6.2	3.5 ^f	1.1–11.0	7	1.2	0.6–2.6	1.0	0.5–2.3	7	1.3	0.6–2.9	1.2	0.5–3.0
201	3	7.7 ^h	2.4–25.1	10.3 ^h	2.8–38.4	1	0.7	0.1–5.1	0.6	0.1–4.3	—	—	—	—	—
202	—	—	—	—	—	1	1.2	0.2–9.0	1.1	0.1–7.8	—	—	—	—	—

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.**Table 8.** Continued from page 49.

ASCR code	Melanoma of the skin (ICD-O M 872–9) (N=1541)					Melanoma, skin of head & neck (N=252)					Melanoma, skin of trunk (N=695)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	52	1.5 ^f	1.1–2.0	1.1	0.8–1.5	6	1.2	0.5–2.6	0.9	0.4–2.1	16	0.9	0.6–1.5	0.7	0.4–1.3
181	25	1.7 ^f	1.1–2.5	1.2	0.7–1.8	2	1.0	0.2–4.0	0.7	0.2–3.1	9	1.2	0.6–2.4	0.9	0.4–1.9
182	11	1.5	0.8–2.7	1.0	0.5–1.9	2	1.9	0.5–7.7	1.5	0.3–6.4	3	0.8	0.3–2.6	0.6	0.2–2.0
183	2	0.4	0.1–1.5	0.3	0.1–1.3	—	—	—	—	—	—	—	—	—	—
19	45	1.3	0.9–1.7	0.8	0.6–1.2	6	1.1	0.5–2.6	0.8	0.3–2.0	19	1.1	0.7–1.8	0.8	0.5–1.4
191	35	1.2	0.8–1.6	0.7	0.5–1.1	4	0.9	0.3–2.5	0.6	0.2–1.9	16	1.1	0.7–1.9	0.8	0.5–1.4
20	34	1.3	0.9–1.8	0.9	0.6–1.4	5	1.4	0.6–3.5	1.2	0.4–3.0	13	1.0	0.6–1.8	0.7	0.4–1.3
201	12	1.8	1.0–3.2	1.3	0.7–2.4	4	4.0 ^g	1.5–10.8	3.4 ^f	1.2–9.6	3	0.9	0.3–2.9	0.7	0.2–2.1
202	3	0.7	0.2–2.4	0.6	0.2–1.8	—	—	—	—	—	—	—	—	—	—

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.**Table 8.** Continued from page 50.

ASCR code	Melanoma, skin of arm (N=338)					Melanoma, skin of leg (N=246)					Squamous cell carcinoma (ICD-O M 8070–4) (N=2471)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	16	2.1 ^g	1.3–3.5	1.6	0.9–2.8	13	2.1 ^g	1.2–3.8	1.8	0.9–3.4	81	1.4 ^f	1.1–1.9	1.3	1.0–1.7
181	7	2.1	1.0–4.6	1.3	0.6–3.0	6	2.2	1.0–5.1	1.7	0.7–4.3	26	1.1	0.7–1.8	0.9	0.6–1.3
182	3	1.8	0.6–5.6	1.1	0.3–3.5	3	2.3	0.7–7.3	1.6	0.5–5.6	23	2.1 ^g	1.3–3.3	1.5	1.0–2.5
183	2	1.8	0.4–7.5	1.9	0.4–7.7	—	—	—	—	—	8	1.5	0.7–3.1	1.4	0.7–2.9
19	14	1.8 ^f	1.1–3.2	1.1	0.6–2.2	6	1.0	0.4–2.2	0.6	0.2–1.5	78	1.7 ^h	1.3–2.3	1.4 ^f	1.1–1.9
191	9	1.4	0.7–2.7	0.7	0.3–1.6	6	1.1	0.5–2.6	0.7	0.3–1.8	67	1.8 ^h	1.3–2.4	1.5 ^f	1.1–2.0
20	10	1.6	0.9–3.1	1.3	0.7–2.6	6	1.3	0.6–2.9	0.9	0.4–2.2	40	1.4	1.0–2.0	1.2	0.8–1.7
201	3	1.9	0.6–6.1	1.5	0.5–4.9	2	1.8	0.4–7.4	1.3	0.3–5.6	10	1.1	0.5–2.1	0.8	0.4–1.6
202	3	3.3 ^f	1.0–10.6	2.6	0.8–8.7	—	—	—	—	—	3	0.8	0.2–2.4	0.7	0.2–2.1

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 51.

ASCR code	Basal cell carcinoma (ICD-O M 8090-4) (N=6516)					Breast (ICD-O 174) (N=96)					Prostate (ICD-O 185) (N=9126)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	205	1.5 ^h	1.3-1.8	1.3 ^g	1.1-1.5	1	0.5	0.1-3.3	0.4	0.1-3.0	162	0.9	0.7-1.0	0.8 ^a	0.6-0.9
181	101	1.7 ^h	1.3-2.1	1.3 ^f	1.0-1.7	1	1.3	0.2-9.0	1.0	0.1-8.0	66	1.0	0.8-1.3	0.9	0.7-1.2
182	41	1.3	0.9-1.9	1.0	0.7-1.5	—	.	.	.	.	33	0.9	0.6-1.3	0.8	0.5-1.1
183	26	1.5	0.9-2.3	1.4	0.9-2.1	—	.	.	.	.	15	0.8	0.4-1.3	0.7	0.4-1.3
19	188	1.5 ^h	1.2-1.7	1.2	0.9-1.4	3	1.5	0.5-4.8	1.3	0.3-5.4	190	1.3 ^g	1.1-1.5	1.2	1.0-1.4
191	161	1.5 ^h	1.2-1.8	1.2	0.9-1.4	3	1.9	0.6-6.0	1.7	0.4-7.3	149	1.2 ^f	1.0-1.5	1.1	0.9-1.4
20	160	1.6 ^h	1.3-1.9	1.1	0.9-1.4	1	0.7	0.1-5.3	0.5	0.1-3.9	102	1.2	0.9-1.5	1.1	0.9-1.4
201	51	1.5 ^f	1.1-2.1	1.1	0.8-1.5	—	.	.	.	.	32	1.0	0.6-1.4	0.9	0.6-1.3
202	25	1.8 ^f	1.1-3.0	1.3	0.8-2.1	—	.	.	.	.	9	0.8	0.4-1.7	0.8	0.4-1.6

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.**Table 8.** Continued from page 52.

ASCR code	Testis (ICD-O 186 N=1112)					Other male genital (ICD-O 187 N=200)					Urinary bladder (ICD-O 188) (N=3014)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	43	1.2	0.8-1.7	1.0	0.7-1.4	7	1.6	0.8-3.5	1.7	0.8-4.0	57	1.0	0.7-1.2	1.0	0.7-1.3
181	27	2.2 ^g	1.4-3.6	1.9 ^f	1.1-3.2	2	1.2	0.3-4.8	1.3	0.3-5.7	21	0.9	0.6-1.4	0.9	0.6-1.5
182	4	0.6	0.2-1.7	0.4	0.1-1.2	1	1.1	0.1-7.6	1.1	0.1-8.5	9	0.7	0.3-1.3	0.7	0.3-1.4
183	5	0.6	0.2-1.6	0.6	0.2-1.5	—	.	.	.	.	11	1.7	0.9-3.2	1.7	0.9-3.1
19	41	1.2	0.8-1.7	0.9	0.6-1.4	4	0.9	0.3-2.5	0.9	0.3-3.0	51	0.9	0.7-1.2	0.9	0.7-1.3
191	37	1.3	0.9-1.9	0.9	0.6-1.5	3	0.9	0.3-2.7	0.9	0.2-3.1	39	0.8	0.6-1.2	0.8	0.6-1.2
20	32	1.0	0.7-1.5	0.8	0.5-1.2	1	0.4	0.0-2.5	0.4	0.1-3.2	30	0.8	0.6-1.2	0.9	0.6-1.3
201	7	1.4	0.6-3.4	1.1	0.5-2.8	—	.	.	.	.	11	1.0	0.5-1.8	1.0	0.6-1.9
202	6	1.8	0.7-4.8	1.5	0.5-3.9	1	2.6	0.4-18.8	3.4	0.5-25.8	4	0.7	0.3-2.0	0.8	0.3-2.1

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.**Table 8.** Continued from page 53.

ASCR code	Kidney, urinary tract (ICD-O 189 N=1682)					Kidney (ICD-O 189.0 N=1356)					Renal pelvis (ICD-O 189.1) (N=326)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	38	1.2	0.8-1.6	1.2	0.8-1.6	29	1.1	0.8-1.6	1.1	0.7-1.6	9	1.4	0.6-3.1	1.5	0.6-3.7
181	18	1.4	0.9-2.2	1.6	0.9-2.7	14	1.3	0.8-2.3	1.5	0.8-2.7	4	2.3	0.8-6.2	3.3 ^f	1.0-11.2
182	4	0.6	0.2-1.6	0.6	0.2-1.7	3	0.6	0.2-1.8	0.6	0.2-1.9	1	0.7	0.1-5.0	0.8	0.1-6.1
183	6	1.4	0.6-3.3	1.3	0.6-2.9	5	1.4	0.6-3.5	1.3	0.5-3.2	1	.	.	.	.
19	21	0.7	0.4-1.0	0.6	0.4-1.0	19	0.7	0.5-1.2	0.7	0.4-1.2	2	0.5	0.1-1.9	0.5	0.1-2.1
191	18	0.7	0.4-1.1	0.7	0.4-1.1	16	0.8	0.5-1.3	0.8	0.4-1.3	2	0.6	0.1-2.3	0.6	0.1-2.7
20	23	1.1	0.7-1.7	1.0	0.7-1.6	16	0.9	0.6-1.5	0.8	0.5-1.4	7	1.2	0.4-3.7	1.2	0.4-4
201	8	1.2	0.6-2.4	1.1	0.5-2.3	7	1.3	0.6-2.7	1.2	0.5-2.5	1	1.1	0.2-8.1	1.1	0.2-8.3
202	5	1.7	0.7-4.2	1.6	0.7-4.1	2	0.8	0.2-3.3	0.7	0.2-3.0	3	5.2	0.7-39	6.1	0.8-48.7

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 54.

ASCR code	Eye, lacrimal gland (ICD-O 190) (N=109)					Brain, nervous system (ICD-O 191-2) (N=879)					Thyroid gland (ICD-O 193) (N=320)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	4	1.9	0.7-5.3	2.0	0.7-6.2	20	0.9	0.6-1.5	0.9	0.6-1.4	10	1.4	0.7-2.6	1.5	0.7-2.9
181	3	3.7 ^f	1.2-12.0	3.9	0.9-16.3	6	0.7	0.3-1.6	0.6	0.3-1.5	7	2.6 ^f	1.2-5.6	3.5 ^g	1.4-9.0
182	—	—	—	—	—	5	1.2	0.5-3.1	1.2	0.5-3.0	—	—	—	—	—
183	—	—	—	—	—	4	1.2	0.4-3.2	1.1	0.4-3.2	2	1.8	0.4-7.3	1.8	0.4-7.5
19	1	0.5	0.1-3.6	0.3	0.0-2.5	18	0.9	0.6-1.5	0.8	0.5-1.4	3	0.4	0.1-1.4	0.4	0.1-1.3
191	1	0.6	0.1-4.4	0.4	0.0-3.2	17	1.0	0.6-1.7	1.0	0.6-1.7	2	0.3	0.1-1.4	0.3	0.1-1.3
20	2	1.5	0.4-6.0	0.9	0.2-4.1	16	1.0	0.6-1.7	1.1	0.7-1.9	5	0.9	0.4-2.3	0.8	0.3-1.9
201	2	5.0 ^f	1.2-20.8	3.4	0.8-15.2	4	1.0	0.4-2.7	1.0	0.4-2.9	2	1.5	0.4-6.2	1.2	0.3-5.2
202	—	—	—	—	—	2	0.9	0.2-3.6	0.9	0.2-3.9	—	—	—	—	—

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 55.

ASCR code	Other endocrine glands (ICD-O 194) (N=70)					Non-Hodgkin's lymphoma (ICD-O M 959-64.9) (N=1125)					Hodgkin's disease (ICD-O M 965-6) (N=345)				
	N	OR ^c	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	3	1.9	0.6-5.9	1.4	0.4-5.1	35	1.5 ^f	1.0-2.1	1.4	0.9-2.0	5	0.5	0.2-1.2	0.5	0.2-1.3
181	2	3.0	0.7-12.4	2.1	0.4-10.3	11	1.1	0.6-2.1	1.0	0.5-1.8	3	0.8	0.2-2.4	0.9	0.3-3.0
182	1	3.1	0.4-22.8	2.0	0.2-16.6	11	2.2 ^g	1.2-4.1	2.1 ^f	1.1-3.9	—	—	—	—	—
183	—	—	—	—	—	4	1.2	0.5-3.3	1.2	0.4-3.3	1	0.6	0.1-4.1	0.7	0.1-5.1
19	2	1.2	0.3-5.1	0.7	0.1-3.4	34	1.5 ^f	1.0-2.1	1.4	0.9-2.1	8	0.9	0.4-1.8	1.0	0.4-2.3
191	2	1.5	0.4-6.0	0.9	0.2-4.3	24	1.2	0.8-1.9	1.1	0.7-1.7	8	1.0	0.5-2.1	1.3	0.5-3.0
20	—	—	—	—	—	24	1.5	1.0-2.2	1.2	0.8-1.8	8	1.0	0.5-2.1	1.0	0.5-2.1
201	—	—	—	—	—	12	2.7 ^h	1.5-4.9	2.2 ^f	1.2-4.0	3	2.0	0.6-6.4	1.9	0.6-6.4
202	—	—	—	—	—	3	1.3	0.4-4.1	1.0	0.3-3.2	1	0.9	0.1-6.6	0.8	0.1-6.3

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 56.

ASCR code	Multiple myeloma (ICD-O M 9730-1) (N=535)					Leukemia (ICD-O M 980-94) (N=1322)					Myeloid leukemia (N=543)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	6	0.5	0.2-1.2	0.5	0.2-1.3	36	1.3	0.9-1.8	1.3	0.9-1.8	12	1.0	0.6-1.8	1.1	0.6-2.1
181	—	—	—	—	—	18	1.6 ^f	1.0-2.6	1.7	1.0-2.8	4	0.8	0.3-2.2	0.9	0.3-2.7
182	1	0.4	0.1-3.1	0.4	0.1-3.2	8	1.3	0.6-2.6	1.3	0.6-2.6	3	1.2	0.4-3.6	1.4	0.4-4.6
183	1	0.8	0.1-5.5	0.8	0.1-5.6	5	1.4	0.6-3.5	1.4	0.6-3.5	2	1.2	0.3-5.0	1.3	0.3-5.3
19	18	1.7 ^f	1.1-2.8	2.7 ^g	1.4-5.3	30	1.1	0.8-1.6	1.1	0.7-1.6	9	0.8	0.4-1.5	0.8	0.4-1.8
191	15	1.8 ^f	1.1-3.0	2.7 ^g	1.3-5.5	23	1.0	0.7-1.5	1.0	0.6-1.6	7	0.7	0.3-1.5	0.8	0.3-1.8
20	7	1.1	0.5-2.3	1.0	0.4-2.1	27	1.5	1.0-2.2	1.4	0.9-2.1	15	1.9 ^f	1.1-3.3	1.8 ^f	1.0-3.2
201	1	0.5	0.1-3.3	0.4	0.1-2.9	11	2.0 ^f	1.1-3.7	1.9 ^f	1.0-3.5	6	2.7 ^f	1.2-6.1	2.4 ^f	1.0-5.6
202	2	2.3	0.6-9.3	2.0	0.5-8.3	2	0.8	0.2-3.1	0.7	0.2-2.8	—	—	—	—	—

^a See the Materials and Methods section for the ICD-O codes. ^b See appendix 1. ^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 25-44 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area). ^d The OR values and their confidence intervals have also been adjusted for socioeconomic status. ^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75 , 65-74, 55-64, 45-54, 35-44, 25-34 years), civil status (single, other, not specified), period of diagnosis (1980-1983, 1984-1988, 1989-1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no). ^f $P < 0.05$. ^g $P < 0.01$. ^h $P < 0.001$.

Table 8. Continued from page 57.

ASCR code	Lymphoid leukemia (N=568)					Chronic lymphatic leukemia (N=514)					Acute leukemia (N=388)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	16	1.3	0.8–2.2	1.3	0.8–2.3	15	1.4	0.8–2.4	1.4	0.8–2.4	10	1.1	0.6–2.1	1.1	0.5–2.1
181	9	1.9	1.0–3.8	2.0	0.9–4.2	8	1.9	0.9–3.9	1.9	0.9–4.3	6	1.7	0.8–3.9	1.7	0.7–4.3
182	4	1.5	0.6–4.1	1.5	0.5–4.1	4	1.7	0.6–4.6	1.6	0.6–4.5	2	1.1	0.3–4.3	1.0	0.2–4.2
183	2	1.4	0.4–5.8	1.4	0.4–5.9	2	1.7	0.4–7.1	1.7	0.4–7.0	1	0.8	0.1–5.5	0.7	0.1–5.4
19	13	1.1	0.7–2.0	1.1	0.6–2.1	12	1.2	0.7–2.1	1.1	0.6–2.2	8	0.9	0.4–1.8	0.8	0.4–1.8
191	10	1.1	0.6–2.0	1.0	0.5–2.1	9	1.1	0.6–2.1	1.0	0.5–2.1	6	0.8	0.4–1.9	0.7	0.3–1.8
20	11	1.5	0.8–2.7	1.3	0.7–2.5	11	1.7	0.9–3.1	1.5	0.8–3.0	12	2.1 ^f	1.2–3.7	2.2 ^f	1.2–4.3
201	4	1.6	0.6–4.4	1.4	0.5–4.0	4	1.8	0.7–4.9	1.6	0.6–4.4	4	2.3	0.9–6.3	2.3	0.8–6.5
202	2	1.9	0.5–7.8	1.7	0.4–7.1	2	2.2	0.5–8.9	1.9	0.5–8.1	–	–	–	–	–

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.

Table 8. Continued from page 58.

ASCR code	Nonacute leukemia (N=918)					Primary site uncertain (ICD-O 199) (N=1262)				
	N	OR ^e	95% CI	OR ^d	95% CI	N	OR ^e	95% CI	OR ^d	95% CI
18	26	1.3	0.9–2.0	1.4	0.9–2.1	20	0.7	0.4–1.0	0.6 ^f	0.4–1.0
181	12	1.6	0.9–2.8	1.6	0.9–3.1	5	0.4	0.2–1.0	0.4 ^f	0.1–0.9
182	6	1.4	0.6–3.2	1.4	0.6–3.3	4	0.7	0.2–1.8	0.6	0.2–1.6
183	4	1.8	0.7–4.8	1.8	0.7–5.0	2	0.5	0.1–2.0	0.6	0.1–2.3
19	22	1.2	0.8–1.8	1.2	0.7–2.0	31	1.1	0.8–1.6	1.0	0.7–1.5
191	17	1.1	0.7–1.8	1.1	0.6–2.0	26	1.2	0.8–1.7	1.0	0.7–1.6
20	15	1.2	0.7–2.1	1.1	0.6–1.9	20	1.1	0.7–1.7	1.0	0.6–1.6
201	7	1.9	0.9–4.0	1.7	0.8–3.7	6	1.0	0.4–2.2	0.9	0.4–2.1
202	2	1.1	0.3–4.6	1.0	0.2–4.2	5	2.1	0.8–5.1	2.0	0.8–5.0

^a See the Materials and Methods section for the ICD-O codes.^b See appendix 1.^c The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 25–44 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, other), and type of habitat (urban, intermediate, rural area).^d The OR values and their confidence intervals have also been adjusted for socioeconomic status.^e The OR values and their confidence intervals have been adjusted for registry, age (≥ 75, 65–74, 55–64, 45–54, 35–44, 25–34 years), civil status (single, other, not specified), period of diagnosis (1980–1983, 1984–1988, 1989–1993), nationality (Swiss, Southern Europe, other, not specified), type of habitat (urban, intermediate, rural area), histological confirmation of tumor (yes, no), death certificate only cases (yes, no).^f P < 0.05.^g P < 0.01.^h P < 0.001.