Scand J Work Environ Health 2022;48(1):81

<https://doi.org/10.5271/sjweh.4010>

Published online: 20 Dec 2021, Issue date: 01 Jan 2022

Re: Videnros C, Selander J, Wiebert P, Albin M, Plato N, Borgquist S, Manjer J, Gustavsson P. Postmenopausal breast cancer and occupational exposure to chemicals. *Scand J Work Environ Health*. 2019;45(6):642-650. doi:10.5271/sjweh.3822
by [Videnros C](#)

Affiliation: Institute of Environmental Medicine, Unit of Occupational medicine, Karolinska Institutet, Solnavägen 4, 113 65 Stockholm. cecilia.videnros@ki.se

Refers to the following text of the Journal: [2019;45\(6\):642-650](#)

This work is licensed under a [Creative Commons Attribution 4.0 International License](#).

Re: Videnros C, Selander J, Wiebert P, Albin M, Plato N, Borgquist S, Manjer J, Gustavsson P. Postmenopausal breast cancer and occupational exposure to chemicals. *Scand J Work Environ Health*. 2019;45(6):642–650. doi:10.5271/sjweh.3822

This erratum concerns the methods section. The error relates to the adjustment for physical activity, which was made for physical activity outside of work, not for physical activity at work, as erroneously stated on page 644.

Statistical analyses

Confounding variables were selected based on *a priori* knowledge from the literature including age (45–49, 50–54, 55–59, 60–64, 65–69, 70–74 years), parity (0, 1, 2, 3, ≥ 4), age at first term pregnancy (<20, 20–24, 25–29, 30–34, ≥ 35 years), months of breastfeeding per child (0, 1–5, 6–12, ≥ 13), hormone replacement therapy (HRT) (no treatment, oestrogen, progesterone, combined treatment), physical activity at work (quartiles), alcohol consumption (0, 1–14, 15–30, > 30 g/day), height (<160, 160–169, ≥ 170 cm) and BMI (<18.5, 18.5–24.9, 25.0–29.9, ≥ 30 kg/m²).

Should be ... "physical activity outside of work" ...